

# **Material Safety Data Sheet**

NFPA Classification	DOT / TDG Pictograms	WHMIS Classification	PROTECTIVE CLOTHING
Health 0 Flammability Specific Hazard		(M)	B

Section I. Chemical Product and Company Identification				
PRODUCT NAME/ TRADE NAME	ESN Polymer Coated Urea 44-0-0			
SYNONYM	Agricultural Grade Controlled Release Urea	MSDS NUMBER:	14250	
CHEMICAL NAME	Carbamide	REVISION NUMBER	1.1	
CHEMICAL FAMILY	Aliphatic amide	MSDS prepared by the Environment, Health and Safety Department on:	January 17, 2005	
CHEMICAL FORMULA	Urea: $CO(NH_2)_2$ , with an insoluble polymer time release coating.	24 HR EMERGENCY TELEPHONE NUMBER:		
MATERIAL USES	Agricultural industry: Controlled release specialty fertilizer.	II		

MANUFACTURER

Agrium

North American Wholesale 13131 Lake Fraser Drive, S.E. Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.

Suite 1700, 4582 South Ulster St. Denver, Colorado, U.S.A., 80237

SUPPLIER

Agrium

North American Wholesale 13131 Lake Fraser Drive, S.E. Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.

Suite 1700, 4582 South Ulster St. Denver, Colorado, U.S.A., 80237

Section II. Hazardous Ingredients							
		E	cposure Li	mits (AC	GIH)		
CAS#	TLV- TWA mg/m³	TLV- TWA ppm	STEL mg/m³	STEL ppm	CEIL mg/m³	CEIL ppm	% by Weight
57-13-6							~ 94
67700-69-0							~3
68424-09-9							~1
108-19-0							1.3
68611-64-3							1.2
	CAS #  57-13-6 67700-69-0 68424-09-9 108-19-0	TLV- TWA mg/m³  57-13-6 67700-69-0 68424-09-9 108-19-0	TLV- TLV- TWA TWA mg/m³ ppm  57-13-6 67700-69-0 68424-09-9 108-19-0	TLV- TLV- TWA TWA mg/m³ ppm  57-13-6 67700-69-0 68424-09-9 108-19-0	TLV- TLV- TWA mg/m³ ppm  57-13-6 67700-69-0 68424-09-9 108-19-0	Exposure Limits (ACGIH)  TLV- TLV- TWA mg/m³ ppm STEL STEL mg/m³ ppm mg/m³  57-13-6 67700-69-0 68424-09-9 108-19-0	Exposure Limits (ACGIH)  TLV- TLV- TV- STEL STEL CEIL CEIL mg/m³ ppm mg/m³ ppm  57-13-6 67700-69-0 68424-09-9 108-19-0

TOXICOLOGICAL DATA ON TFI Product Testing Program Results - Urea 46-0-0 :^ INGREDIENTS

Acute oral toxicity: 14,300 mg/kg rat; 11,500 mg/kg mouse; 510 mg/kg cattle Chronic oral toxicity, NOAEL: 6,750 mg/kg mouse; 2,250 mg/kg rat

Ecotoxicity:

Acute toxicity to fish, Barillius barna, LC<sub>50</sub>, 96hr: >9,100 mg/L Acute toxicity to invertibrates, Daphnia, EC<sub>50</sub> (24kr) >10,000 mg/L Acute toxicity to birds, pigeon, LDLo = 16,000 mg/kg subcutaneous

Toxicity to algae, Scenedesmus quadricauda, cell multiplication inhibition, TT(192 hr) > 10,000 mg/L

Section III. Hazards Identification.				
POTENTIAL ACUTE HEALTH EFFECTS	This product may irritate eyes and skin upon contact due to mechanical action. Urea granules are encapsulated within a polymeric shell coating which slows the release of contents over the growing season. Not considered to be toxic for humans. On ingestion, the material will pass through the digestive tract unchanged and with no effect. However, in keeping with good industrial hygiene practises, exposure to any chemical should be kept to a minimum.			
POTENTIAL CHRONIC HEALTH EFFECTS	CARCINOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, OSHA. MUTAGENIC EFFECTS: NONE by ACGIH, EPA, IARC, OSHA. TERATOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, OSHA.			
	There is no known effect from chronic exposure to this product. Urea is approved as a food and cosmetic additive, is an ingredient in clinical preparations, and is a normal human metabolite found in urine. The polymeric shell and coating is found in many manufactured products and is not considered hazardous by WHMIS (Canada) or HAZCOM (U.S.) definition.			

Section IV. First Aid Measures				
EYE CONTACT	May cause eye irritation due to mechanical action. Flush eyes with running water for at least 15 minutes, keeping eyelids open. Obtain medical attention if irritation persists.			
MINOR SKIN CONTACT	Wash contaminated skin with soap and water.			
EXTENSIVE SKIN CONTACT	No additional information.			
MINOR INHALATION	Repeated or prolonged inhalation of dust may lead to respiratory irritation. Allow the affected individual to rest in a well ventilated area. Watch for airway obstruction. If breathing is labored, give oxygen if available. Seek medical attention if not feeling well.			
SEVERE INHALATION	No additional information.			
SLIGHT INGESTION	The material is non-toxic on ingestion. Due to its slow release coating, the product will pass through the digestive tract unchanged and with no effect.			
EXTENSIVE INGESTION	No additional information.			

Section V. Fire and Explosion Data				
THE PRODUCT IS	Non-flammable.			
AUTO-IGNITION TEMPERATURE	Not applicable.			
FLASH POINT	Not applicable.			
FLAMMABILITY LIMITS	Not applicable.			
PRODUCTS OF COMBUSTION	Material will not burn. Undergoes thermal decomposition at elevated temperatures to produce solid cyanuric acid and release toxic and combustible gases (ammonia, carbon dioxide, and oxides of nitrogen). The quantity of controlled release coating present on the product is insufficient to support combustion.			
FIRE HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Not applicable.			
EXPLOSION HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Does not present any risk of explosion.			
FIRE FIGHTING MEDIA AND INSTRUCTIONS	Non-flammable. Material will not burn. Undergoes thermal decomposition at elevated temperatures to release toxic and combustible gases (ammonia, carbon dioxide, and oxides of nitrogen). If fumes or gases are suspected to be present, fire fighters should wear self-contained breathing apparatus. Use extinguishing media suitable for surrounding materials.			

ESN Polymer Coated Urea 44-0-0 Page Number: 3		
SPECIAL REMARKS ON FIRE HAZARDS	Flammable/toxic gases will form at elevated temperatures by thermal decomposition. W exposed to heat, ammonia is released.	/hen
SPECIAL REMARKS ON EXPLOSION HAZARDS	No additional remark.	

Section VI. Accidental Release Measures			
SMALL SPILL	Use appropriate tools to put the spilled solid in a suitable container for intended use or disposal.		
LARGE SPILL	Prevent additional discharge of material, if possible to do so without hazard. Prevent spills from entering sewers, watercourses, wells, etc. Product will promote algae growth which may degrade water quality and taste. Product will dissolve slowly over a period of months. Recover and place material in suitable containers for recycle, reuse, or disposal. Ensure disposal complies with local regulations.		

Section VII. Handling and Storage			
PRECAUTIONS	If user operations generate dust, use ventilation to keep exposure to airborne contaminants below the exposure limit. Keep out of reach of children.		
STORAGE	Store in a dry, cool and well ventilated area.		

Section VIII. Exposure (	Section VIII. Exposure Controls/Personal Protection				
ENGINEERING CONTROLS	If user operations generate dust, use ventilation to keep exposure to airborne contaminants below the exposure limit. Good general ventilation should be sufficient to control airborne levels.				
PERSONAL PROTECTION	The selection of personal protective equipment varies, depending upon conditions of use. Where skin and eye contact may occur as a result of brief periodic exposures, wear long sleeved clothing, coveralls, leather gloves, and safety glasses with side shields. A filtering facepiece dust mask is recommended for most applications if respiratory protection is needed.				
PERSONAL PROTECTION IN CASE OF LARGE RELEASE	No additional information.				
EXPOSURE LIMITS	AIHA Workplace Environmental Exposure Limits: 10 mg/m³ TWA for Urea as inhalable dust. U.S. OSHA PEL: 15 mg/m3 for Particulates Not Otherwise Regulated.				
	Federal, State or Provincial exposure limits may vary by jurisdiction. Consult local authorities for acceptable exposure limits in your area.				

Section IX. Physical and Chemical Properties				
PHYSICAL STATE AND APPEARANCE	Solid. (A white urea granule with a light green time release coating.)			
MOLECULAR WEIGHT	Not applicable.	COLOR	Off-white	
pH (10% SOLN/WATER)	7	ODOR	Odorless.	
BOILING POINT	Decomposes.	ODOR THRESHOLD	Not available.	
MELTING POINT	133°C (271.4°F)	TASTE	Saline.	
CRITICAL TEMPERATURE	Not applicable.	VOLATILITY	Not applicable.	
SPECIFIC GRAVITY g/cc	Not applicable	SOLUBILITY	Very slightly soluble in cold water, hot water due to the slow release coating.	
BULK DENSITY kg/m³; lbs/ft³	769 kg/m³; 48 lbs/ft³	DISPERSION PROPERTIES	Will slowly dissolve, releasing nutrients over a period of several months.	
VAPOR PRESSURE	Not applicable.			

ESN Polymer Coated Urea 44-0-0			Page Number: 4
		WATER/OIL DIST. COEFF.	Soluble in water.
VAPOR DENSITY	Not applicable.		

Section X. Stability and Reactivity Data		
STABILITY	The product is stable.	
INSTABILITY TEMPERATURE	Not available.	
CONDITIONS OF INSTABILITY	No additional remark.	
INCOMPATABILITY WITH VARIOUS SUBSTANCES	Non-reactive with oxidizing agents, reducing agents, combustible materials, organic materials, metals, acids, alkalis.	
CORROSIVITY	Slightly corrosive to steel. Very slightly corrosive to aluminum, zinc, and copper. Non-corrosive to 304 or 316 stainless steel.	
SPECIAL REMARKS ON REACTIVITY	No additional remark.	
SPECIAL REMARKS ON CORROSIVITY	Avoid contact with moisture. Slow hydrolysis will produce acids which may slowly corrode metals. Contact your sales representative or a metallurgical specialist to ensure compatability with system equipment.	

Section XI. Toxicological Information		
SIGNIFICANT ROUTES OF EXPOSURE	Ingestion. Inhalation.	
TOXICITY TO ANIMALS	See Section II.	
SPECIAL REMARKS ON TOXICITY TO ANIMALS	The product itself and its products of degradation are not harmful under normal conditions of use.	
OTHER EFFECTS ON HUMANS	Our data base contains no additional remark on the toxicity of this product	
SPECIAL REMARKS ON CHRONIC EFFECTS ON HUMANS	No effects.	
SPECIAL REMARKS ON OTHER EFFECTS ON HUMANS	No additional remark.	

Section XII. Ecological Information		
ECOTOXICITY	Will very slowly release ammonia. Ammonia is a toxic hazard to fish, however, ammonia release is very slow making urea considerably less toxic than ammonium salts. Aquatic toxicity tests indicate 24 Hr exposure at 16,000 mg/L of urea did not kill Creek Chubs. Urea ingestion may be toxic to mammals and birds at body burdens of several thousands of mg/kg. Urea is used in small quantities as as a feed suppliment for livestock. Very low toxicity to fish and other water organisms. This product has limited solubility. Recovery of spilled material from bodies of water should be considered. U.S. D.O.T.: This material is NOT listed as a Marine pollutant.	
BOD and COD	Not available.	
PRODUCTS OF DEGRADATION	Ammonia, carbon dioxide and water.	
TOXICITY OF THE PRODUCTS OF DEGRADATION	The product itself and its products of degradation are not harmful under normal conditions of use. Avoid spills or releases to watercourses.	

### ESN Polymer Coated Urea 44-0-0

SPECIAL REMARKS ON THE PRODUCTS OF

The product itself and its products of degradation are not harmful under normal conditions of use if proper precautions are followed. Urea will promote algae growth which may degrade water quality and taste.

Page Number: 5

## Section XIII. Disposal Considerations

WASTE DISPOSAL OR RECYCLING

**DEGRADATION** 

Recover and place material in a suitable container for intended use or disposal. Ensure that disposal complies with government requirements and local regulations.

Section XIV. Transport Information		
DOT / TDG CLASSIFICATION	Not controlled under TDG (Canada) or DOT (U.S.A.).	
PIN and Shipping Name	Not applicable.	
SPECIAL PROVISIONS FOR TRANSPORT	Not applicable.	
DOT (U.S.A) (Pictograms)		

## Section XV. Other Regulatory Information and Pictograms CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA): This product and all its components are OTHER REGULATIONS on the Domestic Substances List (DSL) and acceptable for use under the provisions of CEPA. EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances. CERCLA/SUPERFUND, 40 CFR 117,302: This product contains no Reportable Quantity (RQ) Substances. This product does not contain Section 313 reportable ingredients. This product is not considered as a priority pollutant as regulated under the Clean Water Act. TSCA (Toxic Substance Control Act): This product and all its components are listed on the TSCA Inventory. CALIFORNIA PROPOSITION 65: This product contains no chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. OTHER CLASSIFICATIONS HCS (U.S.A.) Not controlled under the HCS (United States). Not controlled under DSCL (Europe). DSCL (EEC) **National Fire Protection** Hazards presented under acute emergency **Fire Hazard** Association (U.S.A.) conditions only: Reactivity Health Specific Hazard TDG (Pictograms -Canada) **DSCL** (Europe) (Pictograms)

ADR (Europe) (Pictograms)



#### Section XVI. Other Information

#### **REFERENCES**

- -AIHA WEELs, American Industrial Hygiene Association, 2001
- -ACGIH TLVs, American Conference of Governmental Industrial Hygienists, 2003
- -Canadian Centre for Occupational Health and Safety Database Systems.
- -Domestic Substances List, Canadian Environmental Protection Act, Environment Canada.
- -29 CFR Part 1910
- -40 CFR Parts 1-799
- -49 CFR Parts 1-199
- -Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers
- -Fire Protection Guide to Hazardous Materials, (NFPA49, 325M, 491M, and 704), National Fire Protection Association, 10th Ed, 1991
- -The Fertilizer Institute Product Testing Plan Results, March 2003
- -TOMES® System: Heitland G & Hurlbut KM (Eds) (electronic version): MICROMEDEX, Greenwood Village, Colorado, USA. Available at: http://csi.micromedex.com (2002). The TOMES® System includes MEDITEXT® Medical Management; HAZARDTEXT® Hazard Management; INFOTEXT® Documents; ERG2000 Emergency Response Guidebook Documents; REPROTEXT®: Heitland G & Hurlbut KM (Eds); CHRIS Hazardous Chemical Data: U.S. Department of Transportation, U.S. Coast Guard, Washington, D.C. (2003); HSDB: Hazardous Substances Data Bank. National Library of Medicine, Bethesda, Maryland (2003); IRIS: Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, D.C. (2003); NIOSH: Pocket Guide to Chemical Hazards. National Institute for Occupational Safety and Health, Cincinnati, Ohio (2003); OHM/TADS: Oil and Hazardous Materials Technical Assistance Data System. U.S. Environmental Protection Agency, Washington, D.C. (2003); REPROTOX®: Scialli A.R. Georgetown University Medical Center and Reproductive Toxicology Center, Columbia Hospital for Women Medical Center, Washington, D.C. (2003); RTECS®: Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio (2003); and SHEPARDS: Shepard T.H.: Shepard's Catalog of Teratogenic Agents (2003).

-Veterinary Pharmacology and Therapeutics. 5th ed. Ames, Iowa: Iowa State University Press, 1982.

## OTHER SPECIAL

Not applicable.

CONSIDERATIONS
FOR FURTHER SAFETY, HEALTH, OR

AGRIUM

ENVIRONMENTAL INFORMATION ON THIS PRODUCT, CONTACT

Environment, Health and Safety Department Telephone (403) 225-7380 or Fax (403) 225-7608

#### **NOTICE TO READER**

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.