



80857

Lamb Builder 15% Show Lamb

MEDICATED

For the prevention of coccidiosis in young sheep caused by Eimeria ovinoidalis, E. crandallis, E. parva and E. bakuensis.

ACTIVE DRUG INGREDIENT

Decoquinatate 15 g/ton

Grower Feed for Goat and Sheep.

GUARANTEED ANALYSIS

Crude Protein*	(Minimum)	15.5	%
* This includes not more than 0.9 base % equivalent protein from non-protein nitrogen.			
Crude Fat	(Minimum)	6.1	%
Crude Fiber	(Maximum)	6.2	%
Calcium (Ca)	(Minimum)	0.89	%
Calcium (Ca)	(Maximum)	1.24	%
Phosphorus (P)	(Minimum)	0.31	%
Salt (NaCl)	(Minimum)	0.9	%
Salt (NaCl)	(Maximum)	1.3	%
Selenium (Se)	(Minimum)	0.3	ppm
Vitamin A	(Minimum)	7,008	IU/Lb

INGREDIENTS

Grain Products, Plant Protein Products, Roughage Products, Molasses Products, Vegetable Fat, Calcium Carbonate, Ammonium Chloride, Calcium Propionate, Magnesium Oxide, Zinc Amino Acid Complex, Sodium Selenite, Vitamin A Supplement, Vitamin E Supplement, Vitamin D3 Supplement, Mineral Oil, Calcium Carbonate, Aspergillus oryzae fermentation extract, Aspergillus niger fermentation extract, Dextrose, Lactose, Cobalt Carbonate, Mineral Oil, natural flavoring., Hydrolyzed yeast, yeast extract, yeast culture, coconut oil, and FD&C Blue #1..

WARNING: Do not feed to sheep producing milk for food.

CAUTION: Do not use in feeds containing bentonite.

LIMITATIONS: Feed at least 28 days during periods of exposure to coccidiosis or when experience indicates that it is likely to be a hazard. Feed Type C feed or milk replacer at a rate to provide 22.7 mg decoquinatate per 100 lb (0.5 mg/kg) bodyweight. Type C feed may be prepared from dry or liquid type B feed.

CAUTION: USE AS DIRECTED.

DIRECTIONS FOR USE

Feed as directed by Countryside Feed, LLC. Feed .3 lbs per pound of body weight per day to provide 22.7 mg of Deccox per 100 lbs of body weight.



Manufactured By:
Countryside Feed, LLC.
Seneca, KS 66538

Bulk - or - 50 lb (22.68 kg) Net Weight

MEDICATED