

CORN



Answer Plot
By WINFIELD UNITED
YIELD REPORT 2022

2022 Regional Answer Plot
Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

Moisture below Mean

CHT 80	CROPLAN				Dekalb				NK		Brevant			Pioneer		Plot Mean	LSD (.10)
	CP2123VT2P/RIB	CP2180VT2P/RIB	CP2288VT2P/RIB	CP2315VT2P/RIB	DKC28-25RIB	DKC29-89RIB	DKC31-85RIB	DKC32-35RIB	NK8005-V	NK8204-V	B78K17AM	B80W14AM	B82J92AM	P7632AM	P7861AM		
Shawano-WI	205	231	203	216	207	227	230	227	189	220	214	216	218	187	201	213.7	7.6
Warren-MN	192	243	207	221	199	216	221	236	220	193	215	216	220	193	185	210.6	9.1
Overall Ave	198	237	205	219	203	221	225	232	205	207	215	216	219	190	193	210.5	
Overall % of Mean	94%	112%	97%	104%	96%	105%	107%	110%	97%	98%	102%	102%	104%	90%	92%		
Moisture Ave*	20.3	21.2	22.6	21.7	20.4	20.9	21.3	21.1	23.6	24.4	21.3	22.4	21.5	21.1	20.5	21.7	
Test Weight Ave	56.1	54.9	55.0	54.6	55.6	55.8	54.8	55.1	54.6	54.6	55.8	55.0	54.6	55.7	56.4	55.1	



2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

CHT 85	CROPLAN									Dekalb		NK			Brevant						Pioneer		Plot Mean	LSD (.10)
	CP2315VT2P/RIB	CP2585VT2P/RIB	CP2587VT2P/RIB	CP2692AS5122-EZ	CP2790VT2P/RIB	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P/RIB	CP2965VT2P/RIB	DKC35-34RIB	DKC36-48RIB	NK8519-V	NK8618-AA	NK8760-V	B82J92AM	B85K27AM	B85R88AM	B87G15AM	B89Z10AM	B90C23AM	P8431AM	P8588AM		
Evansville-MN	203	222	172	202	240	218	210	225	218	206	227	210	206	198	204	203	220	206	220	216	194	205	208.9	9.9
Santiago-MN	224	255	223	240	280	256	265	265	281	232	274	251	252	208	236	248	262	249	259	279	239	244	248.9	12.2
Shawano-WI	222	219	201	239	235	213	223	231	228	211	236	221	236		219	221	239	233	239	250	220	215	224.3	9.0
Warren-MN	213	227	205	228	242	224	233	222	232	215	249	221	220	186	213	211	234	240	227	251	207	217	221.9	12.5
Overall Ave	215	231	200	227	249	228	233	236	240	216	246	226	228	197	218	221	239	232	236	249	215	220	225.8	
Overall % of Mean	95%	102%	89%	101%	110%	101%	103%	104%	106%	96%	109%	100%	101%	87%	97%	98%	106%	103%	105%	110%	95%	97%		
Moisture Ave	20.8	20.4	21.5	23.2	22.3	22.9	21.8	21.9	22.8	21.4	21.0	22.1	23.9	23.8	19.9	21.0	21.5	21.5	23.4	23.1	21.5	20.6	21.9	
Test Weight Ave	55.4	55.2	55.1	54.4	54.4	54.0	54.4	54.2	54.5	55.1	54.1	55.1	54.6	54.6	55.7	54.2	53.4	54.4	53.8	55.4	56.1	55.1	54.7	

CORN

CROPLAN

Answer Plot
By WINFIELD UNITED
YIELD REPORT 2022

2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

CHT 90	CROPLAN							Dekalb						NK					Brevant						Pioneer			Plot Mean	LSD (.10)
	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P/RIB	CP2965VT2P/RIB	CP3166VT2P/RIB	CP3314VT2P/RIB	CP3490VT2P/RIB	DKC39-55RIB	DKC40-99RIB	DKC41-55RIB	DKC41-99RIB	DKC42-65RIB	DKC43-75RIB	NK9023-DV	NK9175-DV	NK9227-V	NK9231-AA	NK9347-D	B90C23AM	B90R92Q	B91K05AM	B92D25AM	B92W94AM	B93V26AM	P8989AM	P9193Q	P9211AM		
Belgrade-MN	238	242	248	254	239	254	279	251	226	262	252	247	280	235	245	274	276	240	275	266	274	264	277	275	243	259	257	256.4	17.4
Berlin-WI	198	209	218	181	199	228	243	225		239	229		244	201	243	223	232	230	188	231	199	228	220	236	215	218	237	217.0	13.1
Chilton-WI	210	244	257	248	243	252	263	265	228	269	249	255	269	228	259	246	283	235	258	266	275	254	288	282	250	220	260	255.5	14.7
Menomonie-WI	185	189	218	202	202	216	239	212	175	200	209	194	226	173	216	213	231	216	193	226	206	224	225	209	185	218	201	203.6	14.1
Murdock-MN	242	248	255	264	252	271	266	264	225	265	264	255	263	263	263	262	295	249	267	273	266	249	267	269	247	251	263	258.2	11.9
Santiago-MN	234	231	250	258	262	262	265	256	236	245	258	252	274	246	244	242	283	210	266	250	262	263	271	268	243	267	278	252.2	15.7
Shawano-WI		221	225	218	224	230	235	260	216	254	228	228	250	229	236	233	287	232	251	259	268	239	256	262	224	244	265	240.1	12.0
Overall Ave	218	226	238	232	232	245	256	247	217	248	241	238	258	225	243	242	269	230	242	253	250	246	258	257	230	240	252	241.8	
Overall % of Mean	90%	94%	99%	96%	96%	101%	106%	102%	90%	102%	100%	99%	107%	93%	101%	100%	111%	95%	100%	105%	103%	102%	107%	106%	95%	99%	104%		
WI Ave	198	216	229	212	217	232	245	240	206	241	229	225	247	208	238	229	258	228	222	245	237	236	247	247	219	225	241	230.0	
MN Ave	238	241	251	259	251	262	270	257	229	257	258	251	272	248	250	259	285	233	269	263	267	259	272	270	244	259	266	256.5	
Irrigated	219	221	238	238	235	244	261	239	212	236	240	231	260	218	235	243	264	222	245	247	247	250	258	250	224	248	245	239.0	
Moisture Ave	20.1	19.7	19.9	19.8	20.2	21.7	22.3	20.0	19.3	20.4	20.4	20.5	20.7	21.0	21.8	22.0	22.2	21.8	20.5	20.2	20.6	20.9	21.0	21.4	20.1	20.5	21.4	20.8	
Test Weight Ave	56.4	56.3	56.0	56.0	54.3	54.2	54.3	56.2	55.1	56.2	55.5	55.1	56.0	55.6	55.8	55.3	54.4	54.5	56.3	54.0	55.6	55.7	54.3	54.3	55.7	57.3	53.4	55.3	

CORN

CROPLAN

Answer Plot
By WINFIELD UNITED
YIELD REPORT 2022

2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

CHT 95	CROPLAN							Dekalb						NK				Brevant						Pioneer				NEW	Plot Mean	LSD (.10)
	CP3399SS/RIB	CP3490VT2P/RIB	CP3575VT2P/RIB	CP3699RR	CP3735SS/RIB	CP3735VT2P/RIB	CP3899VT2P/RIB	DKC44-98RIB	DKC45-35RIB	DKC45-74RIB	DKC46-50RIB	DKC47-84RIB	DKC48-95RIB	NK9175-DV	NK9231-AA	NK9347-D	NK9535-V	B94Z97AM	B95R21AM	B95V86AM	B97G09Q	B97K12Q	B99A24AM	P9301AM	P9489Q	P9540AM	P9772AM	CP3724VT2P/RIB X21097C		
Belgrade-MN	256	264	262	258	287	280	274	283	288	280	257	255	264	242	286	232	257	270	259	268	293	283	283	254	261	269	275	274	267.2	15.1
Berlin-WI	236	251	246	221	260	252	267	243	266	266	240	250	243	236	239	203	251	275	247	240	277	232	264	221	256	257	248	265	245.8	12.0
Chilton-WI	262	243	273	249	264	263	258	279	277	270	267	263	252	248	277	237	259	267	266	284	278	280	277	247	266	270	279	268	263.4	13.0
Hamilton-MI		274	282	255	267	267	293	275	278	280	280	254	255	251	285	241	252	271	265	284	290	266	277	277	281	276	274	264	267.2	17.0
LeSueur-MN	196	214	228	229	241	244	229	235	242	225	240	249	237	220	253	222	239	247	228	233	236	240	233	216	240	229	257	247	231.7	7.9
Menomonie-WI	232	230	231	223	246	238	247	245	260	257	228	236	220	233	242	188	208	237	227	209	210	215	251	200	253	242	212	255	231.5	13.2
Minneota-MN		205	162	179	207	197	179	234	226	206	219	237	243	201	224	172	208	236	229	214	205	239	218	214	231	241	233	228	215.5	13.5
Murdock-MN	260	270	273	263	272	281	290	275	288	280	273	274	273	248	282	251	269	277	273	264	281	276	278	252	276	275	289	291	272.1	12.5
Santiago-MN	216	242	219	231	212	220	255	240	263	246	218	202	235	206	270	205	253	259	250	248	257	230	249	262	255	227	234	275	237.0	17.3
Shawano-WI	229	255	248	246	245	247	262	263	267	235	240	264	251	234	271	232	252	272	268	273	269	242	271	258	261	259	254	246	251.5	12.4
Truman-MN	245	247	255	250	266	264	253	271	271	258	267	269	256	248	246	237	247	276	259	265	261	260	274	241	256	258	263	291	258.4	15.5
Wabasso-MN	231	230	228	218	228	229	223	228	237	222	237	224	221	206	228	191	225	226	217	228	232	228	234	208	225	236	234	229	223.0	10.3
West Salem-WI	249	247	244	235	262	270	256	274	248	261	237	244	242	230	283	226	224	269	236	256	276	238	248	254	250	237	269	290	247.3	16.2
Worthington-MN	236	235	233	215	240	233	241	243	251	241	231	222	243	206	211	213	219	243	225	231	245	242	238	223	228	224	219	243	230.9	15.5
Overall Ave	237	243	242	234	250	249	252	256	261	252	245	246	245	229	257	218	240	259	246	250	258	248	257	238	253	250	253	262	247.8	
Overall % of Mean	96%	98%	97%	94%	101%	100%	102%	103%	105%	102%	99%	99%	99%	92%	104%	88%	97%	104%	99%	101%	104%	100%	104%	96%	102%	101%	102%	106%		
WI Ave	242	245	248	234	255	254	258	261	264	258	242	251	241	236	262	217	239	264	249	252	262	241	262	236	257	253	253	265	250.2	
MN Ave	234	238	232	230	244	243	243	251	258	245	243	241	247	222	250	215	240	254	243	244	251	250	251	234	247	245	251	260	243.6	
Irrigated Ave	235	246	237	237	248	246	259	256	270	261	234	231	240	227	266	209	239	255	245	242	253	243	261	239	256	246	240	268	247.2	
Moisture Ave*	20.7	20.5	19.9	20.7	21.3	21.0	21.0	20.2	20.74	21.4	20.8	21.5	21.9	21.0	21.0	20.5	22.0	20.4	21.3	21.38	21.4	22.5	22.9	20.0	20.9	20.4	21.8	21.9	21.1	
Test Weight Ave*	56.6	55.9	57.5	56.7	56.5	57.3	55.7	56.2	56.6	56.0	56.8	55.4	56.4	56.7	55.5	55.2	57.1	54.6	55.1	53.68	53.9	55.9	56.1	58.1	56.8	54.2	54.8	54.9	55.9	

CORN

CROPLAN

Answer Plot
By WINFIELD UNITED
YIELD REPORT 2022

2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

CHT 100	CROPLAN						Dekalb						NK			Brevant					Pioneer				NEW			Plot Mean	LSD (.10)	
	CP3899VT2P/RIB	CP3980VT2P/RIB	CP4079VT2P/RIB	CP4188SS/RIB	CP4188VT2P/RIB	CP4265VT2P/RIB	DKC101-33RIB	DKC48-34RIB	DKC48-69RIB	DKC49-24RIB	DKC50-88RIB	DKC52-99RIB	NK0007-AA	NK0243-D	NK9991-D	B00M18Q	B01V22AM	B01Z88AM	B97K12AM	B99A24AM	P0075Q	P9772AM	P9870AM	P9998Q	CP3724VT2P X21097C	CP3852TRE/RIB X21098C	CP3715SSPRO/RIB X22099A			CP4282SS/RIB X22102A
Belgrade-MN	273	295	270	281	285	282	293	273	262	285	266	293	263	262	268	291	305	301	282	295	316	271	275	293	299	303	275	287	282.0	14.8
Berlin-WI	262	273	257	274	277	270	283	264	248	269	265	280	259	252	261	256	279	272	252	278	261	245	256	231	263	281	263	273	264.1	10.8
Chilton-WI	276	273	266	261	270	275	290	258	280	278	277	262	246	259	257	266	299	295	271	279	285	269	268	264	270	296	280	289	272.6	14.6
Fennimore-WI	254	270	230	233	246	250	266	254	251	268	234	261	250	272	277	245	300	296	260	285	275	263	263	255	269	297	265	262	262.0	14.7
Hamilton-MI	263	272	260	274	266	288	293	257	283	281	265	273	246	257	263	252	269	275	276	282	271	271	285	267	274	277	272	272	271.2	13.6
Janesville-WI	248	275	261	258	264	266	283	254	268	264	263	278	265	250	270	258	284	280	276	268	278	264	267	268	273	279	257	258	265.6	13.0
LeSueur-MN	224	249	245	230	247	243	251	250	248	239	232	272	240	251	218	239	256	246	246	253	252	237	255	262	246	250	249	237	244.0	10.2
Menomonie-WI	241	257	250	242	239	255	260	217	237	246	249	273	232	219	212	240	229	221	214	247	248	202	223	209	251	269	250	234	239.0	11.5
Minneota-MN	203	206	216	208	218	216	245	237	194	219	207	223	210	195	208	229	263	236	230	227	235	238	248	226	217	208	207	215	218.9	15.5
Murdock-MN	263	286	280	259	280	273	289	279	271	269	278	287	266	283	269	276	290	288	271	288	289	275	282	263	289	277	279	263	276.4	12.1
Princeton-IL	256	262	252	262	269	268	294	254	235	270	260	306	234	234	260	250	297	277	235	244	307	258	235	279	300	311	265	249	261.6	13.9
Truman-MN	256	276	267	269	286	267	298	257	267	273	276	301	270	253	261	265	300	291	271	279	299	260	270	288	279	297	254	254	273.4	14.0
Wabasso-MN	226	240	236	237	234	226	261	228	231	227	234	252	242	216	215	251	266	240	244	239	246	227	234	229	244	258	216	232	238.9	12.0
Wanamingo-MN	269	282	271	269	259	277	286	279	261	290	264	288	266	271	279	268	290	293	269	281	298	277	271	276	310	299	276	278	277.0	14.0
West Salem-WI	266	258	258	252	244	262	269	229	231	263	260	272	236	216	270	265	256	272	252	280	265	252	245	246	296	290	250	263	254.8	15.5
Worthington-MN	229	237	245	247	225	231	234	240	248	258	249	259	230	222	237	250	275	262	255	260	264	234	235	251	262	268	233	245	245.1	16.1
Overall Ave	251	263	254	254	257	259	275	252	251	262	255	274	247	245	252	256	279	271	257	268	274	253	257	257	271	279	256	257	259.2	
Overall % of Mean	97%	102%	98%	98%	99%	100%	106%	97%	97%	101%	98%	106%	95%	94%	97%	99%	108%	105%	99%	103%	106%	97%	99%	99%	105%	108%	99%	99%		
WI Ave	258	268	254	253	257	263	275	246	252	265	258	271	248	245	258	255	275	272	254	273	269	249	254	246	270	285	261	263	260	
MN Ave	243	259	254	250	254	252	270	255	248	258	251	272	248	244	244	259	281	270	258	265	275	252	259	261	268	270	248	251	257	
Moisture Ave	20.1	20.9	20.8	21.2	21.8	20.9	21.6	22.2	21.3	21.7	20.8	21.9	21.8	22.2	22.3	21.8	22.0	22.0	21.5	21.8	22.6	20.8	20.8	22.1	21.1	20.8	20.5	22.4	21.5	
Test Weight Ave	56.5	56.0	56.0	55.1	55.0	55.9	54.3	56.1	56.5	56.0	56.3	54.8	56.2	54.2	56.6	54.9	53.9	54.6	55.9	56.3	54.9	55.5	55.7	55.3	55.3	55.1	56.2	56.1	55.6	

CORN

CROPLAN

Answer Plot
By WINFIELD UNITED
YIELD REPORT 2022

2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

CHT 105	CROPLAN					Dekalb							NK				Brevant						Pioneer			NEW			
	CP4444VT2P/RIB	CP4676SS/RIB	CP4757VT2P/RIB	CP4791AS3111	CP4822VT2P/RIB	DKC105-35RIB	DKC53-27RIB	DKC56-26RIBTRE	DKC56-65RIB	DKC57-23RIBTRE	DKC57-45RIB	DKC57-71RIB	NK0440-AT	NK0696-D	NK0748-AA	NK0877-V	B04R11Q	B04V12Q	B04Z92AM	B06Y18Q	B07H01AM	B08G23AM	P0339Q	P0404Q	P0622Q	CP4652SSPRO/RIB X22106A	CP4516TRE/RIB X22106B	Plot Mean	LSD (.10)
Chilton-WI	279	251	247	256	253	267	248	272	240	259	236	257	249	226	257	259	256	249	245	248	272	243	267	262	265	266	271	257.1	12.7
Fennimore-WI	268	251	260	273	251	257	231	278	241	278	270	251	271	228	268	257	252	257	267	264	303	285	243	260	259	254	277	259.1	15.1
Janesville-WI	276	277	264	278	269	284	264	298	260	293	277	290	280	265	276	284	281	266	267	288	301	294	263	275	288	285	289	277.1	13.3
LeRoy-IL	276	277	288	277	259	294	245	304	253	312	290	288	288	258	243	284	283	271	256	298	312	284	280	272	284	290	300	280.5	12.0
LeSueur-MN	256	249	243	250	221	260	242	265	247	261	265	260	246	205	229	241	233	237	227	239	258	257	242	242	249	246	271	245.9	9.1
Minneota-MN	183	198	202	208	185	221	164	181	210	185	202	196	196	150	162	197	164	226	180	242	221	195	208	242	211	216	185	197.5	18.8
Princeton-IL	259	277	258	286	266	304	242	315	247	285	301	314	298	262	252	281	289	254	267	286	313	292	275	283	290	319	279	278.7	13.2
Sandwich-IL	279	273	252	243	229	237	269	286	247	291	249	268	257	236	232	260	281	259	246	255	262	252	243	244	258	271	266	256.6	12.3
Truman-MN	259	286	262	282	272	292	271	303	247	278	292	300	279	271	266	279	297	288	282	300	289	256	281	285	283	294	297	279.5	12.5
Wabasso-MN	201	228	250	224	215	237	234	232	236	231	246	240	222	209	226	237	225	239	228	245	249	219	236	236	233	238	251	231.5	13.6
Wanamingo-MN	296	282	289	282	273	283	265	303	268	304	285	280	293	258	276	270	279	281	286	290	289	289	270	275	287	289	292	281.8	12.3
Washington-IA	192	227	197	232	181	219	212	212	191	210	250	270	256	211	229	244	236	230	190	243	232	226	246	245	237	241	255	222.4	12.6
West Salem-WI	276	263	262	249	254	284	234	276	222	262	284	273	264	262	235	252	272	258	270	288	286	288	247	270	261	270	267	262.4	16.7
Worthington-MN	238	259	274	239	241	251	230	252	241	269	263	259	247	242	257	264	266	224	263	272	267	249	250	251	268	244	277	252.3	13.0
Overall Ave	253	257	253	256	241	263	239	270	239	265	265	267	260	234	243	258	258	253	248	268	275	259	254	260	262	266	270	256.6	
Overall % of Mean	99%	100%	99%	100%	94%	103%	93%	105%	93%	103%	103%	104%	101%	91%	95%	100%	101%	99%	97%	105%	107%	101%	99%	101%	102%	104%	105%		
WI Ave	275	261	258	264	257	273	244	281	241	273	267	268	266	245	259	263	265	257	262	272	290	278	255	267	268	269	276	264	
IL Ave	272	276	266	269	251	278	252	301	249	296	280	290	281	252	242	275	284	261	256	280	296	276	266	266	278	293	281	273	
MN Ave	239	251	253	247	235	257	234	256	241	255	259	256	247	223	236	248	244	249	244	265	262	244	248	255	255	255	262	249	
Moisture Ave	19.6	22.0	21.6	22.5	20.2	21.2	20.8	21.4	22.65	21.6	22.4	22.6	21.3	23.1	22.0	23.1	21.3	22.0	21.6	22.7	24.4	24.28	20.6	20.9	22.2	21.5	21.3	21.6	
Test Weight Ave	55.9	56.1	56.9	55.0	56.9	55.1	55.5	54.5	55.35	54.4	54.7	54.7	55.1	54.4	56.7	53.2	55.5	56.0	55.9	55.8	54.9	54.43	55.9	55.5	55.4	55.0	54.9	55.4	



2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

CHT 110	CROPLAN									Dekalb						NK						Brevant						Pioneer	NEW	Plot Mean	LSD (.10)
	CP4880SS/RIB	CP4930DGV2P/RIB	CP4997VT2P/RIB	CP5073SS/RIB	CP5073VT2P/RIB	CP5115SS/RIB	CP5115VT2P/RIB	CP5210SS/RIB	CP5244VT2P/RIB	DKC111-35RIB	DKC58-64RIB	DKC59-82RIB	DKC60-80RIB	DKC62-70RIB	DKC62-89RIBTRE	NK0748-AA	NK1026-VZ	NK1082-DV	NK1188-D	NK1239-D	NK1349-V	B08G23AM	B09Z08AM	B10A20AM	B10H24AM	B12C01Q	B12M18AM	P1222YHR	CP5208VT2P/RIB X2111A		
Fennimore-WI	261	270	253	262	277	256	234	271	269	258	269	270	270	278	252	243	278	260	249	262	278	274	264	294	288	296	285	322	249	265.8	13.5
Janesville-WI	260	288	278	267	272	276	263	262	281	279	291	284	262	273	272	264	276	287	274	282	256	287	275	284	284	294	286	293	278	274.7	12.8
LeRoy-IL	308	305	293	295	292	296	300	296	298	290	298	299	289	291	288	286	285	288	286	290	285	311	299	305	299	307	299	284	276	290.2	14.7
Princeton-IL	278	305	285	296	278	271	273	299	289	296	268	283	295	298	312	230	287	290	307	309	283	281	274	327	315	271	278	328	306	289.1	13.1
Sandwich-IL	266	294	272	269	266	259	252	264	251	271	283	263	271	275	272	232	226	253	239	261	224	267	262	260	255	268	270	276	252	261.2	14.3
Washington-IA	260	260	268	252	248	260	249	257	254	278	255	241	217	265	269	207	248	270	259	231	233	270	257	271	246	269	261	272	251	254.8	10.4
Overall Ave	272	287	275	274	272	270	262	274	274	278	277	273	267	280	277	244	267	275	269	272	260	281	272	290	281	284	280	296	269	272.6	
Overall % of Mean	100%	105%	101%	100%	100%	99%	96%	101%	100%	102%	102%	100%	98%	103%	102%	89%	98%	101%	99%	100%	95%	103%	100%	106%	103%	104%	103%	108%	99%		
WI Ave	261	279	265	265	274	266	249	266	275	268	280	277	266	275	262	253	277	273	261	272	267	280	269	289	286	295	286	308	264	270.3	
IL Ave	284	302	283	287	279	275	275	286	279	285	283	282	285	288	290	249	266	277	277	287	264	286	278	297	290	282	282	296	278	280.2	
Moisture Ave	20.6	20.4	19.6	20.2	21.7	21.8	21.7	23.0	22.1	21.2	20.1	20.6	21.0	21.9	21.2	20.1	22.2	21.2	22.0	24.73	22.4	21.0	20.4	22.1	21.3	22.6	21.4	22.7	21.0		
Test Weight Ave	56.1	55.4	56.0	55.2	54.7	56.3	56.1	53.6	53.7	56.6	56.1	55.6	55.1	55.9	55.4	57.2	53.1	54.1	56.3	53.78	56.7	54.8	55.6	54.9	56.0	56.2	56.5	54.8	56.2		



2022 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean
YIELD Greater than Mean of all Locations
Moisture below Mean
Irrigated Location

CHT 115	CROPLAN									Dekalb						NK					Brevant					Pioneer			NEW	Plot Mean	LSD (.10)			
	CP5335VT2P/RIB	CP5370SS/RIB	CP5370VT2P/RIB	CP5497VT2P/RIB	CP5550VT2P/RIB	CP5588DGV2P/RIB	CP5678SS/RIB	CP5678VT2P/RIB	CP5760TRE/RIB	DKC115-33RIB	DKC64-22RIB	DKC64-65RIB	DKC65-99RIBTRE	DKC66-06RIB	DKC67-37RIB	DKC67-94RIB	NK1523-V	NK1661-DV	NK1677-3110	NK1701-V	NK1748-3110	NK1755-DV	B13A10AM	B13J23AM	B13K20AM	B14G14AM	B14R22Q	B17Z18AM	P1353Q			P1366Q	P1511YHR	CP5717VT2P X20117C/VT2P
LeRoy-IL	297	306	302	300	303	296	298	306	298	292	301	297	298	300	287	294	290	292	286	284	283	284	311	319	307	313	303	308	275	281	288	293	294.5	14.0
Princeton-IL	291		298	308	307	311	277	292	344	307	324	257	294	271	293	301	313	296	300	270	270	298	318	300	302	316	309	309	254	294	321	278	297.7	14.7
Sandwich-IL	250	244	254	270	266	271	256	255	268	263	273	264	279	267	267	255	242	240	223	227	256	215	264	261	254	255	272	263	264	253	265	252	256.3	11.8
Washington-IA	252		255	274	271	287	256	243	284	277	279	249	272	259	262	296	238	191	247	248	247	267	264	278	249	271	285	263	250	257	277	265	261.5	12.8
Overall Ave	272	275	277	288	287	291	272	274	299	285	294	267	286	274	277	287	271	255	264	257	264	266	289	290	278	289	292	286	261	271	288	272	277.4	
Overall % of Mean	98%	99%	100%	104%	103%	105%	98%	99%	108%	103%	106%	96%	103%	99%	100%	103%	98%	92%	95%	93%	95%	96%	104%	104%	100%	104%	105%	103%	94%	98%	104%	98%		
IL Ave	279	275	285	293	292	292	277	284	304	287	299	273	290	279	282	283	282	276	270	260	270	265	297	293	288	295	295	294	264	276	291	274	282.6	
Moisture Ave	22.1	24.0	22.4	22.2	22.5	22.8	23.3	23.6	23.9	21.8	22.7	22.0	22.3	24.1	22.8	23.9	23.8	24.0	23.7	22.5	23.7	23.7	22.5	22.8	21.8	23.5	21.9	23.5	23.2	21.4	23.7	25.3		
Test Weight Ave	56.1	55.5	55.6	56.1	55.1	56.1	55.9	55.8	54.4	55.8	56.6	55.3	54.9	54.7	56.1	55.0	54.0	53.9	53.8	53.9	54.3	53.4	55.5	55.4	55.2	54.9	56.2	54.7	56.3	55.6	54.0	56.5		