



**85-RM**

Hybrid	Brevant			CROPLAN									Dekalb			Experimen		NK Brand				Pioneer			AVE YIELD
	B83W32AM	B85K27AM	B87D33AM	CP2180VT2P/RIB	CP2315VT2P/RIB	CP2585VT2P/RIB	CP2692D	CP2790VT2P/RIB	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P/RIB	CP2965VT2P/RIB	DKC35-34RIB	DKC35-88RIB	DKC36-48RIB	X22084A/VT2P	X22085A/SS	NK8232-AA	NK8519-V	NK8558-AA	NK8618-AA	P8431AM	P8588AM	P8736AM	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac
Evansville-MN	205.1	221.4	218.8	193.5	216.4	195.3	239.2	224.3	224.5	214.2	205.2	205.6	236.5	204.1	223.7	215.6	232.8	199.5	211.2	225.6	206.0	194.3	195.3	214.0	213.4
Radium-MN	228.1	237.5	220.1	216.0	209.3	217.3	221.6	243.2	228.5	252.4	220.3	246.7	214.6	218.8	232.7	226.1	222.6	240.2	227.2	235.5	212.8	217.2	219.3	247.6	227.3
Santiago-MN	263.9	288.1	279.7	248.8	231.3	254.9	281.6	283.8	257.0	262.6	276.3	291.0	240.3	233.2	278.2	263.9	260.6	258.3	272.5	270.8	265.3	243.8	252.6	281.6	264.2
Ulen-MN	266.2	266.5	266.5	243.9	234.8	260.1	258.7	273.6	252.8	252.3	259.5	266.9	252.3	243.7	260.2	243.2	252.9	230.2	240.0	265.9	256.9	231.5	247.2	280.5	254.4
AVERAGE	240.8	253.4	246.3	225.5	222.9	231.9	250.3	256.2	240.7	245.4	240.3	252.5	235.9	224.9	248.7	237.2	242.2	232.1	237.7	249.5	235.2	221.7	228.6	255.9	239.8
% of Mean Yield	100%	106%	103%	94%	93%	97%	104%	107%	100%	102%	100%	105%	98%	94%	104%	99%	101%	97%	99%	104%	98%	92%	95%	107%	

**90-RM**

Hybrid	Brevant						CROPLAN									Dekalb					Experimen		NK Brand				Pioneer					AVE YIELD
	B91K05AM	B91W35AM	B92D25AM	B92D25Q	B92W94AM	B93V26AM	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P/RIB	CP2965VT2P/RIB	CP3166VT2P/RIB	CP3314VT2P/RIB	CP3337VT2P/RIB	CP3490VT2P/RIB	DKC093-77RIB	DKC39-55RIB	DKC40-64RIB	DKC41-55RIB	DKC43-75RIB	X22092A/VT2P	X22095A/VT2P	NK9021-D	NK9044-AA	NK9175-DV	NK9231-AA	P8989AM	P9193AM	P9193Q	P9211AM	P9301AM		
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Belgrade-MN	237.9	279.1	243.1	231.6	245.9	257.5	212.8	218.7	231.4	211.6	235.7	237.7	225.0	262.3	248.6	247.4	221.6	246.9	259.0	253.0	249.4	229.6	247.3	221.3	260.2	241.9	267.1	261.9	254.4	254.2	243.1	
Evansville-MN	242.1	250.8	226.7	236.9	261.3	252.5	232.5	234.6	233.7	235.9	248.6	207.1	208.9	236.3	248.5	232.9	227.0	232.0	238.1	255.1	240.5	224.8	206.8	255.3	223.0	205.9	202.7	255.5	240.1	218.9	233.8	
Hitchcock-SD	169.0	145.8	167.0	166.2	177.6	175.9	177.5	142.6	182.8	163.3	170.6	180.2	165.8	187.7	183.5	177.1	160.3	167.7	188.1	165.3	177.0	148.9	162.0	157.9	180.2	147.9	152.3	150.4	156.7	150.7	166.6	
Menomonie-WI	237.5	260.3	252.9	230.8	229.2	260.3	240.2	235.9	246.9	242.1	253.7	245.3	230.2	275.3	259.2	231.5	220.3	219.1	266.0	283.4	259.1	220.0	285.9	246.3	282.3	248.0	234.4	259.9	226.0	272.8	248.5	
Murdock-MN	268.2	314.4	281.7	262.6	276.8	296.5	271.2	266.7	272.2	294.1	265.6	295.0	275.4	284.2	293.8	276.1	278.8	280.0	286.6	299.8	298.0	289.1	302.3	284.8	301.2	266.5	291.8	274.0	284.4	288.8	284.0	
Santiago-MN	303.6	300.2	275.1	233.1	256.3	276.5	241.5	263.1	238.9	280.5	253.7	246.9	251.6	304.3	275.8	266.4	263.7	262.3	281.0	286.9	284.1	264.7	283.1	276.2	319.6	240.4	270.1	271.3	267.4	300.2	271.3	
Ulen-MN	264.0	279.1	276.7	245.4	285.4	288.8	246.8	257.2	258.2	276.5	251.0	277.1	254.6	261.9	268.9	258.0	267.8	272.1	267.8	279.0	279.6	255.8	270.8	270.7	272.7	265.2	262.8	258.8	264.4	289.8	267.6	
Total	246.0	261.4	246.2	229.5	247.5	258.3	231.8	231.2	237.7	243.4	239.9	241.3	230.2	258.8	254.0	241.3	234.2	240.0	255.2	260.4	255.4	233.3	251.2	244.6	262.7	230.8	240.2	247.4	241.9	253.6	245.0	
% of Mean Yield	100%	107%	100%	94%	101%	105%	95%	94%	97%	99%	98%	99%	94%	106%	104%	99%	96%	98%	104%	106%	104%	95%	103%	100%	107%	94%	98%	101%	99%	104%		





**95-RM**

Hybrid	Brevant						CROPLAN						Dekalb						Experimental			NK Brand					Pioneer				AVE YIELD		
	B94Z97Q	B95J99AM	B95R21AM	B96Y34AM	B97G09AM	B97K12Q	CP3399SS/RIB	CP3490VT2P/RIB	CP3575VT2P/RIB	CP3699RR	CP3724VT2P/RIB	CP3735SS/RIB	CP3735VT2P/RIB	CP3899VT2P/RIB	DKC096-21RIB	DKC44-98RIB	DKC45-35RIB	DKC45-74RIB	DKC47-27RIB	DKC47-84RIB	X22095A/VT2P	X22096A/SS	X22097A/VT2P	NK9175-DV	NK9231-AA	NK9535-V	NK9771-DV	NK9832-AA	P9492AM	P9540AM		P9624Q	P9772AM
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		Bu/Ac	Bu/Ac
Belgrade-MN	271.7	259.5	251.5	268.7	251.0	263.5	252.1	246.3	289.0	260.5	246.6	273.5	295.3	266.8	295.3	261.6	270.8	259.9	247.2	248.5	275.9	276.4	300.7	223.5	244.4	245.3	252.2	243.3	242.7	278.5	273.7	250.7	262.1
Evansville-MN	244.7	228.8	237.5	228.6	243.6	247.4	231.9	231.6	221.7	223.0	229.4	226.8	226.2	237.0	254.2	210.1	235.7	220.4	232.3	248.3	217.0	265.8	251.1	258.5	213.3	224.9	252.2	223.8	223.9	235.8	266.9	232.2	235.1
Hitchcock-SD	172.0	159.1	161.6	162.8	180.9	167.4		187.5	176.3	166.5	189.6	154.5	152.5	166.0	163.5	171.7	161.5	182.5	170.5	171.5	180.0	194.7	188.2	172.1	181.0	172.1	171.5	170.1	154.5	178.0	170.6	182.2	172.0
LakeVermillion-SD	161.0	154.5	143.5	126.4	158.7	142.9	124.7	131.4	128.9	139.0	150.7	143.6	148.2	148.0	145.2	129.2	144.3	142.3	129.7	141.1	155.1	137.6	146.5	147.1	145.4	149.9	126.4	132.0	152.7	149.9	164.8	144.3	143.3
LeSueur-MN	135.5	167.8	136.6	137.3	162.1	153.1	142.4	155.2	140.2	130.7	174.5	153.0	148.4	157.2	159.8	145.9	161.1	176.5	161.0	158.6	171.1	169.9	151.2	159.0	160.7	156.4	156.7	148.4	191.8	173.2	144.4	139.2	155.6
Menomonie-WI	276.6	236.7	267.2	261.3	278.6	258.3	249.5	250.8	267.5	252.5	268.2	256.2	247.8	264.8	285.1	268.5	283.3	262.4	229.0	217.0	264.4	286.3	281.0	226.4	267.7	240.4	265.4	250.3	216.1	280.1	257.3	253.3	258.4
Minneota-MN	244.7	235.3	241.9	248.2	233.0	259.0	247.4	236.5	253.3	231.9	257.4	238.3	242.7	247.8	269.0	229.2	252.2	258.3	244.1	236.3	243.6	248.4	280.8	225.7	239.9	215.2	243.0	216.1	247.8	248.6	240.6	230.4	243.3
Murdock-MN	295.2	290.7	292.5	315.7	298.9	311.4	285.8	265.2	291.3	294.8	320.0	290.0	308.2	300.0	325.9	283.9	288.6	307.7	281.5	288.5	286.2	306.0	313.8	287.1	305.5	287.8	303.6	290.2	278.9	307.0	290.3	296.6	296.5
Rudd-IA	242.2	270.7	250.5	276.0	261.6	260.4	245.1	232.3	261.2	259.6	271.1	257.7	255.0	255.5	275.4	246.1	265.6	255.3	242.0	247.3	255.7	270.7	281.6	250.8	270.8	261.2	268.3	244.1	260.5	250.6	261.0	251.1	258.0
Santiago-MN	224.9	240.0	255.8	249.5	198.1	252.8	229.2	227.0	229.7	220.8	250.2	240.8	228.1	260.7	242.3	241.3	250.1	221.7	227.5	216.1	233.2	261.2	256.3	216.6	246.7	219.3	230.8	236.4	235.3	251.6	264.0	254.3	237.9
Truman-MN	253.1	245.8	243.5	250.9	258.5	254.6	248.7	249.9	256.8	263.4	280.6	253.2	256.8	270.6	252.8	232.0	267.3	257.1	243.7	241.2	255.8	274.8	284.7	255.2	258.7	251.4	247.0	249.7	247.9	257.4	249.4	257.2	255.3
Wanamingo-MN	273.5	290.4	274.3	274.2	285.7	292.0	275.0	269.3	295.3	295.2	294.3	284.0	299.2	302.9	295.3	276.9	289.5	278.7	261.1	281.8	266.9	294.5	332.9	266.3	288.6	260.8	271.7	264.6	258.5	298.4	277.8	286.6	283.0
WestSalem-WI	266.9	266.5	270.3	296.1	297.0	295.3	246.5	256.7	263.3	277.6	278.5	243.2	238.3	273.3	299.9	277.2	283.5	286.6	246.7	271.5	265.2	289.3	322.4	259.5	297.1	273.3	286.7	258.1	275.7	300.9	272.7	281.6	275.6
Worthington-MN	231.7	251.0	244.5	241.3	245.7	263.3	265.8	240.7	250.9	258.1	265.7	270.2	267.8	260.7	265.0	266.2	257.3	257.2	251.8	254.2	267.4	250.4	290.3	240.2	242.4	256.0	253.1	256.1	247.3	249.9	243.8	244.1	254.7
Total	235.3	235.5	233.7	238.4	239.5	244.4	234.2	227.2	237.5	233.8	248.3	234.8	236.7	243.7	252.0	231.4	243.6	240.5	226.3	230.1	238.4	251.9	263.0	227.7	240.2	229.6	237.8	227.4	231.0	247.1	241.2	236.0	238.1
% of Mean Yield	99%	99%	98%	100%	101%	103%	98%	95%	100%	98%	104%	99%	99%	102%	106%	97%	102%	101%	95%	97%	100%	106%	110%	96%	101%	96%	100%	96%	97%	104%	101%	99%	

**100-RM**

Hybrid	Brevant						CROPLAN						Dekalb						Experimental			NK Brand					Pioneer		AVE YIELD						
	B00M18Q	B01V22AM	B01Z88AM	B03H35AM	B98Z37AM	B99A24AM	CP3715SSPRO/RIB	CP3724VT2P/RIB	CP3852TRE/RIB	CP3899VT2P/RIB	CP3980VT2P/RIB	CP4079VT2P/RIB	CP4188SS/RIB	CP4188VT2P/RIB	CP4265VT2P/RIB	CP4444VT2P/RIB	DKC099-11RIB	DKC101-35RIB	DKC103-47RIB	DKC48-34RIB	DKC49-24RIB	DKC52-99RIB	X22097A/VT2P	X22104A/SS	X23100A/TRE	X23101A/SSPRO	NK0007-AA	NK0243-D		NK0295-AA	NK0367-AA	NK9771-DV	NK9832-AA	P0075Q	P9955AM
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac
Belgrade-MN	271.5	281.8	280.5	301.1	249.5	276.0	284.2	255.0	267.0	294.8	286.6	254.2	275.5	274.7	285.5	281.9	269.7	308.1	267.8	276.4	254.5	293.3	286.8	255.4	255.4	257.4	257.6	239.4	256.6	236.7	243.3	243.1	284.9	284.8	270.3
Janesville-WI	260.0	272.7	277.4	269.0	263.5	252.2	258.7	254.1	273.4	246.9	271.1	250.4	248.9	248.7	246.5	264.3	267.0	253.9	253.1	274.4	256.1	273.1	286.7	226.8	260.9	253.2	258.8	259.9	254.3	280.8	264.7	252.2	240.8	271.1	260.2
LakeVermillion-SD	163.7	134.7	127.0	154.8	170.4	162.0	172.9	153.6	138.3	155.7	145.7	140.9	145.5	147.2	156.7	141.2	138.1	147.4	128.8	138.1	148.8	150.2	146.7	150.4	146.6	151.7	146.1	157.5	148.6	168.6	123.3	132.8	122.0	161.8	147.6
LeSueur-MN	173.6	171.9	148.9	177.8	167.7	194.3	195.8	158.8	182.7	171.5	178.3	160.4	161.7	159.5	173.6	191.2	165.6	182.7	183.4	180.9	159.1	180.8	186.7	166.6	185.6	169.0	164.7	152.0	172.7	153.7	182.5	179.1	147.9	160.1	171.8
Menomonie-WI	258.1	257.8	243.2	270.4	254.0	251.6	272.6	266.5	282.1	259.2	281.3	256.2	263.6	250.8	265.0	226.8	246.9	293.2	268.5	268.0	249.7	279.3	269.7	272.3	232.2	246.9	241.0	226.1	235.1	275.2	274.7	253.9	246.1	274.6	259.2
Minneota-MN	252.8	259.4	258.7	261.7	269.0	260.6	236.4	249.0	252.4	248.0	241.3	238.2	259.9	244.8	244.1	241.8	251.9	265.2	246.0	259.6	259.4	265.8	255.4	251.4	247.3	250.1	248.0	250.5	213.8	238.5	246.9	239.5	258.1	261.1	250.8
Murdock-MN	291.0	312.1	301.4	313.5	303.7	304.7	296.4	313.3	311.1	283.6	326.9	293.2	284.5	306.5	294.3	309.9	306.1	330.6	300.6	308.9	298.8	328.2	298.9	309.0	308.8	303.1	288.6	312.9	285.3	310.9	294.3	305.6	320.6	311.5	305.0
Princeton-IL	265.0	273.4	274.6	260.1	287.4	273.5	256.4	258.0	271.3	239.4	209.0	238.4	270.2	246.2	232.5	244.4	234.2	280.9	280.0	254.0	255.7	265.2	282.7	250.9	256.1	262.0	251.9	260.7	227.3	272.0	248.0	226.4	294.4	274.5	258.1
Rudd-IA	249.3	267.9	264.2	262.9	266.9	266.7	260.1	258.1	258.6	246.2	262.3	235.3	257.9	254.3	247.7	263.3	249.2	265.5	257.7	275.2	258.8	263.5	265.6	259.0	252.8	260.2	261.6	262.8	243.2	274.5	261.3	244.5	276.3	276.7	259.7
Sheldon-IA	260.9	271.5	243.0	256.4	263.7	270.4	216.8	255.0	254.5	250.9	273.3	242.1	248.4	244.4	246.5	235.4	248.8	265.0	258.4	257.1	249.9	285.1	270.2	245.8	242.6	242.2	219.3	238.1	228.4	258.7	238.6	208.5	269.3	271.8	251.7
Truman-MN	249.7	243.1	272.8	269.8	266.1	262.0	276.6	275.2	279.0	280.9	277.2	255.7	257.4	263.1	259.5	259.7	267.7	284.3	272.7	271.9	269.6	280.5	285.1	260.7	262.0	260.7	249.7	278.9	258.1						





105-RM

Hybrid	Brevant							CROPLAN					Dekalb					Experimental			NK Brand					Pioneer			AVE YIELD	
	B04R11Q	B05C33Q	B05K32AM	B06V25AM	B06Y18Q	B07H01AM	B08R32AM	CP4444VT2P/RIB	CP4516TRE/RIB	CP4652S5PRO/RIB	CP4676SS/RIB	CP4757VT2P/RIB	DKC103-07RIB	DKC105-35RIB	DKC56-26RIB	DKC57-23RIB	DKC57-45RIB	DKC59-82RIB	X22107A/VT2P	X22107A/SS	X22109C/TRE	NK0367-AA	NK0748-D	NK0798-DV	NK0877-V	NK0922-V	P0339Q	P0404Q		P0688AM
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac
Demotte-IN	264.8	271.7	295.5	271.5	288.1	285.0	298.3	268.4	254.3	273.5	290.0	278.5	297.1	299.2	300.3	267.2	271.2	280.5	312.4	310.9	261.7	274.3		271.7	290.9	249.0	242.5	264.7	279.1	
Janesville-WI	296.3	272.0	276.6	270.3	267.1	298.2	288.2	252.2	282.7	281.8	285.9	298.4	294.6	287.6	276.1	295.9	275.7	270.7	307.0	302.3	293.6	281.7	268.3		270.7	271.2	288.0	271.2	263.9	281.7
LakeVermillion-SI	162.2	177.8	136.2	174.8	170.0	156.9	194.7	162.9	195.4	186.6	185.7	178.4	174.9	184.1	163.4	192.9	165.1	185.7	168.1	179.8	155.5	176.2	165.9	170.5	170.4	150.8	188.9	178.3	150.6	172.5
LeRoy-IL	287.5	287.3	298.1	268.4	274.8	297.1	309.5	257.8	283.1	279.4	267.5	289.1	272.6	274.5	288.4	286.9	258.9	289.9	292.2	264.9	288.2	263.0	268.2		270.2	290.7	258.1	283.3	275.7	279.5
LeSueur-MN	217.4	170.8	216.9	212.2	209.7	208.3	220.7	222.2	210.1	216.8	188.9	218.8	194.9	230.2	232.8	206.0	212.7	212.4	208.7	218.3	220.5	214.5	174.4	180.5	200.1	210.4	185.5	200.4	193.0	207.2
Minneota-MN	242.1	253.4	259.3	234.6	244.9	247.8	266.6	244.9	259.3	242.2	256.0	259.6	246.9	264.7	252.9	228.4	251.3	254.3	251.6	266.4	247.7	238.7	232.7	228.1	238.1	236.3	235.5	253.5	241.1	247.6
Perrysville-IN	276.8	259.6	275.6	260.9	258.8	292.0	293.8	203.6	288.8	265.6	256.4	277.0	250.2	263.4	281.7	270.9	267.2	275.7	269.7	281.0	284.7	256.0	252.2		269.7	277.0	217.2	228.3	248.7	264.4
Princeton-IL	283.8	278.0	272.7	240.3	269.4	284.3	290.7	241.4	287.7	279.1	285.3	301.5	265.8	248.5	295.9	288.7	270.9	289.7	274.8	311.2	294.9	262.4	253.3		256.6	268.6	254.0	250.6	267.3	273.8
Rochester-IN	298.9	284.3	298.1	267.5	273.7	296.7	310.9	254.7	285.6	278.7	281.4	305.6	272.1	277.1	289.8	290.3	267.9	299.6	295.7	307.6	301.2	259.4	260.2		280.7	285.8	250.8	280.7	267.3	282.9
Rudd-IA	251.2	268.3	270.2	243.9	252.5	275.8	280.5	253.1	258.9	261.6	264.7	277.7	248.0	268.4	270.4	269.9	273.7	259.1	272.0	286.4	270.0	257.4	252.4		265.6	275.6	237.1	252.4	251.2	263.1
Sandwich-IL	284.3	282.3	289.0	284.2	271.2	308.9	307.8	245.8	271.8	287.5	277.4	277.7	263.0	273.0	300.3	294.5	276.6	282.6	302.4	318.4	316.5	271.9	281.5		265.9	289.5	240.6	259.4	271.8	282.0
Sheldon-IA	239.4	268.0	250.5	240.2	240.8	258.1	255.5	244.7	259.8	246.0	245.9	263.1	254.5	243.6	228.1	250.8	271.5	276.2	268.2	250.0	257.1	230.4	234.2	236.6	251.8	240.1	244.4	251.9	234.6	249.5
Truman-MN	268.8	268.6	279.2	279.1	266.2	292.5	290.1	268.2	266.5	279.0	276.4	285.2	265.5	280.4	297.5	293.7	305.7	277.4	293.2	312.5	301.5	266.2	264.1	259.5	275.4	284.9	252.8	266.3	269.5	278.8
Vincent-IA	248.3	255.2	245.5	238.7	235.8	271.6	266.7	264.0	265.3	250.7	247.8	269.8	245.2	254.5	281.9	254.4	265.4	271.9	282.0	272.3	256.8	251.2	236.2	231.9	246.3	247.7	217.5	236.8	232.9	253.3
Wanamingo-MN	281.4	282.6	293.9	285.1	266.9	291.6	301.7	283.7	289.3	292.8	292.4	284.8	290.8	296.6	298.9	290.6	288.3	309.2	277.5	314.4	291.5	269.4	264.4		273.6	279.1	261.2	286.8	264.7	285.8
WestLiberty-OH	210.5	252.6	280.5	200.2	243.9	334.4	323.8	180.2	280.6	223.2	280.5	297.7	278.6	276.4	274.1	229.3	268.7	294.2	298.9	202.4	306.0	268.2	278.9		288.2	284.9	163.2	207.4	218.5	258.8
WestSalem-WI	304.7	286.9	292.5		322.2	336.4	332.1	258.6	317.9	297.9	309.8	314.3	249.9	294.5	326.7	321.7	306.2	339.9	312.3	325.8	315.0	279.8	258.2		297.2	319.9	259.2	267.7	288.7	301.3
Worthington-MN	248.8	244.5	272.4	264.9	263.0	260.0	304.1	275.5	271.0	250.3	239.5	263.9	257.2	275.9	270.3	245.5	262.3	274.2	288.9	272.0	260.3	244.8	197.6	251.3	259.8	276.1	237.5	271.0	264.5	260.9
Total	259.3	259.1	266.8	249.2	256.6	277.5	285.3	243.4	268.2	260.7	262.9	274.6	255.7	266.1	273.8	267.3	264.2	274.1	274.7	277.7	276.2	252.9	245.4	222.6	258.5	265.5	235.6	249.3	248.3	261.1
% of Mean Yield	99%	99%	102%	95%	98%	106%	109%	93%	103%	100%	101%	105%	98%	102%	105%	102%	101%	105%	105%	106%	106%	97%	94%	85%	99%	102%	90%	96%	95%	

110-RM

Hybrid	Brevant					CROPLAN							Dekalb					Experimen		NK Brand				Pioneer		AVE YIELD			
	B10A20AM	B10H24AM	B10Y21Q	B11C37AM	B12C01Q	CP4880SS/RIB	CP4930DGV2P/RIB	CP5073SS/RIB	CP5073VT2P/RIB	CP5115SS/RIB	CP5115VT2P/RIB	CP5208VT2P/RIB	CP5210SS/RIB	CP5244VT2P/RIB	DKC108-64RIB	DKC110-41RIB	DKC111-35RIB	DKC113-83RIB	DKC62-70RIB	DKC62-89RIB	X22109C/TRE	X22112A/SS	NK0922-V	NK1040-AA	NK1188-D		NK1333-AA	P0924Q	P0953AM
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac
Demotte-IN	286.2	290.1	275.0	289.1	268.5	264.0	266.5	260.2	252.5	258.5	263.7	294.0	273.9	288.4	269.6		259.9	285.0	256.9	251.1	278.4	276.4	278.3	261.6	289.8	269.1	275.0	282.7	272.8
Janesville-WI	285.5	295.7	298.5	300.3	276.9	267.2	283.2	279.6	287.6	297.8	291.0	299.1	274.0	296.0	291.5	306.0	304.8	293.5	281.6	274.6	294.7	303.1	268.3	278.4	293.7	280.7	276.4	292.3	288.3
LeRoy-IL	345.7	301.9	298.1	325.9	322.6	275.6	281.9	280.9	274.8	283.1	282.6	301.2	299.0	285.6	277.9	321.1	261.5	291.1	285.7	293.1	285.5	294.1	280.6	270.5	284.0	272.4	328.9	312.1	293.5
Perrysville-IN	290.2	308.5	290.0	295.9	288.4	263.7	267.8	272.9	278.6	284.7	289.2	288.3	261.1				277.8	283.7	270.6	292.2	277.5	288.9	266.6	276.6	273.4	276.6	305.9	306.8	281.2
Princeton-IL	307.6	345.6	308.5	298.6	302.5	300.2	297.5	278.6	280.2	301.8	281.5	314.8	292.3	307.0	309.5		304.9	319.5	279.4	289.9	285.8	296.5	260.3	288.4	268.5	273.6	316.5	306.3	296.9
Rochester-IN	318.1	293.1	297.6	298.9	302.4	290.8	314.1	298.3	283.1	266.4	258.8	293.0	296.5	300.8	291.4	300.3	290.6	304.4	300.8	272.1	298.6	304.6	294.4	278.8	283.3	284.2	303.6	290.8	293.2
Rudd-IA	263.2	273.2	275.3	272.3	267.2	260.9	274.4	254.6	262.5	256.4	257.6	258.1	268.0	257.4	256.5		243.8	277.0	250.6	247.5	270.2	267.2	247.2	253.5	252.7	263.3	262.4	264.5	261.4
Sandwich-IL	305.1	302.1	299.6	296.8	309.8	278.6	299.1	291.7	286.7	285.5	277.7	287.7	272.3	300.7	292.1	307.4	300.8	317.6	308.9	286.4	310.1	296.7	279.1	272.8	289.9	262.5	308.9	305.8	294.0
Sheldon-IA	232.2	255.2	230.9	275.3	250.4	262.6	238.7	237.7	232.1	232.0	222.7	261.1	201.0	229.8	238.2	270.6	252.9	270.1	231.3	261.6	224.3	237.8	232.6	239.7	263.2	271.2	230.2	240.1	243.8
Vincent-IA	267.7	271.1	266.8	284.9	251.9	254.9	262.1	258.7	265.5	256.8	266.1	279.4	257.9	243.7	251.4		272.4	276.7	260.9	241.0	263.1	251.2	236.0	267.4	273.4	250.1	262.7	266.1	261.5
WestLiberty-OH	327.3	299.1	315.8	270.1	317.8	257.5	233.4	286.5	284.8	306.2	277.9	294.0	306.3	269.8	258.7	310.4	303.7	333.1	299.1	270.0	283.7	324.2	263.9	297.8	320.2	297.3	306.3	311.8	293.8
Total	293.5	294.2	286.9	291.6	287.2	270.5	274.4	272.7	271.7																				