

**CROPLAN**

**2024  
Midwest  
Corn  
Banded  
Breakouts**



# 80-RM

## Answer Plot®

CORN  
YIELD REPORT 2024



	Croplan				Brevant			Dekalb				NK		Pioneer			
Hybrid	CP2180VT2P/RIB	CP2288VT2P/RIB	CP2315VT2P/RIB	CP2324VT2P/RIB	B78K17AM	B82J92AM	B83W32AM	DKC081-18RIB	DKC28-25RIB	DKC31-85RIB	DKC32-35RIB	NK8005-V	NK8232-AA	P8048AM	P7861AM	AVE YIELD	AVE MOISTURE
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		
Hannaford-ND	231.2	220.4	223.3	243.5	225.9	229.0	237.1	243.1	185.1	230.1	232.6	231.4	238.4	223.2	209.2	226.9	16.9
Larimore-ND	228.4	217.6	209.7	224.4	237.0	216.3	251.4	244.9	174.8	224.9	225.1	220.3	236.7	221.5	214.1	223.1	18.8
Radium-MN	247.4	217.2	215.7	242.9	250.8	229.1	270.5	263.9	182.7	238.1	243.2	209.6	251.1	227.4	208.7	233.2	20.5
Shawano-WI	241.2	213.4	226.9	240.5	214.8	226.4	247.0	248.7	162.9	240.8	246.8	218.2	212.8	189.4	206.2	222.4	19.9
Ulen-MN	218.3	198.9	187.8	199.8	200.4	201.5	215.1	221.8	154.2	208.6	210.8	220.2	229.6	189.4	179.0	202.4	16.0
Average Yield	233.3	213.5	212.7	230.2	225.8	220.5	244.2	244.5	171.9	228.5	231.7	219.9	233.7	210.2	203.4	221.6	
% of Mean Yield	105%	96%	96%	104%	102%	99%	110%	110%	78%	103%	105%	99%	105%	95%	92%		
Average Moisture	18.3	19.2	18.6	19.0	17.5	18.8	18.9	18.4	17.2	18.0	17.8	19.9	20.2	17.8	17.5	18.5	

# 85-RM

## Answer Plot®

CORN  
YIELD REPORT 2024



Hybrid	Croplan										Brevant				Dekalb				NK				Pioneer		AVE YIELD	AVE MOISTURE
	CP2324VT2P/RIB	CP2585SS/RIB	CP2585VT2P/RIB	CP2692D	CP2790VT2P/RIB	CP2845SS/RIB	CP2845VT2P/RIB	CP2851VT2P/RIB	CP2965VT2P/RIB	B82J92AM	B85K27AM	B86J43AM	B87D33Q	DKC084-15RIB	DKC35-34RIB	DKC35-88RIB	DKC36-48RIB	NK8232-AA	NK8519-3110	NK8558-AA	NK8711-V	P8431AM	P8588AM			
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		
Britton-SD	164.6	170.1	193.1	208.8	201.1	165.5	166.9	167.3	227.1	155.5	196.6	190.6	165.6	188.1	167.4	176.2	151.5	139.6	183.3	186.3	152.8	154.1	170.9	175.8	12.9	
Evansville-MN	213.2	240.9	228.3	219.2	218.4	219.8	240.1	229.9	232.8	183.1	229.2	238.5	235.9	218	210.8	231.1	235.7	207.2	213.2	223.7	207.8	194.1	210.7	220.9	16.8	
Hannaford-ND	240.6	249.9	246.6	243.9	245.4	244.8	229.4	248.9	250.4	221.4	252.9	238.6	245.6	257.7	226.3	236.8	255.1	236.3	247	240	246.9	218.2	220.9	241.0	18.1	
Larimore-ND	234.5	248.4	232.5	229	254.9	248.2	256.7	236.9	273.8	227	259.7	258.3	236.7	235.9	223.9	222.1	254.2	235.2	219.2	240	236.5	222.2	228.1	239.7	20.3	
Radium-MN	234.5	256	236.7	250.2	266.2	248.6	257.5	242	251.4	224.1	255.6	263.5	240.3	252.8	225.2	249.9	262.1	245.5	230.7	238.9	251.1	235.2	229.7	245.6	22.7	
Santiago-MN	215.9	222.3	196.7	246.8	215.4	209.2	224.8	233.4	231.4	204.1	219.2	228.4	226.2	213.5	200.4	193.9	224.6	230.2	230.8	237.5	230.6	205.3	209.8	219.6	15.8	
Shawano-WI	233.9	257.4	234.1	244.4	241.3	254.7	251.8	239.6	265.1	228.7	240.9	235.1	236.7	257.3	245.9	229.3	244.5	225.1	240.8	249.8	247.7	223.9	212	240.9	22.4	
Ulen-MN	190.3	234.2	210.3	232.3	189.7	228.5	220.2	238.2	216.9	191.6	207.9	206.8	211.8	200.6	205.7	197.4	220.7	229	221.6	216.4	228.9	170.6	199	211.7	17.7	
Average Yield	215.9	234.9	222.3	234.3	229.1	227.4	230.9	229.5	243.6	204.4	232.8	232.5	224.9	228.0	213.2	217.1	231.1	218.5	223.3	229.1	225.3	203.0	210.1	224.4		
% of Mean Yield	96%	105%	99%	104%	102%	101%	103%	102%	109%	91%	104%	104%	100%	102%	95%	97%	103%	97%	100%	102%	100%	90%	94%			
Average Moisture	17.3	18.8	17.7	20.2	18.2	19.5	18.4	18.6	19.2	17.5	18.1	18.6	17.9	17.9	18.1	18.0	18.0	18.5	19.2	18.9	20.9	17.9	18.1	18.5	18.5	

# 90-RM

## Answer Plot®

CORN  
YIELD REPORT 2024



Hybrid	Croplan							Brevant						Dekalb					NK					Pioneer		AVE YIELD	AVE MOIST	
	CP2965VT2P/RIB	CP3143VT2P/RIB	CP3166VT2P/RIB	CP3314VT2P/RIB	CP3330VT2P/RIB	CP3337VT2P/RIB	CP3490VT2P/RIB	B89A44PCE	B91K05Q	B91W35AM	B92D25Q	B92W94AM	B93V26AM	DKC092-13RIB	DKC092-14RIB	DKC39-55RIB	DKC41-55RIB	DKC42-65RIB	NK8711-V	NK9021-D	NK9044-AA	NK9175-DV	NK9231-AA	P8736AM	P9193AM			
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		
Belgrade-MN	240.7	245.4	213.4	226.6	247.7	202.2	251.5	249.6	255.4	250.1	251.1	232.2	243.9	275.5	276.7	234.0	229.7	222.2	231.6	228.0	231.8	195.7	273.6	230.2	246.8	239.4	15.9	
Britton-SD	210.3	225.3	183.6	230.2	212.5	203.7	201.7	202.7	223.8	222.1	155.2	203.9	204.3	179.8	211.7	162.8	184.1	194.0	169.4	194.0	216.6	140.4	147.0	183.3	217.0	195.2	16.5	
Evansville-MN	256.2	273.0	235.3	250.4	277.0	220.2	290.8	247.6	269.2	287.0	253.6	258.7	253.2	303.0	290.1	255.5	246.0	248.7	241.0	230.0	253.1	214.4	278.0	250.7	251.6	257.4	18.9	
Gagetown-MI	282.4	268.5	238.9	260.1	273.0	240.2	260.5	278.8	257.8	261.8	259.1	254.5	270.6	277.8	274.9	249.7	243.7	241.4	261.7	243.3	259.0	246.9	249.3	204.2	252.2	256.4	13.3	
Manitowoc-WI	250.5	251.9	237.5	257.9	269.8	235.4	276.8	246.8	235.7	236.0	242.8	269.6	283.0	287.5	292.6	289.2	243.1	232.8	0.0	232.9	263.2	224.0	294.6	205.9	257.1	244.7	17.5	
Menomonie-WI	263.4	252.6	237.5	243.0	281.9	228.8	281.3	250.9	266.1	270.5	259.8	261.8	263.7	297.9	294.9	255.6	247.3	253.1	244.8	255.8	270.7	189.0	303.1	253.3	281.9	260.3	20.3	
Murdock-MN	239.3	253.1	234.7	248.3	260.4	223.9	251.9	227.8	257.4	261.5	241.7	240.7	262.6	288.2	278.3	241.8	238.2	243.3	246.0	240.2	251.0	234.4	270.9	245.7	247.6	249.2	15.8	
Santiago-MN	237.5	243.6	217.5	229.2	247.5	202.5	243.4	233.2	224.7	244.5	231.5	238.0	241.8	281.8	266.8	231.9	228.8	223.1	207.6	227.8	241.5	197.6	272.9	222.4	230.9	234.7	17.4	
Shawano-WI	278.2	247.8	242.3	258.3	280.1	229.6	253.6	257.2	275.9	281.6	271.9	258.3	273.6	269.0	278.9	280.4	241.9	263.6	248.3	260.8	285.6	223.1	260.3	239.3	279.6	261.6	26.4	
Ulen-MN	211.8	250.6	225.2	249.7	264.2	220.6	251.0	211.1	235.3	248.2	240.1	243.6	249.0	276.9	251.8	255.9	225.2	242.8	242.3	221.2	256.9	219.8	223.2	226.3	247.3	239.6	20.0	
Watertown-SD	214.6	231.8	217.3	197.7	249.5	194.1	240.4	230.7	225.6	245.2	220.4	228.0	226.5	250.5	245.5	227.4	224.3	212.0	216.7	209.5	221.6	208.0	225.4	219.3	227.6	224.4	19.6	
Average Yield	244.1	249.4	225.7	241.0	260.3	218.3	254.8	239.7	247.9	255.3	238.8	244.5	252.0	271.6	269.3	244.0	232.0	234.3	209.9	231.2	250.1	208.5	254.4	225.5	249.1	242.1		
% of Mean Yield	101%	103%	93%	100%	108%	90%	105%	99%	102%	105%	99%	101%	104%	112%	111%	101%	96%	97%	87%	96%	103%	86%	105%	93%	103%			
Average Moisture	17.5	18.7	18.0	19.1	19.1	18.7	20.2	16.7	18.3	18.6	18.4	18.1	18.6	19.4	19.0	17.1	17.5	18.7	18.3	18.3	19.1	20.6	19.6	16.6	17.8	18.48		

# 95-RM

# Answer Plot®

## CORN YIELD REPORT 2024



Hybrid	Croplan										Brevant					Dekalb						NK					Pioneer			AVE YIELD	AVE MOIST		
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac			AVE YIELD	AVE MOIST
BeaverDam-WI	191.3	223.7	232.6	264.5	227.2	252.9	231.4	223.4	263.1	271.2	253.8	255.4	200.9	203.9	255.2	261	224.3	183.1	239.8	238	255.2	242.2	242.8	259.7	245.8	265.8	201.2	247.6	212.4	265.3	229.6	237.4	14.7
Belgrade-MN	228.2	239.9	231.1	261.5	239.5	260.6	254.1	266.4	273.5	300.8	248.9	242.6	196.8	235.3	261.7	251.1	238.2	210	262.9	267.9	268.8	251.8	254.1	252.7	234.9	252.8	242.4	248.2	257.3	231.9	243.2	248.8	18.0
Britton-SD	208.2	198.3	241.8	212.1	209.6	228.8	215	190.4	194.9	236.7	229.4	225.2	227.9	206.1	250.6	214.8	210.4	218.9	205.7	238.9	234	238.4	250.8	171.4	217.9	213.2	237	217	200.7	235.5	227.6	217.7	18.2
Emmetsburg-IA	225.7	241.3	222.8	250.2	225	242.3	246.1	243.8	242	266.4	218.6	240.9	174.4	233.5	251.4	237.4	196.6	192.9	248.1	255.4	252.6	246.3	239.3	241.9	253.3	247.8	234.2	229	225.3	239.9	226.8	232.8	14.9
Evansville-MN	258.3	235.5	256.5	242.8	239.5	266.7	240.7	252.8	292	279.1	229.2	262	209.5	229	260.1	269.1	264.5	239.7	275	262.7	259.6	270.8	261.9	249.2	235.7	240.7	261.4	243.6	225.2	256.2	220.6	252.2	21.5
Gagetown-MI	263.6	251.2	253.3	268	253.9	255.8	273.9	268	262.3	270	254.6	278.8	260.6	272.3	272.1	263.5	253.3	242.4	266.9	281.6	268	273.3	264.8	253.7	267.7	275.2	251.9	239.9	277.9	277.6	283.3	263.2	13.7
LakeVermillion-SD	223.6	219.7	219.9	235.2	226.9	228.9	236.6	227.1	241.2	243.9	222.4	242.1	200	230.6	257.3	243.1	231.2	204.6	251.4	231.6	246	229.7	236.7	241.7	226.5	244.7	232.2	236.4	234.5	244.2	234.2	231.2	15.9
LeSueur-MN	224.6	208.3	237.5	240.2	237.7	246.7	240.5	221.6	243	223.4	221.2	223.5	227.3	241.2	244.8	222	232.3	203.3	224.9	229.9	244.2	221.7	210.3	261.6	240	233.8	223.6	224	239	229.8	227	231.5	14.3
Manitowoc-WI	287.5	278	281.6	273.2	256.8	259.1	284.7	273.3	294.1	280.2	266.1	232.6	178.4	253.4	254.5	275.7	273.5	240.9	274.5	289.3	275.3	264.1	265.1	300.6	254.9	264.9	261.4	279.5	259.4	268.1	253.1	264.9	20.5
Menomonie-WI	257.4	246	270.6	293.1	253.5	292.1	282.2	269.5	280.3	298.9	283	258.3	223.1	267.2	273.9	292.7	255.5	241.8	313.7	286.1	280.8	267.4	269.2	293.4	255	274.1	249.4	268	264	271.6	266.3	270.4	22.4
Minneota-MN	226.1	221.5	234.5	235.6	225.6	251.7	246	221.5	251.3	248.8	237.7	234.5	203	226.6	258	226.5	220	208.3	240.8	258.7	247.9	249.1	244.1	248.1	230.3	238.2	219.6	243.9	237.7	248.9	242.8	233.5	14.8
Morgan-MN	190	184.5	179.8	186.6	193.9	194.4	185.2	176	198.8	202.7	178.2	183.5	154.3	176	194.8	183.9	159.9	150.2	170.3	178.2	190.9	181.6	192.3	181.5	191.9	183.4	193.9	190.1	183	178	169.7	183.7	17.6
Murdock-MN	265.9	257.6	257	263	268.9	256.2	272.2	266.3	278.2	290.9	256.8	267.1	236.3	265.9	277.3	286.9	262.2	226.2	275.8	284.8	264.8	278.2	277.9	257	256.8	272.4	261.4	277.5	252.9	258.9	252.6	266.4	18.4
Pipestone-MN	222.2	228.9	215	243.4	257.2	228.9	236.1	245	239.7	255.4	245.2	237.5	209.9	234.5	257.8	261.2	223.6	197.7	255.5	256.9	237.7	248.7	240.1	254.2	240.8	246.4	250.7	242.7	233.2	232.9	238.7	237.7	13.4
Santiago-MN	221.9	201	226.2	241.7	242	217.6	236	233.9	239.2	253.4	220.8	226.9	208.9	208.5	206.8	216.9	195.4	190.3	235.4	250.7	200.4	182.3	187.8	248.3	197.8	219.9	205.8	200.5	211.4	200.6	207.3	223.4	17.9
Truman-MN	226.4	218.5	235	226.1	236.1	234.9	243	248.7	237.7	262.9	235.6	248.2	220.2	237.5	256.3	238.6	232.6	205.9	252.8	242.2	242.9	254	245.2	227	248.9	264.9	239.4	238.1	230.6	248.5	224.6	237.5	16.1
Wanamingo-MN	254.7	255.8	238.4	274.9	247.7	254.8	272.6	265.7	266.7	272.2	259.7	254.3	238.8	255.1	285.9	231.8	258.8	230.1	244.5	277.4	271.6	243.2	244.6	279.8	264.4	273.9	275.8	256.3	263.3	258.1	249.8	258.1	15.5
Watertown-SD	229.1	212.9	223.6	226.6	209.4	238.3	235	226.7	243.4	254	224.2	231.5	200.2	225	232.6	228.4	216.6	205.7	268.3	263.5	244.1	221.8	255.3	212.8	225.3	227.9	229.2	233	217.1	236.9	222.2	226.9	22.9
WestSalem-WI	250.4	238.5	259.4	276.9	274.2	265.9	284.3	252.4	296.8	287.6	273.7	265.7	248.5	272.5	307.2	267.6	244.9	213.7	275.5	259	275.6	266.2	257.6	311.7	278.1	284	253.6	287.1	268.8	284.5	274.1	268.6	16.6
Average Yield	234.5	229.5	237.7	248.2	238.1	246.1	248.2	240.7	254.6	263.1	240.0	242.7	211.5	235.5	255.7	245.9	231.3	210.8	251.7	255.1	250.5	243.7	244.2	249.8	240.3	248.6	238.1	242.2	236.5	245.7	236.5	241.4	
% of Mean Yield	97%	95%	98%	103%	99%	102%	103%	100%	106%	109%	99%	101%	88%	98%	106%	102%	96%	87%	104%	106%	104%	101%	101%	103%	100%	103%	99%	100%	98%	102%	98%		
Average Moisture	16.0	17.4	16.3	18.3	16.4	16.9	17.6	17.6	17.6	17.5	16.1	17.9	18.8	17.1	18.4	17.2	15.2	16.4	17.1	17.3	18.1	16.4	16.2	18.3	19.3	17.4	19.1	17.0	17.6	18.4	16.0	17.2	

# 100-RM

## Answer Plot®

CORN  
YIELD REPORT 2024



Hybrid	Croplan											Brevant					Dekalb					NK					Pioneer		AVE YIELD	AVE MOISTURE				
	CP3724VT2P/RIB	CP3790VT2P/RIB	CP3852TRE/RIB	CP3899VT2P/RIB	CP3980VT2P/RIB	CP4024SSPRO/RIB	CP4083VT4P/RIB	CP4188SS/RIB	CP4188VT2P/RIB	CP4246SS/RIB	CP4444VT2P/RIB	B00M18Q	B01V22AM	B01X44V	B03H35AM	B98237PCE	B99A24V	DKC48-34RIB	DKC101-35RIB	DKC102-13RIB	DKC102-28RIB	DKC103-07RIB	DKC103-47RIB	NK0007-AA	NK0123-AA	NK0252-D	NK0295-AA	NK0367-AA			NK9805-DV	P9955Q	P97299Q	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac			Bu/Ac	Bu/Ac	Bu/Ac	
BeaverDam-WI	262.3	273.7	272.6	287.4	285.1	284.6	256.7	267.3	264.4	262.0	276.9	261.1	280.7	288.0	299.9	285.4	245.6	274.5	284.9	263.3	272.1	304.2	291.8	258.0	264.0	291.7	223.0	296.6	228.9	285.1	269.7	273.0	16.3	
Belgrade-MN	271.7	259.0	272.6	277.5	275.0	288.4	276.4	251.0	253.8	254.7	273.5	250.2	276.3	266.6	255.2	270.3	266.6	251.2	279.3	281.7	283.7	265.8	275.8	270.2	233.7	254.3	268.0	234.5	291.4	263.2	267.4	259.7	266.2	19.6
Britton-SD	213.7	239.3	231.8	232.1	234.7	208.6	167.0	199.0	241.1	224.1	208.4	196.6	234.9	242.8	194.2	246.5	269.1	175.0	271.8	229.9	164.5	239.2	188.1	149.4	196.5	183.0	151.4	153.9	211.4	220.0	190.1	209.9	22.6	
Emmetsburg-IA	253.0	236.2	272.1	267.0	241.8	255.3	245.7	247.1	234.8	244.7	258.6	244.7	256.7	238.6	257.8	266.1	248.3	244.9	257.8	251.1	252.6	265.0	238.7	232.3	246.9	241.1	209.0	250.2	243.5	249.3	232.0	247.8	17.7	
Fennimore-WI	283.6	282.2	284.8	289.3	288.0	271.4	252.8	284.0	276.2	270.7	281.3	262.9	277.1	282.2	284.5	260.8	252.3	295.0	276.9	286.2	282.6	283.9	267.7	264.6	262.2	248.1	281.9	281.8	266.9	275.2	16.6			
Gagetown-MI	275.8	256.9	275.4	277.1	267.4	277.8	263.2	262.0	273.7	275.4	253.8	266.4	287.2	257.7	289.8	283.4	272.8	262.3	263.3	269.7	264.9	266.8	252.3	259.6	262.0	269.4	234.1	266.0	247.7	291.9	286.6	268.1	14.3	
Janesville-WI	277.7	256.9	282.9	267.8	269.1	269.8	273.6	262.5	260.3	269.5	283.2	257.5	289.9	264.2	285.3	291.7	258.6	251.4	280.0	289.4	271.5	281.9	291.0	247.7	249.4	265.1	227.0	270.2	274.9	277.3	269.9	269.9	16.8	
LakeVermillion-SD	226.1	236.5	237.0	239.4	236.1	240.3	235.0	227.3	239.3	238.3	231.4	231.3	251.9	241.6	246.7	255.8	234.5	234.7	253.6	244.9	220.2	242.5	228.3	237.5	225.3	242.0	215.3	250.8	224.3	238.8	227.3	236.6	18.8	
LeSueur-MN	231.0	252.0	241.8	241.5	229.7	234.0	219.6	230.3	229.3	216.6	252.0	215.7	226.1	238.2	254.6	245.0	205.1	220.5	242.0	252.0	229.6	232.5	243.4	204.2	235.1	232.6	190.3	231.8	216.0	209.7	212.7	229.5	15.5	
Mantiowoc-WI	298.2	297.3	281.8	300.0	306.8	284.3	273.4	268.1	280.9	281.9	292.3	278.7	302.3	277.3	298.1	264.6	294.6	299.9	298.7	291.2	294.7	298.7	277.8	273.6	255.1	280.4	234.6	293.0	266.7	294.4	263.9	284.0	23.8	
Menomonie-WI	293.8	310.7	284.8	308.2	308.1	288.9	292.2	280.2	295.0	276.8	294.1	259.6	291.5	296.4	303.7	298.6	282.8	271.0	293.4	299.2	279.6	316.2	276.6	266.1	264.2	285.1	232.5	288.5	269.6	266.3	284.9	285.8	24.6	
Minneota-MN	235.1	243.8	247.6	244.7	231.2	240.5	241.4	236.2	239.4	233.8	251.4	237.9	252.0	234.0	249.2	267.1	244.0	227.7	254.3	251.5	246.2	255.3	248.2	228.3	210.2	238.5	210.2	247.1	229.2	233.4	236.2	240.4	17.2	
Morgan-MN	198.3	206.1	198.1	218.6	222.6	212.0	178.4	187.0	189.1	201.8	208.5	191.2	209.9	201.9	204.2	209.3	202.5	201.4	212.3	201.9	204.2	182.4	197.2	209.4	204.4	211.0	180.9	232.6	198.2	219.2	205.5	203.2	18.4	
Murdock-MN	273.9	271.4	272.6	296.1	262.1	278.3	251.3	269.2	271.0	256.5	283.9	265.4	256.7	252.9	269.4	265.6	256.8	275.5	287.5	275.8	288.3	298.2	261.8	253.3	287.3	247.9	247.9	250.9	263.2	260.9	259.5	268.1	20.9	
Pipestone-MN	248.5	239.1	236.4	254.2	255.8	275.1	237.9	247.7	257.9	236.3	228.8	238.3	256.8	255.5	256.4	248.0	241.1	241.6	269.5	266.0	250.6	258.9	245.0	247.0	245.9	262.5	230.4	250.4	240.7	240.8	235.4	248.3	16.3	
Princeton-IL	298.5	294.6	295.8	286.6	285.9	282.8	281.5	293.7	291.1	293.1	297.1	286.6	290.5	297.1	292.3	246.2	279.9	266.8	300.9	291.2	287.8	321.1	285.4	245.2	272.4	276.0	215.9	297.2	258.3	302.3	226.8	282.0	16.0	
Rudd-IA	276.7	274.5	261.2	261.3	259.8	263.7	258.5	250.8	253.3	270.1	254.8	262.9	282.4	265.4	283.4	273.3	260.2	262.2	275.8	271.3	265.3	275.5	261.3	255.7	255.5	253.8	232.3	255.7	254.8	278.7	255.1	263.4	15.8	
Sheldon-IA	226.9	230.2	239.6	238.0	231.8	229.0	211.1	209.0	212.4	224.6	234.8	223.8	239.7	241.2	245.8	256.1	223.9	222.8	234.5	241.8	234.5	230.6	230.0	204.7	224.0	226.2	206.3	245.8	217.4	239.4	210.0	228.6	16.9	
Truman-MN	224.6	247.6	237.0	253.5	260.7	236.3	243.7	241.4	242.3	242.3	252.6	241.1	261.9	241.8	261.2	252.3	245.7	234.6	250.1	262.1	248.2	241.0	250.2	229.3	257.9	255.4	225.5	254.7	236.9	253.3	232.5	245.7	17.9	
Vincent-IA	256.1	233.7	248.7	252.3	249.9	270.9	229.3	247.4	236.2	249.9	241.4	229.4	263.4	240.0	256.3	251.9	242.6	253.3	247.2	240.7	238.3	244.0	238.0	229.8	239.2	242.6	200.7	267.3	244.3	245.5	217.3	243.5	15.6	
Wanamingo-MN	279.2	262.9	274.7	268.4	266.8	281.9	259.7	256.3	250.2	272.2	277.5	281.8	278.4	262.9	295.7	259.3	270.3	278.6	277.4	303.3	271.8	266.8	252.4	292.9	288.7	256.6	272.0	284.6	285.1	272.8	285.1	273.8	17.3	
Watertown-SD	237.1	241.0	223.5	233.3	241.2	252.2	247.9	228.4	241.0	237.6	241.2	266.2	259.8	248.0	247.5	214.1	239.9	246.0	225.4	222.7	226.1	237.5	236.2	215.3	237.0	233.6	238.7	259.8	254.3	254.3	237.7	239.5	22.9	
WestSalem-WI	276.2	289.6	298.5	278.7	277.6	294.2	259.7	276.8	279.0	276.2	287.2	294.1	299.0	254.3	278.3	257.9	270.8	285.7	298.6	329.6	264.0	295.6	271.0	307.8	284.5	267.3	271.4	286.5	265.5	279.1	316.2	282.9	18.1	
Average Yield	257.3	258.1	259.6	264.0	260.3	261.8	245.9	248.8	252.7	252.6	259.3	249.7	266.3	255.5	265.5	260.4	252.2	250.5	267.6	265.6	253.3	265.8	253.0	241.2	249.2	251.8	223.1	260.2	246.8	259.2	247.0	255.0		
% of Mean Yield	101%	101%	102%	104%	102%	103%	96%	98%	99%	99%	102%	98%	104%	100%	104%	102%	99%	98%	105%	104%	99%	104%	99%	95%	98%	99%	88%	102%	97%	102%	97%			
Average Moisture	17.2	16.9	16.8	17.8	17.7	18.7	17.3	17.2	17.5	17.6	18.1	19.2	18.6	18.6	18.9	16.4	17.9	17.9	17.7	18.9	18.7	20.3	20.5	18.8	20.8	20.3	18.5	20.7	16.9	18.4	18.0	18.3		

# 105-RM

## Answer Plot®

CORN  
YIELD REPORT 2024



Hybrid	Croplan						Brevant						Dekalb						NK					Pioneer			Armor		AVE YIELD	AVE MOISTURE			
	CP4444VT2P/RIB	CP4516TRE/RIB	CP4652SSPRO/RIB	CP4676SS/RIB	CP4757VT2P/RIB	CP4770SS/RIB	CP4840TRE/RIB	B04I45PCE	B05D47V	B06Y18PCE	B07H01AM	B08R32AM	B08V35AM	DKC104-08RIB	DKC105-35RIB	DKC106-98RIB	DKC56-26RIB	DKC108-17RIB	DKCS9-82RIB	NK0123-AA	NK0252-D	NK0440-AT	NK0877-V	NK0880-V	NK0922-V	P0720Q	P04922Q	P05466Q			P05737AM	ARM0480SS-RIB	ARM0755VT2P-RIB
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	AVE YIELD	AVE MOISTURE	
BeaverDam-WI	273.6	296.0	275.0	298.3	295.5	329.4	316.4	314.3	303.6		324.7	319.3	309.5	298.1	286.3	295.9	313.2	339.0	305.7	252.9	275.1	313.4	316.3	326.7	327.4	320.9	298.6	302.5	303.8	271.8	315.1	303.9	20.9
Emmetsburg-IA	256.4	276.8	226.8	246.8	247.7	267.9	291.9	254.8	258.3	263.3	296.9	276.4	261.5	259.8	225.8	268.2	278.3	274.7	274.9	237.8	235.1	238.0	256.1	242.0	268.0	263.3	234.9	248.1	253.5	255.5	249.4	257.7	21.9
Fennimore-WI	262.1	294.7	266.6	283.9	289.0	339.7	322.6	295.6	305.2		317.9	331.7	306.9	278.3	276.4	295.1	306.3	340.6	292.6	247.8	268.4	314.8	295.0	318.4	312.3	310.6	279.1	308.4	304.7	282.5	302.6	298.3	19.4
Janesville-WI	269.6	270.9	259.6	280.5	278.1	284.0	286.1	289.6	290.6		298.8	283.4	302.2	243.5	269.0	275.9	280.3	304.3	262.3	244.2	250.6	290.9	264.3	279.2	262.4	304.4	284.0	277.6	254.7	260.3	280.5	276.1	19.9
Kellogg-IA	240.4	280.0	254.6	243.1	265.3	257.6	279.7	278.4	271.7	280.9	282.6	294.1	269.8	252.9	251.6	281.1	266.5	275.4	277.8	224.6	234.1	258.0	275.7	299.1	266.5	255.3	262.8	264.8	277.9	247.9	278.2	266.1	15.9
LakeVermillion-SD	229.0	259.6	248.7	244.5	258.3	264.3	276.0	263.1	282.0	285.2	279.8	287.7	264.3	256.8	239.2	243.4	235.0	274.7	266.1	241.1	241.1	241.8	249.4	251.3	277.4	280.2	254.1	260.4	268.9	262.9	277.2	260.1	16.7
LeRoy-IL	268.9	319.2	297.0	298.2	294.0	312.1	329.8	324.9	310.8	318.0	329.4	314.0	316.0	298.1	281.0	322.9	304.6	334.7	309.6	261.5	259.8	314.8	303.8	330.4	311.5	297.0	285.6	317.0	297.1	282.5	311.2	305.0	13.7
Morgan-MN	196.1	204.5	190.4	209.0	221.5	211.1	201.3	214.4	207.2	221.1	222.4	220.6	228.6	219.0	183.6	193.6	208.8	219.4	210.6	186.8	199.5	191.2	213.9	212.3	209.4	202.4	199.6	213.5	226.9	190.9	227.1	208.3	23.6
Perrysville-IN	223.9	276.2	256.8	247.5	271.0	272.0	288.1	300.3	295.2	277.9	297.3	310.8	254.1	269.9	257.3	279.9	266.1	313.8	276.9	236.9	221.0	263.4	266.2	303.7	279.1	273.1	247.4	273.4	258.9	244.1	287.9	270.6	17.5
Princeton-IL	267.0	300.8	291.2	275.1	299.0	321.4	319.2	330.7	301.8	298.2	339.7	317.8	307.0	290.2	279.5	313.2	300.0	324.4	307.6	265.9	259.6	313.3	307.3	314.5	319.3	303.6	286.6	305.4	303.5	282.8	309.8	301.8	19.5
Rochester-IN	210.1	236.0	220.6	217.0	223.5	231.0	252.2	237.6	203.8	243.3	211.1	255.2	262.9	221.3	203.3	243.3	263.4	200.4	229.2	183.3	215.8	205.1	227.3	249.6	245.2	224.9	237.4	234.1	240.5	216.1	223.0	228.0	21.2
Rudd-IA	252.9	269.6	244.3	246.7	262.5	285.6	297.1	282.0	278.5	291.3	310.7	300.8	280.8	260.9	261.1	268.0	269.3	302.5	268.0	237.7	237.6	262.6	262.9	281.9	272.8	278.8	261.0	274.9	273.6	245.4	274.9	270.9	18.3
Sandwich-IL	278.0	302.7	294.0	284.4	314.2	317.9	320.7	313.4	300.9	307.0	310.4	321.2	284.0	299.9	289.3	308.8	309.4	327.3	312.1	259.6	280.2	299.3	287.1	312.6	302.3	317.0	293.4	295.9	303.3	278.9	324.0	301.6	18.5
Sheldon-IA	219.5	251.7	215.1	221.4	225.6	258.7	232.9	254.6	252.3	242.4	243.8	251.4	231.9	212.2	219.9	208.5	228.7	253.3	235.0	208.5	213.0	233.1	246.0	235.8	233.0	250.6	225.0	230.2	248.0	213.5	236.6	233.3	22.9
Truman-MN	213.9	268.6	221.5	242.7	232.6	237.0	244.7	249.9	251.9	258.5	276.1	265.2	251.6	248.0	236.3	254.9	252.8	254.1	243.8	245.8	238.0	226.1	253.8	252.9	195.5	236.0	222.1	249.4	250.9	235.1	246.4	243.7	23.4
Vincent-IA	211.5	246.0	218.6	220.3	240.0	258.2	265.4	233.6	253.2	270.6	266.1	263.4	261.0	223.4	220.7	257.2	235.1	253.0	243.2	208.4	220.3	248.0	248.3	250.9	272.9	265.0	231.3	256.3	258.2	234.1	265.4	245.1	19.0
Wanamingo-MN	243.2	259.6	248.7	247.6	254.2	274.0	271.7	281.9	259.9	272.0	280.6	286.1	266.4	268.5	241.1	256.0	257.2	280.6	256.2	240.7	240.2	282.9	283.7	278.4	293.9	279.2	276.3	272.7	264.8	219.3	272.3	264.8	20.1
Washington-IA	229.6	262.1	249.8	235.0	257.5	262.1	288.6	282.4	264.7	270.6	291.9	301.6	278.2	265.3	232.0	274.6	256.8	263.0	279.0	237.4	230.5	255.9	275.0	272.8	280.4	276.4	261.6	266.5	263.7	248.8	274.0	264.1	16.3
WestSalem-WI	271.1	305.3	265.9	277.7	303.8	303.3	314.8	352.7	290.9	317.6	290.5	302.7	326.2	309.6	324.5	317.4		367.7	345.3	319.0	273.1	276.2	313.9	307.5	332.6	281.1	255.2	256.4	294.1	313.7	318.6	304.3	21.3
Average Yield	243.0	272.6	249.7	253.7	264.9	278.3	284.2	281.8	272.8	276.1	287.9	289.7	277.0	261.9	251.5	271.5	268.4	289.6	273.5	238.9	241.7	264.7	270.8	280.0	276.9	274.7	257.7	268.8	270.9	251.9	277.6	268.5	
% of Mean Yield	91%	102%	93%	94%	99%	104%	106%	105%	102%	103%	107%	108%	103%	98%	94%	101%	100%	108%	102%	89%	90%	99%	101%	104%	103%	102%	96%	100%	101%	94%	103%		
Average Moisture	16.3	17.9	18.1	19.7	18.5	18.9	21.0	18.1	18.3	19.8	21.4	20.7	21.0	18.0	17.5	20.3	18.8	20.9	20.3	18.5	18.7	18.8	21.1	22.8	21.7	20.0	18.3	19.1	18.8	19.5	20.0	19.4	

# 110-RM

## Answer Plot®

CORN  
YIELD REPORT 2024



Hybrid	Croplan									Brevant					Dekalb			NK					Pioneer		Armor	AVE YIELD	AVE MOISTURE
	CP4839PCE/RA	CP4840TRE/RIB	CP4917SSPRO/RIB	CP4930DGV2P/RIB	CP5073SS/RIB	CP5073VT2P/RIB	CP5115SS/RIB	CP5132SS/RIB	CP5208VT2P/RIB	B09C43PCE	B10A20AM	B10H24AM	B11C37V	B12H48PCE	DKC108-64RIB	DKC110-10RIB	DKC110-41RIB	NK0880-V	NK1040-AA	NK1056-V	NK1228-AA	NK1307-DV	P08075Q	P1170AM	ARM1299VT2P-RIB		
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		
Fennimore-WI	333.6	298.5	303.8	305.5	310.7	299.8	293.0	320.5	295.7	303.5	300.4	307.4	332.5	345.5	296.6	325.0	312.5	298.1	307.1	294.5	318.3	302.1	301.7	303.3	307.0	308.7	22.3
Janesville-WI	328.5	279.4	251.4	276.6	249.5	271.1	258.2	292.4	256.3	293.0	295.2	299.6	279.6	300.7	251.8	271.9	312.2	296.4	290.9	280.0	280.3	293.4	273.2	284.4	273.5	281.6	22.0
Kellogg-IA	250.5	240.6	275.3	276.9	250.2	247.0	239.0	295.4	223.0	284.6	289.1	275.4	268.0	296.2	276.8	266.3	279.5	278.3	263.3	233.6	280.4	264.0	269.5	289.4	253.5	266.6	18.4
LeRoy-IL	330.8	323.5	305.9	312.7	304.3	306.3	306.9	308.5	309.6	330.4	328.1	313.8	316.6	334.4	318.1	324.4	338.8	316.7	317.5	322.0	321.3	298.3	320.6	338.5	305.6	318.1	15.1
Perrysville-IN	317.8	264.5	266.2	281.8	271.8	273.8	262.7	286.3	289.8	315.7	314.1	303.7	291.9	314.0	255.3	282.5	289.4	292.8	285.4	297.4	288.6	282.3	296.1	312.8	282.7	288.8	19.7
Princeton-IL	336.5	311.8	318.1	317.4	297.3	298.4	308.3	328.3	325.0	329.6	318.1	337.1	309.0	339.8	313.8	318.4	335.7	306.0	313.9	312.3	312.3	298.0	318.4	330.3	306.6	317.6	23.0
Rochester-IN	232.2	242.4	191.0	240.0	216.5	233.9	210.4	224.5	226.0	240.6	259.6	221.8	239.7	256.7	221.9	231.9	236.0	240.4	243.2	214.5	220.5	195.9	237.2	247.0	222.2	229.8	22.2
Rudd-IA	272.7	275.0	273.7	275.2	248.5	244.1	241.7	280.1	261.5	285.4	287.8	272.8	282.9	295.5	254.6	275.5	267.6	266.5	270.1	255.5	281.3	265.4	275.6	271.1	276.4	270.3	20.9
Sandwich-IL	333.1	304.3	306.7	331.3	292.4	298.2	295.3	307.4	311.8	308.0	332.1	312.8	318.0	309.2	314.3	307.7	319.9	295.8	298.1	299.8	300.6	268.0	314.3	306.5	306.9	307.7	20.8
Sheldon-IA	258.7	269.1	248.1	272.5	229.7	241.9	218.9	264.6	269.8	268.6	262.4	258.2	253.8	276.2	264.0	259.6	257.5	241.5		258.3	274.2	232.3	248.0	258.9	234.4	255.1	14.1
Vincent-IA	241.6	232.7	229.7	238.0	241.8	227.8	218.8	266.5	240.7	256.8	259.7	229.0	250.7	247.3	238.1	248.7	234.1	231.8	242.2	255.1	262.3	247.8	230.7	269.8	248.6	243.6	21.7
Washington-IA	270.8	265.6	253.5	272.8	247.3	250.3	239.4	265.4	260.1	274.4	285.8	280.9	274.5	290.5	272.1	273.9	261.2	249.2	265.5	257.0	259.9	262.1	268.2	294.0	244.9	265.6	18.7
Average Yield	292.2	275.6	268.6	283.4	263.3	266.1	257.7	286.7	272.4	290.9	294.4	284.4	284.8	300.5	273.1	282.2	287.0	276.1	281.6	273.3	283.3	267.5	279.5	292.2	271.9	279.5	
% of Mean Yield	105%	99%	96%	101%	94%	95%	92%	103%	97%	104%	105%	102%	102%	107%	98%	101%	103%	99%	101%	98%	101%	96%	100%	105%	97%		
Average Moisture	19.6	18.7	19.8	18.2	18.5	19.7	20.3	21.1	20.3	19.1	19.8	19.8	20.9	19.4	18.1	19.4	19.0	20.8	21.4	20.4	21.7	22.4	19.3	20.7	19.9	19.9	



# 115-RM

## Answer Plot®

### CORN YIELD REPORT 2024



Hybrid	Croplan									Brevant					Dekalb					NK					Pioneer			Armor		AVE YIELD	AVE MOISTURE
	CP5320SSPRO/RIB	CP5329PCE/RA	CP5363TRE/RIB	CP5370VT2P/RIB	CP5497VT2P/RIB	CP5550VT2P/RIB	CP5678VT2P/RIB	CP5682TRE/RIB	CP5760TRE/RIB	B12W45AML	B13C49PCE	B14H38AM	B14R22AML	B15W41AM	DKC114-43RIB	DKC114-99RIB	DKC66-06RIB	DKC64-22RIB	DKC65-95RIB	NK1307-DV	NK1386-VZ	NK1480-DV	NK1523-V	NK1661-DV	P13476Q	P14830Q	P1608YHR	ARM1447VT2P-RIB	ARM1460VT2P-RIB		
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac		
Kellogg-IA	286.2	280.6	262.1	259.9	278.4	208.0	165.3	218.9	259.8	258.2	282.1	301.4	271.9	273.7	282.7	276.6	282.6	217.7	227.4	265.5	253.6	246.5	262.1	252.7	281.7	304.6	275.7	253.1	271.9	260.7	20.7
LeRoy-IL	314.4	334.1	308.3	304.4	342.5	318.3	318.8	307.3	325.1	327.4	333.2	330.3	335.1	325.9	337.0	300.2	317.7	315.1	306.5	301.6	294.6	313.0	309.1	296.1	331.9	341.4	333.5	311.6	320.5	319.1	16.8
Perrysville-IN	286.0	321.2	283.9	297.1	302.8	276.6	286.2	327.0	317.0	276.3	294.3	306.5	298.9	298.4	294.5	298.9	307.6	272.3	291.0	274.7	274.6	262.0	314.0	276.2	293.2	302.7	315.2	284.6	304.1	294.4	20.7
Princeton-IL	335.7	337.6	314.6	323.2	351.7	324.0	325.5	334.4	320.0	326.9	332.0	338.2	325.0	318.2	350.9	330.2	340.7	328.5	307.3	291.5	290.5	315.5	304.0	304.4	335.5	341.7	338.9	327.2	322.6	325.4	25.2
Rochester-IN	229.9	258.4	225.4	243.5	248.7	219.3	226.9	241.0	208.3	237.2	232.5	255.2	240.5	250.9	252.5	222.8	236.7	220.3	221.2	218.6	195.3	223.7	202.2	228.9	257.3	249.6	231.4	234.6	220.2	232.2	23.4
Sandwich-IL	315.0	317.4	298.3	333.7	330.1	306.6	292.7	330.8	325.4	291.8	320.6	322.0	311.8	300.7	312.3	321.3	333.5	302.4	300.0	276.8	301.1	301.8	304.0	297.7	319.2	320.1	323.5	322.3	297.2	311.4	22.0
Washington-IA	268.5	274.1	245.4	250.4	271.4	246.2	243.7	244.1	266.5	255.0	275.0	294.3	272.5	257.2	251.6	244.7	250.9	255.8	244.0	268.5	258.4	242.1	268.9	260.8	272.0	284.7	271.8	244.1	281.7	260.8	21.5
Average Yield	290.8	303.3	276.9	287.5	303.7	271.3	265.6	286.2	288.9	281.8	295.7	306.8	293.7	289.3	297.4	285.0	295.7	273.2	271.1	271.0	266.9	272.1	280.6	273.8	298.7	306.4	298.6	282.5	288.3	286.3	
% of Mean Yield	102%	106%	97%	100%	106%	95%	93%	100%	101%	98%	103%	107%	103%	101%	104%	100%	103%	95%	95%	95%	93%	95%	98%	96%	104%	107%	104%	99%	101%		
Average Moisture	20.5	21.6	20.8	20.9	21.2	20.7	21.5	23.6	23.4	20.8	21.2	21.4	21.6	21.5	20.6	21.0	22.0	20.3	22.0	22.1	21.4	20.8	23.8	23.1	20.3	20.8	22.5	20.5	23.2	21.5	