




Central BU 80-120 RM Answer Plot Results



80-RM Trial



	CROPLAN				Dekalb					Brevant			NK Brand		Pioneer			
Hybrid	CP2180VT2P/RIB	CP2288VT2P/RIB	CP2315VT2P/RIB	CP2324VT2P/RIB	DKC081-18RIB	DKC28-25RIB	DKC29-89RIB	DKC31-85RIB	DKC32-35RIB	B76C31PCE	B78K17AM	B81M50PCE	NK8005-V	NK8232-AA	P7844AM	P78934PCE	P82288PCE	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Radium-MN	238.0	229.2	237.8	250.6	258.3	212.8	222.1	235.7	240.7	195.5	220.4	235.1	225.7	258.4	215.2	240.3	269.1	234.4
Shawano-WI	229.4	192.9	208.4	205.4	253.1	162.0	198.9	227.4	189.9		196.0	180.4	203.3	222.5	151.8	197.9	225.7	202.8
Ulen-MN	232.2	213.7	207.4	223.3	235.4	182.5	219.4	223.8	211.7	189.5	221.4	224.1	204.6	227.4	205.0	210.9	234.3	215.7
Average	233.2	211.9	217.9	226.5	249.0	185.7	213.5	229.0	214.1	192.5	212.6	213.2	211.2	236.1	190.7	216.4	243.0	217.4
Average Moisture	18.0	18.7	18.6	18.9	18.5	16.9	17.5	18.1	18.7	17.5	17.6	19.1	19.6	20.3	17.5	17.6	18.4	18.3

85-RM Trial



	CROPLAN					Dekalb				Brevant			NK Brand				Pioneer		
Hybrid	CP2324VT2P/RIB	CP2585VT2P/RIB	CP2790VT2P/RIB	CP2845SS/RIB	CP2845VT2P/RIB	DKC084-15RIB	DKC35-34RIB	DKC36-48RIB	DKC36-86RIB	B83W32AM	B85K27AM	B86I43AM	NK8232-AA	NK8519-V	NK8558-AA	NK8711-V	P82288PCE	P8602AM	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Evansville-MN	204.2	202.3	216.5	208.1	215.8	206.6	196.0	217.6	199.8	215.9	207.4	224.5	188.8	232.2	225.8	235.8	187.8	235.3	212.3
Radium-MN	226.0	235.2	261.0	247.7	249.5	239.1	236.0	251.5	236.5	232.5	240.4	256.4	240.4	252.3	246.8	256.6	239.3	270.0	245.4
Santiago-MN	185.4	204.3	206.6	201.3	216.8	212.6	196.4	207.6	195.2	214.4	221.4	227.9	196.9	218.6	237.4	214.5	196.1	228.9	210.1
Shawano-WI	204.2	238.8	269.4	259.3	256.3	225.8	245.0	240.8	241.2	238.4	224.5	227.1	237.1	272.1	284.4	262.6	227.7	257.9	245.1
Ulen-MN	230.8	243.4	230.5	228.8	247.1	243.6	236.3	231.4	210.7	228.9	229.2	258.6	230.1	242.3	227.6	255.5	231.5	243.0	236.1
Average	210.1	224.8	236.8	229.0	237.1	225.5	221.9	229.8	216.7	226.0	224.6	238.9	218.6	243.5	244.4	245.0	216.5	247.0	229.8
Average Moisture	19.2	19.9	19.8	20.7	20.0	19.6	19.9	19.3	19.6	19.1	19.6	20.0	19.9	20.3	20.5	21.4	18.5	20.5	19.9

90-RM Trial



Hybrid	CROPLAN									Dekalb					Brevant					NK Brand						Pioneer			Average
	CP2845SS/RIB	CP2965VT2P/RIB	CP3104VT4P/RIB	CP3143VT2P/RIB	CP3166VT2P/RIB	CP3276SSPRO/RIB	CP3314VT2P/RIB	CP3330aVT2P/RIB	CP3490VT2P/RIB	DKC092-13RIB	DKC092-14RIB	DKC093-77RIB	DKC39-55RIB	DKC41-55RIB	B89A44PCE	B91K05Q	B91W35AM	B92D25Q	B92W94AM	NK8711-V	NK9021-D	NK9044-AA	NK9175-DV	NK9231-AA	NK9400-V	P90630AM	P9188AM	P92399PCE	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Belgrade-MN	190.7	182.2	236.1	220.9	189.4	205.0	181.6	240.3	218.2	224.7	231.5	186.9	207.5	195.2	210.5	221.2	227.0	220.3	220.4	208.4	207.3	202.9	205.3	208.5	215.1	205.1	206.7	224.5	210.5
Evansville-MN	200.1	208.4	265.5	225.3	201.9	235.0	200.7	251.7	227.0	256.3	255.8	216.0	206.3	213.8	224.0	265.8	248.0	236.0	246.7	216.3	222.6	234.7	228.9	249.4	244.3	229.9	244.9	260.3	232.7
Gagetown-MI	191.4	199.9	192.7	223.7	179.8	194.5	194.2	201.2	207.1	218.5	211.7	182.2	190.1	185.2	200.6	204.4	205.2	202.9	204.3	189.4	210.9	205.4	192.8	214.2	212.8	189.6	165.3	192.3	198.7
Manitowoc-WI	Poor Data Quality; Will Not Publish Data																												
Menomonie-WI	159.0	196.7	248.4	230.9	169.6	228.4	178.0	261.7	236.9	266.0	254.5	207.4	198.5	136.0	147.1	158.2	229.2	209.8	203.5	200.2	200.4	235.8	212.0	278.9	219.1	222.5	136.6	202.1	208.1
Santiago-MN	174.1	178.0	217.5	206.5	182.4	199.3	174.7	226.7	208.8	234.3	216.5	200.5	212.4	193.7	211.3	262.2	222.1	198.4	208.7	189.6	189.9	188.1	202.5	240.2	197.9	187.2	219.8	217.0	205.7
Shawano-WI	244.5	277.0	297.4	289.3	243.5	296.6	246.5	294.6	292.4	286.4	314.7	247.4	276.1	262.3	281.4	289.4	292.9	260.8	279.8	254.2	258.7	299.6	239.5	298.9	280.7	271.9	288.7	274.7	276.4
Ulen-MN	222.5	226.0	292.0	280.3	233.1	254.4	246.7	257.5	272.9	284.4	286.6	244.2	243.4	238.3	233.5	258.7	239.1	243.1	257.6	235.5	218.8	240.3	241.9	245.2	245.8	240.1	232.4	255.5	248.9
Average	197.5	209.7	249.9	239.6	200.0	230.5	203.2	247.7	237.6	253.0	253.0	212.1	219.2	203.5	215.5	237.1	237.6	224.5	231.6	213.4	215.5	229.5	217.5	247.9	230.8	220.9	213.5	232.3	225.9
Average Moisture	19.9	19.3	20.9	21.5	20.2	21.5	20.4	22.1	21.5	21.8	21.2	21.4	19.3	19.6	19.4	20.5	20.8	20.4	20.4	19.6	20.0	20.8	21.5	22.1	22.3	20.1	20.1	20.6	20.7

95-RM Trial



	CROPLAN										Dekalb					Brevant					NK Brand				Pioneer					
Hybrid	CP3399SS/RIB	CP3490VT2P/RIB	CP3519SS/RIB	CP3595VT4P/RIB	CP3715SSPRO/RIB	CP3724VT2P/RIB	CP3790VT2P/RIB	CP3818TRE/RIB	CP3818VT4P/RIB	CP3899VT2P/RIB	DKC094-67RIB	DKC094-78RIB	DKC095-57RIB	DKC096-21RIB	DKC098-88RIB	B94C58PCE	B95R21V	B96A41PCE	B96M56PCE	B97G09Q	NK9231-AA	NK9400-V	NK9771-DV	NK9805-DV	P95819PCE	P95819V	P9624Q	P96760PCE	P97299Q	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
BeaverDam-WI	233.2	247.8	272.6	285.1	274.6	277.3	289.0	260.2	257.3	267.2	268.7	249.3	294.4	252.3	283.3	210.5	243.9	247.7	287.4	214.9	260.7	239.7	272.3	212.8	279.9	263.8	242.1	251.4	265.6	258.8
Gagetown-MI	207.6	203.0	222.6	211.1	210.5	230.8	232.0	195.4	176.5	228.5	209.5	210.4	205.6	222.2	193.1	195.5	225.8	218.0	232.9	218.5	207.3	218.0	213.3	195.0	217.6	197.0	212.9	201.5	221.7	211.5
Hamilton-MI	259.6	281.9	291.3	286.8	280.4	288.1	292.7	287.2	278.8	272.7	273.5	277.6	287.7	287.5	290.5	236.9	256.8	273.0	300.7	262.6	277.3	250.9	295.6	256.4	281.2	272.8	255.5	246.9	264.5	274.7
Manitowoc-WI	283.2	275.0	296.5	303.5	299.4	307.0	319.9	286.5	282.3	298.6	269.9	287.1	297.6	294.1	277.1	272.8	269.1	288.2	309.3	284.5	281.8	284.1	294.1	276.8	267.8	273.6	279.6	249.8	292.8	286.3
Menomonie-WI	226.4	237.2	273.6	259.7	271.8	265.4	252.7	249.9	225.9	250.7	246.8	236.9	257.4	267.1	267.8	198.9	257.3	250.0	246.1	240.1	280.9	209.5	281.9	222.0	271.7	255.3	249.8	240.6	258.9	250.1
Morgan-MN	201.8	217.0	234.8	269.2	223.6	266.2	240.0	269.0	242.8	221.0	245.1	250.4	237.6	216.9	248.6	230.9	245.2	235.7	253.2	239.7	233.6	252.4	245.1	216.3	260.7	227.2	242.1	210.5	238.8	238.5
Pipestone-MN	200.9	209.7	236.9	253.3	246.3	243.7	228.9	238.6	240.6	237.5	244.3	215.0	238.5	231.0	245.6	231.2	239.1	229.7	236.7	232.2	229.2	217.6	237.6	205.5	236.6	236.2	238.4	209.8	212.5	231.1
Santiago-MN	181.2	203.6	187.0	206.2	201.7	187.2	202.2	191.9	188.1	179.7	207.8	203.1	189.2	192.2	193.6	186.7	188.7	185.0	190.6	171.2	190.3	187.5	196.0	166.1	185.4	176.8	170.7	168.0	185.4	188.4
Wanamingo-MN	241.0	246.8	272.7	283.0	274.0	281.9	260.1	259.5	247.8	262.6	246.0	286.9	276.7	280.8	271.2	270.8	283.0	281.4	298.0	274.8	275.8	270.6	270.4	254.8	299.4	273.9	269.5	263.3	273.3	270.7
WestSalem-WI	254.0	244.5	289.3	304.6	280.1	308.8	297.2	253.0	247.5	265.5	265.7	289.9	286.3	278.4	253.9	269.2	262.1	287.0	307.3	281.8	304.4	263.0	273.9	273.4	299.7	270.9	270.4	256.4	275.7	276.3
Average	228.9	236.7	257.7	266.3	256.2	265.6	261.5	249.1	238.8	248.4	247.7	250.7	257.1	252.2	252.5	230.3	247.1	249.6	266.2	242.0	254.1	239.3	258.0	227.9	260.0	244.7	243.1	229.8	248.9	248.6
Average Moisture	18.8	18.2	19.4	19.0	19.1	19.7	19.9	19.7	19.2	19.2	19.4	18.0	18.9	19.3	19.3	18.0	19.7	18.4	19.6	19.4	19.0	18.9	20.0	19.4	19.2	18.3	19.3	18.9	20.3	19.2

100-RM Trial

Answer Plot[®]

CORN
YIELD REPORT 2025



	CROPLAN									Dekalb				Brevant					NK Brand					Pioneer			
Hybrid	CP3818TRE/RIB	CP3818VT4P/RIB	CP3852TRE/RIB	CP3980VT2P/RIB	CP4024SSPRO/RIB	CP4083VT4P/RIB	CP4111VT4P/RIB	CP4188VT2P/RIB	CP4444VT2P/RIB	DKC099-59RIB	DKC100-21RIB	DKC101-35RIB	DKC102-13RIB	B01V22AM	B01X44PCE	B98Z37PCE	B99A24V	B99R54PCE	NK0025-DV	NK0123-AA	NK0252-D	NK0367-AA	NK9908-AA	P0075Q	P9823V	P9955PCE	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
Beaver Dam-WI	281.9	264.9	285.9	288.9	253.5	272.8	281.2	258.3	285.8	280.8	279.6	261.5	285.7	271.5	286.7	313.8	300.7	313.0	265.5	260.9	277.1	256.2	284.7	275.8	282.1	301.1	279.6
DavidCity-NE	249.1	253.6	262.1	242.4	220.3	261.5	268.1	222.5	232.2	235.1	236.4	243.5	260.0	256.5	257.3	259.0	236.0	250.3	258.8	219.2	241.7	214.6	241.0	258.6	202.3	238.2	243.1
Emmetsburg-IA	Poor Data Quality; Will Not Publish Data																										
Fennimore-WI	281.9	264.9	285.9	288.9	272.8	253.5	280.0	258.3	285.8	280.8	279.6	261.5	285.7	300.7	313.0	271.5	286.7	313.8	265.5	260.9	277.1	256.2	284.7	275.8	282.1	301.1	279.6
Gagetown-MI	195.9	178.3	218.7	216.8	219.5	202.1	214.2	225.1	219.5	250.2	209.4	223.4	212.7	237.3	239.7	239.3	229.0	239.2	207.7	226.9	225.9	223.1	228.9	240.1	206.5	224.0	221.3
Hamilton-MI	276.0	283.2	292.2	290.9	279.1	249.7	278.1	273.3	322.3	313.1	274.0	302.4	295.3	282.8	290.4	259.8	291.2	295.7	268.6	280.8	283.9	271.3	299.2	284.7	273.2	280.0	284.3
Janesville-WI	297.8	271.2	292.5	299.4	289.2	286.9	281.2	277.0	292.8	287.9	293.9	297.3	301.1	313.6	319.4	299.5	293.8	315.6	278.7	285.3	292.8	299.3	311.6	311.0	284.2	311.0	295.5
Jesup-IA	Poor Data Quality; Will Not Publish Data																										
Manitowoc-WI	301.8	294.7	322.2	316.7	292.4	266.0	271.6	314.8	315.5	293.7	276.2	304.7	282.8	285.7	296.8	296.8	303.0	312.5	284.3	270.6	292.2	261.8	292.2	304.2	278.3	304.9	293.7
Menomonie-WI	263.2	233.7	278.7	269.6	243.8	257.8	261.0	255.7	263.3	277.8	258.9	278.3	236.9	257.8	286.0	254.8	266.5	284.1	217.6	250.2	242.7	270.6	267.7	257.1	233.6	252.6	258.5
Owatonna-MN	222.4	218.7	248.0	220.9	234.1	235.4	251.3	223.4	243.3	232.1	226.1	229.2	259.9	250.5	257.7	247.9	240.9	267.8	232.3	247.2	230.4	241.8	243.1	239.2	246.1	244.3	239.8
Pipestone-MN	246.2	230.4	250.8	248.5	252.9	231.1	238.9	222.1	232.9	262.3	238.0	244.3	240.6	230.8	256.9	232.4	256.5	266.5	235.6	230.1	234.2	244.8	207.2	237.2	226.0	245.0	240.1
Princeton-IL	288.9	285.2	276.0	257.8	256.6	265.2	274.6	265.8	278.6	282.1	255.6	269.6	276.6	278.0	290.0	286.1	264.0	288.5	245.0	259.3	242.5	262.9	278.1	273.2	248.8	278.5	270.3
Rudd-IA	220.9	228.1	226.6	228.4	232.7	225.7	246.6	217.2	243.9	222.5	208.9	227.7	244.1	240.2	254.9	227.9	248.1	238.0	239.6	235.5	204.8	232.8	217.6	230.6	239.9	222.5	231.0
Sheldon-IA	Poor Data Quality; Will Not Publish Data																										
Truman-MN	272.4	258.9	270.5	264.1	270.5	274.8	279.0	258.9	269.2	272.1	265.8	266.3	262.0	284.2	287.6	283.8	260.8	290.9	267.9	275.5	266.0	288.9	281.5	279.5	264.4	272.4	272.6
Vincent-IA	241.5	235.3	239.9	240.5	239.5	246.0	247.1	229.8	249.6	226.5	229.2	233.8	254.8	248.2	257.0	254.6	254.4	256.9	260.0	246.6	252.6	248.1	234.7	252.2	237.2	255.3	245.1
Wanamingo-MN	277.0	247.0	278.4	278.3	266.8	262.7	273.7	252.0	286.3	284.7	279.3	275.4	281.9	292.6	310.9	276.9	281.3	300.2	263.8	262.2	283.2	279.4	273.7	286.6	280.9	289.8	277.9
WestSalem-WI	258.4	259.0	298.1	289.7	282.7	262.3	278.8	247.7	307.2	287.7	254.8	260.0	291.6	310.2	297.0	278.1	281.5	301.2	288.5	299.7	301.0	304.4	300.6	282.8	269.2	296.5	284.2
Average	261.0	250.4	270.4	265.1	256.7	253.3	264.1	250.1	270.5	268.1	254.1	261.2	267.0	271.3	281.3	267.6	268.4	283.4	255.0	256.9	259.3	259.8	265.4	268.0	253.4	269.8	263.5
Average Moisture	17.9	18.3	17.6	17.6	19.2	18.3	19.8	18.6	18.4	18.8	19.3	18.3	19.1	19.9	19.5	18.6	19.0	19.0	20.1	20.6	20.4	21.0	19.7	19.4	18.6	18.6	19.1

105-RM Trial



	CROPLAN						Dekalb					Brevant					NK Brand				Armor			Pioneer						
	CP4516TRE/RIB	CP4652SSPRO/RIB	CP4689PCE	CP4757VT2P/RIB	CP4770SS/RIB	CP4840TRE/RIB	DKC106-98RIB	DKC107-69RIB	DKC108-17RIB	DKC108-64RIB	DKC56-26RIB	B03H35V	B04I45PCE	B04R11Q	B05D47PCE	B06W51AM	B07G52PCE	NK0415-AA	NK0604-DV	NK0877-V	NK0880-V	ARM0480SS-RIB	ARM0722SS-RIB	ARM0755VT2P-RIB	P03115V	P04511V	P05737PCE	P05737V		
Hybrid	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Average	
Beaver Dam-WI	294.3	309.1	339.5	284.6	305.6	296.9	291.0	278.6	314.2	306.1	289.2	239.1	293.6	293.9	321.1	296.7	330.1	308.0	274.6	303.4	294.5	287.9	305.4	294.8	294.0	258.5	289.8	293.8	296.0	
DavidCity-NE	243.5	203.4	317.1	182.7	233.1	278.2	249.7	262.2	246.7	254.2	241.1	195.6	241.8	213.1	263.4	237.5	258.2	226.4	216.5	235.5	223.6	251.5	239.7	234.4	221.5	220.5	216.8	206.1	236.2	
Emmetsburg-IA	Poor Data Quality; Will Not Publish Data																													
Fennimore-WI	275.9	274.2	299.0	281.4	287.1	326.4	295.9	286.0	308.2	286.2	312.5	235.9	262.8	296.9	313.4	292.4	294.8	295.9	279.6	242.3	291.3	270.5	292.5	292.7	285.6	256.8	280.1	296.3	286.2	
Hamilton-MI	297.8	286.9	317.1	282.8	290.4	324.4	313.7	292.0	303.4	315.2	313.8	254.6	287.1	299.8	293.4	305.3	320.2	276.8	274.6	306.3	288.9	289.2	264.5	304.7	296.4	268.1	287.2	292.9	294.5	
Janesville-WI	325.7	306.6	336.9	294.2	318.6	328.0	330.5	320.9	330.7	322.7	341.4	248.0	310.4	308.6	334.0	324.0	348.0	311.4	283.8	300.2	320.8	284.5	323.0	305.8	301.3	274.9	315.3	303.4	312.6	
Jesup-IA	Poor Data Quality; Will Not Publish Data																													
Kellogg-IA	268.2	220.3	251.0	229.0	233.9	272.2	264.4	255.2	237.7	240.8	275.1	206.9	254.5	244.4	277.1	230.9	268.6	237.4	259.5	237.0	259.8	239.8	232.2	236.0	246.2	236.2	252.4	254.7	247.2	
Owatonna-MN	246.6	203.0	237.6	225.0	230.6	267.4	264.0	249.5	245.5	249.9	252.7	205.7	240.3	235.1	266.2	258.5	268.6	238.9	252.1	239.9	237.3	225.7	231.0	233.6	248.2	247.1	245.3	251.5	242.7	
Pipestone-MN	272.5	245.6	270.7	254.1	262.0	292.0	254.0	265.2	267.2	232.3	257.6	218.3	257.3	252.0	273.3	261.5	278.4	238.2	226.5	230.1	242.5	252.8	269.4	261.1	248.6	247.1	256.1	241.9	254.6	
Princeton-IL	261.1	257.1	320.2	261.3	292.5	294.3	269.5	299.8	295.5	287.3	290.0	215.1	289.8	286.8	311.4	298.1	311.1	290.3	268.1	299.5	304.3	273.3	280.3	271.8	270.0	278.6	261.4	268.0	282.4	
Raymond-NE	231.7	186.9	238.3	180.8	216.0	269.6	255.0	245.8	221.9	221.0	269.1	176.8	217.9	209.6	249.9	201.4	244.8	231.7	217.3	222.7	247.3	221.9	193.2	228.2	207.8	216.9	208.5	216.1	223.1	
Rudd-IA	228.9	188.1	237.1	199.0	239.6	265.1	247.6	251.5	237.1	227.3	257.4	185.6	222.7	218.9	252.7	221.7	245.3	219.6	223.4	210.3	246.0	230.3	216.8	213.3	235.0	229.5	221.1	229.7	228.6	
Sheldon-IA	Poor Data Quality; Will Not Publish Data																													
Truman-MN	292.5	265.0	301.8	266.6	301.3	305.6	305.0	300.6	328.8	322.3	319.1	259.2	291.3	297.8	290.9	298.6	320.0	274.7	268.9	280.1	282.0	293.2	296.3	293.4	282.9	261.0	281.1	270.3	291.1	
Vincent-IA	261.9	219.0	280.0	236.8	259.0	286.1	267.5	296.0	247.4	246.1	279.9	216.2	259.7	250.0	282.8	244.8	281.8	232.8	251.6	248.6	247.1	237.9	263.6	245.1	255.1	246.1	236.3	249.0	254.6	
Wanamingo-MN	284.9	264.3	307.7	262.7	286.7	295.7	293.1	281.3	280.0	273.7	297.1	259.6	282.6	292.3	309.3	304.8	306.0	284.1	275.7	277.8	276.0	279.7	287.0	282.9	281.5	285.2	301.4	287.3	285.7	
Washington-IA	252.5	230.6	266.6	224.6	257.7	263.7	267.9	264.8	271.3	268.6	265.5	213.9	274.0	262.5	263.3	248.5	265.7	243.3	243.5	243.4	242.2	250.0	243.5	247.0	237.9	236.1	254.3	254.4	252.0	
WestSalem-WI	290.8	264.5	322.9	306.4	294.1	302.0	301.7	300.6	310.8	307.7	308.0	262.1	294.1	296.7	318.8	293.3	321.5	319.9	276.8	272.9	281.2	288.6	297.8	326.1	297.9	279.7	311.7	278.6	297.4	
Average	270.6	245.3	290.2	248.3	269.3	291.7	279.4	278.1	277.9	272.6	285.6	224.5	267.5	266.2	288.8	269.9	291.4	264.3	255.8	259.4	267.8	261.0	264.8	266.9	263.1	252.6	263.7	262.1	267.8	
Average Moisture	19.86	19.33	20.95	19.2	20.56	22.61	21.63	23.17	21.81	21.21	20.75	18.35	19.8	20.36	20.38	20.3	21.45	20.43	20.7	22.08	23.42	20.93	20.56	20.67	19.63	19.5	20.14	19.33	20.7	

110-RM Trial



	CROPLAN							Dekalb			Brevant					NK Brand				Pioneer			
Hybrid	CP4839PCE	CP4917SSPRO/RIB	CP5050VT4P/RIB	CP5132SS/RIB	CP5208VT2P/RIB	CP5249PCE/RA	CP5272VT2P/RIB	DKC110-10RIB	DKC112-12RIB	DKC112-35RIB	B10G53PCE	B10Z50PCE	B11M47V	B12H48PCE	B12J58V	NK0880-V	NK1056-V	NK1188-D	NK1228-AA	P0859AM	P10477V	P12065Q	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
DavidCity-NE	230.0	242.2	241.7	253.2	270.9	238.0	233.2	224.0	255.0	264.7	247.9	243.6	244.3	223.7	272.9	220.5	199.9	227.4	214.7	255.7	242.0	245.7	240.5
Fennimore-WI	302.0	234.5	310.8	304.1	284.2	310.4	308.0	311.8	306.6	306.6	296.2	295.3	301.6	301.7	324.1	285.7	285.7	303.5	311.6	287.9	276.8	299.9	297.7
Janesville-WI	314.7	287.9	326.6	321.4	295.7	328.7	304.0	315.7	316.3	296.4	320.2	328.5	333.6	343.8	311.1	301.5	289.4	311.5	301.1	321.2	306.9	312.1	313.1
Jesup-IA	Poor Data Quality; Will Not Publish Data																						
Kellogg-IA	239.9	252.7	248.0	271.9	238.2	229.2	223.8	272.9	248.0	221.3	244.5	255.9	234.1	268.1	245.4	231.3	222.0	224.9	236.7	231.6	238.5	223.6	241.0
Norborne-MO	250.1	255.6	267.9	248.2	259.6	293.6	249.5	234.3	263.4	263.6	249.9	261.2	266.4	259.8	272.6	242.9	243.7	243.0	244.4	258.5	265.3	244.8	256.3
Owatonna-MN	207.7	231.3	247.2	263.7	220.2	245.5	228.7	235.4	257.0	237.3	250.6	261.2	243.6	249.2	236.0	233.3	229.1	233.7	247.1	242.3	270.2	247.4	241.7
Princeton-IL	295.3	252.8	287.2	263.5	268.0	342.4	282.5	279.5	302.8	300.4	312.4	308.9	307.4	313.2	318.2	294.4	284.7	314.5	308.8	284.4	295.6	287.6	295.7
Raymond-NE	210.6	251.1	224.6	231.8	256.9	204.8	216.1	232.0	241.3	278.2	227.5	202.2	237.5	228.8	231.0	211.5	203.6	219.2	198.5	230.4	241.9	215.2	227.0
Rudd-IA	207.3	241.7	242.6	252.1	236.7	240.9	225.2	227.8	234.3		231.5	217.0	228.0	249.6	231.3	213.8	209.1	222.2	230.6	238.8	238.1	219.1	230.4
Sandwich-IL	291.5	307.7	316.2	309.2	297.8	333.5	304.0	304.4	337.0	349.5	316.5	303.9	323.4	306.3	307.2	289.3	290.4	297.9	313.8	310.6	294.3	298.4	309.2
Sheldon-IA	Poor Data Quality; Will Not Publish Data																						
Syracuse-NE	135.5	160.0	161.6	156.3	175.7	167.5	183.2	167.7	183.7	185.8	166.2	149.0	157.1	155.0	164.6	146.0	136.9	163.0	152.7	166.6	145.5	158.5	160.8
Truman-MN	299.1	298.8	295.6	306.2	318.4	319.0	301.0	296.1	311.1	306.2	310.6	324.5	322.1	325.6	317.0	261.4	285.0	293.4	291.4	295.1	311.8	305.4	304.3
Villisca-IA	Poor Data Quality; Will Not Publish Data																						
Vincent-IA	253.7	259.2	262.0	274.9	271.8	270.5	240.2	265.6	262.0	287.8	262.0	266.9	259.6	260.9	271.3	231.2	248.3	246.9	252.2	284.4	277.1	258.7	262.1
Washington-IA	250.8	258.1	252.7	261.4	236.8	263.2	254.2	267.9	250.0	259.4	245.4	268.4	261.9	262.2	248.0	227.5	243.5	213.4	240.5	256.7	250.2	239.7	250.5
Average	249.2	252.4	263.2	265.6	259.3	270.5	253.8	259.6	269.2	273.6	263.0	263.3	265.7	267.7	267.9	242.2	240.8	251.0	253.2	261.7	261.0	254.0	259.5
Average Moisture	20.5	20.2	20.4	21.9	22.0	21.1	21.2	20.1	22.6	24.0	20.1	20.8	21.3	20.0	22.1	21.4	21.2	22.2	21.9	19.9	21.9	21.6	21.3

115-RM Trial



Hybrid	CROPLAN								Dekalb				Brevant					NK Brand					Armor		Pioneer				Average
	CP5320SSPRO/RIB	CP5336VT2P/RIB	CP5363TRE/RIB	CP5370VT2P/RIB	CP5468VT4P/RIB	CP5497VT2P/RIB	CP5678VT2P/RIB	CP5682TRE/RIB	DKC115-55RIB	DKC117-27RIB	DKC117-89RIB	DKC66-06RIB	B13C49PCE	B13R55V	B13Z51V	B14C59V	B16D58PCUE	NK1307-DV	NK1386-VZ	NK1480-DV	NK1661-DV	NK1732-DVZ	ARM1447VT2P-RIB	ARM1460VT2P-RIB	P13777PCE	P13968AMXT	P14830AML	P16544PCE	
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
DavidCity-NE	244.5	254.5	233.0	237.2	239.4	244.5	236.8	241.9	271.4	238.6	273.1	237.3	237.6	255.9	253.2	210.1	250.6	223.9	245.3	188.9	231.9	219.8	238.4	217.6	262.6		232.3	219.9	238.5
Kellogg-IA	Poor Data Quality; Will Not Publish Data																												
Norborne-MO	259.7	271.4	264.6	235.4	249.8	272.6	258.7	259.0	263.8	256.1	279.9	262.9	265.8	279.2	244.1	248.4	261.1	239.4	247.6	241.0	233.9	237.1	238.6	246.9	267.3	212.7		241.4	253.3
Princeton-IL	307.8	294.4	281.0	278.4	288.5	307.4	288.0	293.2	298.0	287.7	315.5	314.3	328.6	339.8	295.4	282.3	341.9	295.7	282.3	298.9	261.6	301.6	283.9	282.4	318.4	255.2		305.1	297.3
Raymond-NE	250.4	202.5	206.6	214.8	225.3	241.2	205.1	226.0	282.2	214.3	291.6	217.6	249.8	217.9	208.1	211.2	244.3	230.5	221.3	195.3	193.1	200.2	218.4	199.7	220.5		253.3	211.1	224.2
Sandwich-IL	332.3	334.8	312.2	306.8	305.2	341.0	317.0	341.2	298.6	320.6	327.9	326.8	332.1	333.7	320.5	303.6	335.0	296.6	295.5	296.6	280.0	279.6	284.7	302.2	321.7	220.7		301.4	309.9
Syracuse-NE	176.9	179.1	165.3	181.0	186.0	168.4	153.8	177.2	184.0	161.6	208.1	178.6	163.1	174.2	164.2	151.5	183.1	177.0	174.7	140.4	172.9	163.6	163.5	144.3	153.9		150.8	164.4	169.0
Villisca-IA	Poor Data Quality; Will Not Publish Data																												
Washington-IA	262.4	264.7	263.5	237.4	257.2	248.3	214.7	282.2	265.7	257.4	266.8	254.2	262.4	237.5	263.4	254.3	271.5	239.9	248.9	248.5	237.9	231.3	237.8	250.5	261.2	185.7		248.9	250.2
Average	254.4	249.6	241.3	237.8	246.3	255.6	230.2	255.0	263.4	242.8	277.8	250.9	257.9	256.8	244.3	230.2	264.8	240.3	241.0	223.5	225.5	228.9	233.8	229.3	251.8	218.6	210.3	237.1	242.8
Average Moisture	19.9	20.3	21.0	20.8	20.9	20.4	21.8	22.3	22.1	20.5	22.9	21.2	20.4	19.5	19.5	20.4	22.4	20.7	21.5	20.5	23.0	22.7	21.2	21.0	21.3	19.6	20.7	21.4	21.1

120-RM Trial



	CROPLAN							Dekalb				Brevant				NK	Armor		Pioneer		
Hybrid	CP5678VT2P/RIB	CP5682TRE/RIB	CP5760TRE/RIB	CP5777SSPRO/RIB	CP5796RR	CP5893TRE/RIB	CP5911VT2P/RIB	DKC119-09	DKC119-30RIB	DKC68-35RIB	DKC70-45RIB	B16D58PCUE	B17H53PCE	B17Z18AM	B18F48V	NK1732-DVZ	ARM1460VT2P-RIB	ARM1575VT2P-RIB	P1742Q	P2042AML	Average
	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	Bu/Ac	
	254.1	256.7	254.8	258.5	259.0	257.8	278.7	263.9	256.8	252.7	252.1	247.7	254.8	278.9	253.5	240.2	244.1	253.8		251.9	256.3
	203.5	217.4	202.3	219.6	225.8	241.5	262.0	262.1	192.9	196.1	228.1	251.5	220.6	213.3	217.6	181.1	171.5	249.1	202.4	182.6	217.1
	159.1	162.5	141.5	177.1	179.0	182.4		169.5	172.8	164.3	175.1	175.6	158.8	169.5	160.7	158.0	134.7	184.9	162.8	152.6	165.3
Villisca-IA	Poor Data Quality; Will Not Publish Data																				
Average	205.6	212.2	199.5	218.4	221.3	227.2	270.4	231.8	207.5	204.4	218.4	224.9	211.4	220.6	210.6	193.1	183.5	229.3	182.6	195.7	212.9
Average Moisture	21.9	22.3	22.1	21.9	22.3	22.6	22.2	24.0	23.7	22.5	23.2	23.9	22.2	21.0	22.9	21.9	21.2	23.6	25.7	24.0	22.8