

# Safety Data Sheet 1496

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/16/2016 Revision date: 05/09/2016 Version: 2.0

### **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Product name : Tundra™ EC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use

## 1.3. Details of the supplier of the safety data sheet

Winfield Solutions LLC P.O. Box Po Box 64281 St. Paul, MN 55164 - US T 651-375-5747

### 1.4. Emergency telephone number

Emergency number : 1-800-704-9215

# SECTION 2: Hazard(s) identification

# 2.1. Classification of the substance or mixture

# **GHS-US** classification

Flam. Liq. 4 H227 - Combustible liquid Acute Tox. 2 (Oral) H300 - Fatal if swallowed Acute Tox. 4 (Inhalation:dust,mist) H332 - Harmful if inhaled

Skin Sens. 1 H317 - May cause an allergic skin reaction Carc. 2 H351 - Suspected of causing cancer

STOT RE 1 H372 - Causes damage to organs (central nervous system)

through prolonged or repeated exposure

Full text of H statements : see section 16

# 2.2. Label elements

## **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS06



GHS08

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H227 - Combustible liquid H300 - Fatal if swallowed

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H372 - Causes damage to organs (central nervous system) through prolonged or repeated

exposure

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P260 - Do not breathe fume, mist, spray, vapors P261 - Avoid breathing fume, mist, spray, vapors P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - If swallowed: Immediately call a POISON CENTER

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P312 - Call a doctor if you feel unwell

P314 - Get medical advice/attention if you feel unwell P321 - Specific treatment (see ... on this label)

05/10/2016 EN (English US) SDS ID: 1496 Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P330 - Rinse mouth

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: Use dry chemical powder, alcohol-resistant foam, carbon dioxide

(CO2) to extinguish

P403+P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/Information on ingredients

#### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Solvent naphtha, petroleum, heavy aromatic	(CAS No) 64742-94-5	39.6	Flam. Liq. 3, H226 Asp. Tox. 1, H304
bifenthrin (ISO); (2-methylbiphenyl-3-yl)methyl rel-(1R,3R)-3- [(1Z)-2-chloro- 3,3,3-trifluoroprop-1-en-1-yl]- 2,2- dimethylcyclopropanecarboxylate	(CAS No) 82657-04-3	25.4	Acute Tox. 2 (Oral), H300 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Sens. 1B, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 3 (Inhalation), H331

Full text of H-phrases: see section 16

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : May cause an allergic skin reaction.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

05/10/2016 EN (English US) SDS ID: 1496 2/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures

: No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: In case of large spillages: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Sweep up or vacuum up the product. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 8.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe fume, mist, spray, vapors. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool. Store locked up.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear respiratory protection.

Environmental exposure controls : Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Colourless.
Odor : Odourless.
Odor threshold : No data available

pH : 4.68

Melting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : 171 °F

05/10/2016 EN (English US) SDS ID: 1496 3/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties Vapor pressure : No data available : No data available Relative density Relative vapor density at 20 °C : No data available Specific gravity / density : 0.958 g/cm3

Solubility : Water: Solubility in water of component(s) of the mixture :

Solvent naphtha, petroleum, heavy aromatic: < 1 mg/l (at 20 °C)</li>

Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: carbon oxides (CO and CO2).

### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Likely routes of exposure : Ingestion; Inhalation

Acute toxicity : Oral: Fatal if swallowed. Inhalation:dust,mist: Harmful if inhaled.

Tundra™ EC	
ATE US (oral)	19.685 mg/kg body weight
ATE US (dust, mist)	1.969 mg/l/4h

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2 ml/kg	
LC50 inhalation rat (mg/l)	> 590 mg/m³ (Exposure time: 4 h)	

bifenthrin (ISO); (2-methylbiphenyl-3-yl)methyl rel-(1R,3R)-3-[(1Z)-2-chloro- 3,3,3-trifluoroprop-1-en-1-yl]- 2,2-dimethylcyclopropanecarboxylate (82657-04-3)	
ATE US (oral)	5.000 mg/kg body weight
ATE US (dust, mist)	0.500 mg/l/4h

Skin corrosion/irritation : Not classified

pH: 4.68

05/10/2016 EN (English US) SDS ID: 1496 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation : Not classified

pH: 4.68

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs (central nervous system) through prolonged or repeated exposure.

Aspiration hazard : Not classified

Symptoms/injuries after skin contact : May cause an allergic skin reaction.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life.

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)	
LC50 fish 1	19 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	0.95 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	2.34 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)	
BCF fish 1	61 - 159
Log Pow	2.9 - 6.1

### 12.4. Mobility in soil

No additional information available

# 12.5. Other adverse effects

Effect on global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Avoid release to the

environment.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN2902 Pesticides, liquid, toxic, n.o.s. (Bifenthrin ), 6.1, II

UN-No.(DOT) : UN2902

Proper Shipping Name (DOT) : Pesticides, liquid, toxic, n.o.s.

Bifenthrin

Class (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132

05/10/2016 EN (English US) SDS ID: 1496 5/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 6.1 - Poison Hazard labels (DOT)



Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 243

**DOT Symbols** : G - Identifies PSN requiring a technical name

: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite DOT Special Provisions (49 CFR 172.102) (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized

following: (image) Where: tr is the maximum mean bulk temperature during transport. tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively

TP13 - Self-contained breathing apparatus must be provided when this hazardous material is

transported by sea

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the

**MAWP** 

DOT Packaging Exceptions (49 CFR 173.xxx) : 153

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

**DOT Vessel Stowage Location** 

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded

**DOT Vessel Stowage Other** : 40 - Stow "clear of living quarters" Other information No supplementary information available.

**TDG** 

No additional information available

Transport by sea

Class (IMDG) : Not determined

Air transport

Class (IATA) : Not determined

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

bifenthrin (ISO); (2-methylbiphenyl-3-yl)methyl rel-(1R,3R)-3-	CAS No 82657-04-3	25.4%
[(1Z)-2-chloro- 3,3,3-trifluoroprop-1-en-1-yl]- 2,2-		
dimethylcyclopropanecarboxylate		

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

**EPA Registration Number** 1381-196

05/10/2016 EN (English US) SDS ID: 1496 6/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

FIFRA Hazard Statement : Keep reach out of reach of children. WARNING. May be fatal if swallowed. Causes

substantial but temporary eye injury. Do not get into eyes or on clothing. Wear protective eyewear such as goggles or safety glasses. Harmful if inhaled, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco

or using the toilet.

FIFRA Signal Word : WARNING

FIFRA Other : Restricted Ue Pesticide: Toxic to fish and aquatic organisms.

#### 15.2. International regulations

#### **CANADA**

### Solvent naphtha, petroleum, heavy aromatic (64742-94-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

#### Solvent naphtha, petroleum, heavy aromatic (64742-94-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

#### Soybean oil, methyl ester (67784-80-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# **SECTION 16: Other information**

Revision date : 05/09/2016

### Full text of H-phrases:

At of Fi-piliases.	
H226	Flammable liquid and vapor
H227	Combustible liquid
H300	Fatal if swallowed
H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H332	Harmful if inhaled
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012 - FIFRA)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/10/2016 EN (English US) SDS ID: 1496 7/7