

SAFETY DATA SHEET

Section 1. Identification

Transportation Emergency (CHEMTREC) 1-800-424-9300 CHS Inc. Technical Information 1-651-355-8443 P.O. Box 64089 Mail station 525 1-651-355-8445 SDS Information St. Paul, MN 55164-0089

: Auto Gold Multi-Vehicle ATF Synthetic Blend Product name

11/15/2013 : Synthetic Blend Automatic Transmission Fluid. Revision date Mixture Chemical formula : Lubricating oil.

SDS no.

: Hydrocarbon. Chemical family

Relevant identified uses of the substance or mixture and uses advised against

Automatic transmission fluid.

Section 2. Hazards identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). OSHA/HCS status

: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B Classification of the substance or

mixture

GHS label elements

Common name

Chemical name

: Warning Signal word

Hazard statements : Causes eye irritation.

Precautionary statements

Read label before use. Keep out of reach of children. If medical advice is needed, have product container or General

classified as hazardous to health or the environment and hence require reporting in this section.

Physical hazards: 0 Health: Flammability:

Hazardous Material Information System (U.S.A.) Instability: 0 Flammability: National Fire Protection Association (U.S.A.) Health:

Section 3. Composition/information on ingredients

: Mixture Substance/mixture Lubricating oil. Chemical name : Synthetic Blend Automatic Transmission Fluid. Other means of identification CAS number Ingredient name 64742-55-8 60 - 100 Distillates (petroleum), hydrotreated light paraffinic

122-39-4 0.1 - 1Diphenylamine Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

: If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15 Eye contact

minutes, occasionally lifting the lower and upper lids. Get medical attention.

If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has Inhalation stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as

If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the

Skin contact material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get medical attention immediately.

: If material has been swallowed, do not induce vomiting. Get medical attention immediately.

Ingestion Most important symptoms/effects, acute and delayed

Potential acute health effects

0202-071212

Eye contact

: Causes eye irritation.

Inhalation Skin contact No known significant effects or critical hazards.No known significant effects or critical hazards.

Ingestion

May be irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact

: Adverse symptoms may include the following: pain or irritation, watering, redness. : Adverse symptoms may include the following: respiratory tract irritation, coughing.

Inhalation Skin contact

: Adverse symptoms may include the following: irritation, redness.

Ingestion

No known significant effects or critical hazards.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

: No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

 Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.

Unsuitable extinguishing media

Specific hazards arising from the chemical

None known.
 Toxic fumes gases or vapors may evolve on burning.

Hazardous thermal decomposition products

: No specific data.

Special protective actions for fire-fighters

: When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.

: Not applicable.

Special protective equipment for fire-fighters

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Conditions for safe storage, including any incompatibilities

: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Distillates (petroleum), hydrotreated light paraffinic Diphenylamine	ACGIH TLV (United States, 3/2012). TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 6/2009). TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist OSHA PEL (United States, 6/2010). TWA: 5 mg/m³ 8 hours. ACGIH TLV (United States, 3/2012). TWA: 10 mg/m³ 8 hours. NIOSH REL (United States, 6/2009). TWA: 10 mg/m³ 10 hours. OSHA PEL 1989 (United States, 3/1989). TWA: 10 ppm 8 hours.

Appropriate engineering controls

: Use only with adequate ventilation.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close

Eye/face protection Skin protection

to the workstation location. : Recommended: Splash goggles and a face shield, where splash hazard exists.

Hand protection

: 4 - 8 hours (breakthrough time): Nitrile gloves.

Body protection

Recommended: Long sleeved coveralls. Recommended: Impervious boots.

Other skin protection Respiratory protection

If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate

Section 9. Physical and chemical properties

Appearance			Relative density	:	0.85 to 0.86
Physical state	:	Liquid.	Evaporation rate	:	<1 (Butyl acetate = 1)
Color	;	Red.	Solubility	:	Insoluble in the following materials: cold water and hot water.
Odor	:	Mild.	Solubility in water	:	Insoluble
Odor threshold	:	Not available.	Partition coefficient: n-	:	Not available.
Hq	:	Not available.	octanol/water		
Melting point	:	Not available.	Auto-ignition temperature	•	>260°C (>500°F)
Boiling point	:	Not available.	Decomposition temperature	:	Not available.
Flash point		Closed cup: >177°C (>350.6°F)	SADT	:	Not available.
Flammability		Not available.	Viscosity	:	Not available.
Lower and upper	- 53	Not available.	Vapor pressure	:	<0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable)	•	NOT RATINGSIO.	Vapor density	:	Not available.

Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data.

Incompatible materials

: Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), hydrotreated	LC50 Inhalation Vapor	Rat	3900 mg/m³	4 hours
light paraffinic Diphenylamine	LD50 Dermal LD50 Oral		>5000 mg/kg 1120 mg/kg	-

Irritation/Corrosion

Skin

: There is no data available.

Eyes

: There is no data available.

Respiratory

: There is no data available.

Sensitization

Skin

: There is no data available.

Respiratory

: There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

There is no data available.

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Diphenylamine	Category 2	Not determined	Not determined

Aspiration hazard

There is no data available.

Information on the likely routes of

: Dermal contact. Eye contact. Inhalation. Ingestion.

exposure

Section 12. Ecological information

Foxicity

Product/ingredient name	Result	Species	Exposure
Diphenylamine	Acute EC50 2.17 mg/L Fresh water	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
e a	Acute EC50 0.31 to 0.36 mg/L Fresh water Acute LC50 3790 to 4140 μg/l Fresh water Chronic NOEC 0.37 mg/L Fresh water	Daphnia - Daphnia magna Fish - Pimephales promelas Algae - Pseudokirchneriella subcapitata - Exponential growth phase	48 hours 96 hours 72 hours

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogP₀w	BCF	Potential
Diphenylamine	3.5	151.356124843	low

Mobility in soil

Soil/water partition coefficient (Koc)

: There is no data available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

DOT IDENTIFICATION NUMBER Not applicable.

DOT proper shipping name

Not applicable.

DOT Hazard Class(es) Not applicable.

Not applicable.

DOT EMER. RESPONSE GUIDE NO. Not applicable

Section 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) PAIR: Diphenylamine

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Air Act Section 602 Class I Substances

: Not listed

DEA List I Chemicals (Precursor Chemicals)

: Not listed

Clean Air Act Section 602 Class II Substances

: Not listed

DEA List II Chemicals (Essential Chemicals)

: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)

: Not listed

SARA 302/304

Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Sulfur dioxide	 0 - 0.1	Yes.	-	-	-	-

SARA 304 RQ

: Not applicable.

SARA 311/312

Classification

: Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Distillates (petroleum), hydrotreated light	60 - 100	No.	No.	No.	Yes.	No.
paraffinic Diphenylamine	0.1 - 1	No.	No.	No.	Yes.	Yes.

SARA 313

: This product (does/not) contain toxic chemicals subject to the reporting requirements of SARA Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

Product name	CAS number	%
Not applicable.		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts

: The following components are listed: Distillates (petroleum), hydrotreated light paraffinic

New York

: None of the components are listed.

New Jersey

The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates

(petroleum), hydrotreated light paraffinic

Pennsylvania

: None of the components are listed.

California Prop. 65

: WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth

defects or other reproductive harm.

CONTRACTOR							
Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level			
Sulfur dioxide	No.	Yes.	No.	No.			

Section 16. Other information

Revision date

: 11/15/2013

Supersedes

: 04/13/2011

Revised Section(s)

: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

Prepared by

: KMK Regulatory Services Inc.

Notice to reader
THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER
MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE
MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), CHS HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE
READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. CHS BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO
REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF
CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S
SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.



OUR ENERGY COMES THROUGH!

A BRAND OF CHS