

Air1® Diesel Exhaust Fluid

Section 1. Chem	ical product and company identification
Trade name	: Air1® Diesel Exhaust Fluid
Manufacturer	 Yara North America, Inc 100 North Tampa Street Suite 3200 P.O. Box 24926 Tampa, FL 33623 USA Tel: +1 813 222 5700 Fax: +1 813 875 5735
Validation date	: 06.12.2011.
Print date	: 06.12.2011.
Responsible name	: Bill Easterwood (Technical conditions of use) Rebecca Lee (Safety and Regulatory information)
In case of emergency	: Additional Product Information: 813-222-5700 or Chemtrec 24-hours Emergency Resonse: 1-800-424-9300
Section 2. Hazar	ds identification
Physical state	: Liquid. [Clear.]
Emergency overview	: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.
Potential acute health effe	ects
Eyes	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Inhalation	: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	: No known significant effects or critical hazards.
Potential chronic health e	ffects
Chronic effects	: No known significant effects or critical hazards.
Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>ptoms</u>
Inhalation	: No specific data.
	: No specific data.
Ingestion	· No specific data.
Ingestion Skin	: No specific data.

Section 3. Composition/information on ingredients

		<u>% by weight</u>
Urea	57-13-6	32.5
Water	7732-18-5	67.5

Section 4. First aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.
Skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
Inhalation	 Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Section 5. Fire-fighting measures

Flammability of the product <u>Extinguishing media</u>	-flammable.	
Suitable	an extinguishing agent suitable for the surrounding fire.	
Products of combustion	se products are on dioxide on monoxide gen oxides nonia.	
Fire-fighting media and instructions	ase of fire, use water spray (fog), foam, dry chemical or CO ₂ .	
Special protective equipment for fire-fighters	fighters should wear appropriate protective equipment and se aratus (SCBA) with a full face-piece operated in positive press	

Section 6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	:	Stop leak if without risk. Material free from contamination can be used for its original purpose. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Air1® Diesel Exhaus	t Fluid
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

паниш ıy Э

Handling	1	Avoid contact with eyes, skin and clothing. Ensure eyewash facilities are located close to
		the working environment.

: Keep container tightly closed. Keep container in a cool, well-ventilated area. Keep away from heat and direct sunlight. Storage

Section 8. Exposure controls/personal protection

Engineering measures	: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure eyewash facilities are located close to the working environment.
Personal protection	
Eyes	 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: Chemical splash goggles or face shield.
Skin	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Respiratory	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: If ventilation is inadequate, use respirator that will protect against dust/mist.
Hands	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. >8 hours (breakthrough time): butyl rubber , natural rubber (latex) , nitrile rubber
Personal protective equipment (Pictograms)	
Product name	Exposure limits
Urea	AIHA WEEL (United States, 5/2010).

AIHA WEEL (United States, 5/2010). TWA: 10 mg/m³ 8 hour(s).

Section 9. Physical and chemical properties

Physical state	: Liquid. [Clear.]
Color	: Colorless.
Odor	: Ammoniacal. [Slight]
рН	: 9,8 to 10 [Conc. (% w/w): 10%]
Boiling/condensation point	: Decomposition temperature: 100°C (212°F)
Melting/freezing point	: -11,5°C (11,3°F)
Density (g/cm³)	: 1,09 g/cm ³ [20°C (68°F)]

Air1® Diesel Exhaust Fluid	1
Vapor pressure	: 6.4 kPa (48 mm Hg) (at 40°C)
Miscible in water.	: Yes.

Section 10. Stability and reactivity

Stability and reactivity		Stable under recommended storage and handling conditions (see section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Incompatibility with various substances		Highly reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.
Hazardous decomposition products		Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	:	Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Potential acute health effects

Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effence delayed following exposure.					
Ingestion	1	No known significant effects	or critical hazards	3.			
Skin contact	:	No known significant effects or critical hazards.					
Eye contact	1	No known significant effects or critical hazards.					
Product/ingredient name		Result	Species	Dose	Exposure		
Urea		LD50 Oral	Mouse	11 g/kg	-		
		LD50 Oral	Rat	8471 mg/kg	-		

Section 12. Ecological information

Environmental effects	: Readily bio	degradable			
Aquatic ecotoxicity					
Product/ingredient name Urea		Test - Acute EC water	Result 50 3910000 ug/L Fresh	Species Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	Exposure 48 hours
		- Acute LC water	50 >1000 mg/L Marine	Crustaceans - Amphipod - Chaetogammarus marinus - Young - 5 mm	48 hours
		 Acute LC! Fresh wat 	50 16700 to 19600 ug/L ter	Fish - Rohu - Labeo rohita - Egg	96 hours
Conclusion/Summary <u>Biodegradability</u>	: Not availab	le.			
Conclusion/Summary	: The produc	t does not she	ow any bioaccumulation	ohenomena.	

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Air1® Diesel Exhaust Fluid

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-

Section 15. Regulatory information

HCS Classification

: Not regulated.

U.S. Federal regulations

: TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted. SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found. SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	t listed	
Clean Air Act Section 602 Class I Substances	t listed	
Clean Air Act Section 602 Class II Substances	t listed	
DEA List I Chemicals (Precursor Chemicals)	t listed	
DEA List II Chemicals (Essential Chemicals)	t listed	
State regulations	onnecticut Hazardo prida substances: I nois Chemical Safe nois Toxic Substan ed. uisiana Reporting: uisiana Spill: None assachusetts Spill: assachusetts Subs chigan Critical Mat nnesota Hazardou w Jersey Hazardo w Jersey Spill: No w Jersey Spill: No w Jersey Toxic Ca w York Acutely Ha	gen Reporting: None of the components are listed. us Material Survey: None of the components are listed. None of the components are listed. ety Act: None of the components are listed. nces Disclosure to Employee Act: None of the components are None of the components are listed. of the components are listed. None of the components are listed. tances: None of the components are listed. substances: None of the components are listed. as Substances: None of the components are listed. us Substances: None of the components are listed. tastrophe Prevention Act: None of the components are listed. mical Release Reporting: None of the components are listed. azardous Substances: None of the components are listed. tastrophe Prevention Act: None of the components are listed. mical Release Reporting: None of the components are listed. azardous Substances: None of the components are listed. tastrophe Prevention Act: None of the components are listed. tastrophe Prevention Act: None of the components are listed. tastrophe Prevention Act: None of the components are listed. tastrophe Reporting: None of the components are listed.

Rhode Island Hazardous Substances: None of the components are listed.

United States inventory (TSCA 8b)

: All components are listed or exempted.

Section 16. Other information				
National Fire Protection Association (U.S.A.)	: Health Flammability Instability Special			
References	 Regulation (EC) No 1272/2008 Annex VI EU REACH IUCLID5 CSR National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances Atrion International Inc. 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada 			
Date of issue	: 06.12.2011.			
Date of previous issue	: 08.06.2011.			
Version	: 4.02			
Indicates information the	at has changed from previously issued version.			

Notice to reader

To the best of our knowledge, the information provided in this Product Information Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein. Final determination of the suitability of any material is the sole responsibility of the user. All materials may represent unknown hazards and should be used with caution. Yara International ASA disclaims any liability for loss or damage resulting from the use of any data, information or recommendations set out in this Product Information Sheet.