

Avalanche Ultra

SAFETY DATA SHEET

Preparation Date 5-May-2016

Replaces 15-January-2013

Revision Number:

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product identifier

Product Description: Avalanche Ultra

Other means of identification

Unity #: 1415685
Synonyms: Not Available
Registration number(s): 70506-60-1381

Recommended use of the chemical and restrictions on use

Recommended use: Herbicide.
Uses advised against: Activities contrary to label recommendation

Details of the Supplier of the Safety Data Sheet

Supplier Address

Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164

Non-Emergency Business Inquiries 1-855-494-6343 Mon – Fri 8am – 5pm (Central Standard Time)

Emergency telephone number

Medical Emergency 1-877-424-7452 (24 hrs)
Emergency telephone number Chemtrec: (800) 424-9300 (24hrs)

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Vapors)	Category 3
Skin Corrosion/Irritation	Category 2
Serious eye damage/eye irritation	Category 1

Label elements

EMERGENCY OVERVIEW

DANGER

hazard statements

Harmful in contact with skin
Toxic if inhaled
CAUSES SKIN IRRITATION
Causes serious eye damage



appearance Light To dark orange

Physical state liquid

Odor Unusual

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Do not get in eyes, on skin, or on clothing

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor if you feel unwell

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

OTHER INFORMATION

- Very toxic to aquatic life with long lasting effects
- Very toxic to aquatic life
- May be harmful in contact with skin

3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %	Trade secret
Butyl cellosolve	111-76-2	8.5	
Acifluorfen, sodium salt	62476-59-9	20.1	

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye contact

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes. Call poison control center or doctor for treatment advice.

Inhalation

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison

control center immediately.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Protection of First-aiders Use personal protective equipment.

Most Important Symptoms and Effects, Both Acute and Delayed

Most Important Symptoms and Effects No information available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Carbon dioxide (CO₂).
Use: Dry chemical. Water spray. alcohol-resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Hydrogen chloride. Hydrogen fluoride. Oxides of nitrogen.

Explosion data

Protective equipment and precautions for firefighters

Use personal protective equipment. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. Wear protective gloves/clothing and eye/face protection.

Environmental Precautions

Environmental precautions Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

Methods and material for containment and cleaning up

Methods for Clean-Up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Handling Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Keep in a dry, cool and well-ventilated place. Keep out of the reach of children.

incompatible materials Strong oxidizing agents.

8. Exposure Controls/Personal Protection

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL
Butyl cellosolve	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*

Engineering controls Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Personal protective equipment

Eye/Face Protection

Use eye protection to avoid eye contact. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with side-shields.

Skin protection

Wear protective gloves/clothing. Socks and footwear.

Respiratory protection

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state	liquid	Odor	Unusual
appearance	Light To dark orange		
color	No information available		

<u>Property</u>	<u>VALUES</u>	<u>Remarks/ • Method</u>
pH	8.2	
Melting point/freezing point	9.2 °C / 49 °F	
Boiling Point/Range	103 °C / 217 °F	
Flash Point	210 F	
Evaporation Rate	No information available	
flammability (solid, gas)	No information available	
Flammability limit in air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
vapor pressure	17 @ 20 C	
Vapor Density	No information available	
Specific gravity	1.18 g/ml	
Water solubility	No information available	
Solubility in Other Solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Dynamic viscosity	No information available	

Explosive properties No information available
Oxidizing properties No information available

OTHER INFORMATION

Softening point No information available
molecular weight No information available
VOC Content No information available
density No information available
Bulk density 9.82 lb/gal

10. Stability and Reactivity**Reactivity**

no data available

Chemical stability

Stable under normal conditions. Hazardous polymerisation does not occur.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization Hazardous polymerisation does not occur.

Conditions to avoid

Freezing temperatures.

incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides.

11. Toxicological Information**Information on Likely Routes of Exposure**

Product information Avalanche Ultra:
 Acute oral LD50 : 2,020 mg/kg (female rats)
 Acute dermal LD50: >2,000 mg/kg (rats)
 Inhalation : 2.04 mg/L (rat, 4 hr)
 Skin Irritation : Moderately irritating to the skin
 (rabbit) Sensitization : Not a sensitizer (guinea pig)

Inhalation Toxic if inhaled.

Eye contact Causes irreversible eye damage.

Skin contact May be harmful if absorbed through the skin.

Ingestion HARMFUL IF SWALLOWED.

Component Information

Butyl cellosolve:
 Butyl cellosolve is irritate to the skin and eyes but is not a dermal sensitizer.
 Developmental toxicity was noted in rats exposed to 100 ppm by inhalation in the presence of maternal toxicity. However, no developmental toxicity was observed in rats and rabbits by oral ingestion. Chronic exposure may cause liver damage and hemolytic disorders.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Butyl cellosolve 111-76-2	= 470 mg/kg (Rat)	= 220 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Acifluorfen, sodium salt 62476-59-9	-	-	> 6900 mg/m ³ (Rat) 4 h

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization No information available.
Mutagenic effects No information available.
Carcinogenicity The information below indicates whether any agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Butyl cellosolve 111-76-2	A3	Group 3		-

Reproductive effects Not Available.
STOT - Single Exposure No information available.
STOT - repeated exposure No information available.
Chronic toxicity Avoid repeated exposure.
Target organ effects liver, kidney, Respiratory System, EYES, skin, Central Nervous System (CNS), blood, hematopoietic system.
Aspiration hazard No information available.

Numerical Measures of Toxicity - Product information

LD50 Oral 2020 mg/kg (rat)
LD50 Dermal > 2000 mg/kg (rat)
LC50 Inhalation: LC50/inhalation/4h/rat = 2.04 mg/l (4-hr)

12. Ecological Information**ecotoxicity**

Sodium acifluorfen:

Aquatic

Rainbow trout 96 hr LC50 = 54 mg ai/L

Bluegill sunfish 96 hr LC50 = 31 mg ai/L

Daphnia magna 48 hr EC50 = 28 mg ai/L

Channel catfish 96 hr LC50 = 80 mg/L

Grass shrimp 96 hr LC50 = 189 mg/L

Fiddler crab 96 hr LC50 = >1000 mg/L

Freshwater clam 96 hr LC50 = 64 mg ai/L

Eastern oyster 48 hr LC50 = 31.3 mg ai/L

Avian

Bobwhite quail >10000 mg/kg

Mallard duck LC50 = >10000 mg/kg

Persistence/Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Chemical name	Log Pow
Butyl cellosolve 111-76- 2	0.81

Other Adverse Effects

No information available

13. Disposal Considerations**Waste Treatment Methods****Waste Disposal Method**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label

instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Contaminated packaging Refer to product label.

14. Transport Information

DOT NOT REGULATED

TDG NOT REGULATED

IATA NOT REGULATED

IMDG/IMO NOT REGULATED

15. Regulatory Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

signal word DANGER!

Ventilation Control PESTICIDE APPLICATORS & WORKERS THESE WORKERS MUST REFER TO PRODUCT LABELING AND DIRECTIONS FOR USE IN ACCORDANCE WITH EPA WORKER PROTECTION STANDARD 40 CFR PART 170.

Corrosive. Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. Harmful if inhaled.

International Inventories

USINV	Not determined
DSL/NDSL	Not determined
EINECS/ ELINCS	Complies
ENCS	Does not comply
China	Complies
KECL	Does not comply
PICCS	Does not comply
AICS	Complies
TSCA	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372:

Chemical name	SARA 313 - Threshold Values
Acifluorfen, sodium salt - 62476-59-9	1.0

SARA 311/312 Hazardous**Categorization**

Acute health hazard	yes
Chronic health hazard	yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	yes

CERCLA

SARA Product RQ 0

RCRA**Pesticide Information**

Component	FIFRA - Restricted Use	FIFRA - Pesticide Product Other Ingredients	FIFRA - Listing of Pesticide Chemicals	California Pesticides - Restricted Materials
Butyl cellosolve 111-76-2 (8.5)			X	

State Regulations

Component	CAS-No	CATEGORY	California Prop. 65	Non-additive, corrosive chemical type
Acifluorfen, sodium salt 62476-59-9 (20.1)	62476-59-9	Carcinogen	Carcinogen	

State Right-to-Know

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Butyl cellosolve	X	X	X	X	
Acifluorfen, sodium salt		X			

International regulations**U.S. EPA Label information**

EPA Pesticide registration number 70506-60-1381

16. Other Information

NFPA HEALTH 2 flammability 2 Instability 0 Physical hazard -

Preparation Date 4-May-2016
Replaces 1-January-2013

Revision Summary All Sections

Disclaimer

Winfield Solutions, LLC believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of Winfield Solutions, LLC and Winfield Solutions, LLC expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS