

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

1/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name RAXIL® PRO MD

Product code (UVP) 79527713

SDS Number 102000020819

EPA Registration No. 264-1072

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide, Seed treatment

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number 1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2A
Acute toxicity(Inhalation): Category 4
Reproductive toxicity: Category 2

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Causes serious eye irritation.
Harmful if inhaled.
Suspected of damaging fertility or the unborn child.

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

2/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

Precautionary statements

Wash thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Avoid breathing mist and spray.
Use only outdoors or in a well-ventilated area.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF exposed or concerned: Get medical advice/ attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Tebuconazole	107534-96-3	0.29
Prothioconazole	178928-70-6	1.47
Metalaxyl	57837-19-1	0.59
Ethoxylated tallow alkyl amines	61791-26-2	5.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

3/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water spray, Foam, Carbon dioxide (CO₂), Dry chemical

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 93.4 °C

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

4/12

Revision Date: 09/21/2016
Print Date: 09/22/2016

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tebuconazole	107534-96-3	5ug/m3	07 2011	TX ESL

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

5/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

		(AN ESL)		
Tebuconazole	107534-96-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*
Prothioconazole	178928-70-6	5ug/m3 (AN ESL)	07 2011	TX ESL
Prothioconazole	178928-70-6	50ug/m3 (ST ESL)	07 2011	TX ESL
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Metalaxyl	57837-19-1	50ug/m3 (ST ESL)	07 2011	TX ESL
Metalaxyl	57837-19-1	5ug/m3 (AN ESL)	07 2011	TX ESL
Ethoxylated tallow alkyl amines	61791-26-2	18ug/m3 (AN ESL)	07 2011	TX ESL
Ethoxylated tallow alkyl amines	61791-26-2	175ug/m3 (ST ESL)	07 2011	TX ESL
1,2-Propanediol	57-55-6	500ppb (ST ESL)	03 2014	TX ESL
1,2-Propanediol	57-55-6	100ug/m3 (AN ESL)	03 2014	TX ESL
1,2-Propanediol	57-55-6	1000ug/m3 (ST ESL)	03 2014	TX ESL
1,2-Propanediol	57-55-6	50ppb (AN ESL)	03 2014	TX ESL
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses / Face shield

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

6/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	red
Physical State	Liquid
Odor	characteristic
Odour Threshold	No data available
pH	7.20 - 8.80 at 100 % (23 °C)
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	1.04 g/cm ³ at 20 °C
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable
Decomposition temperature	No data available
Partition coefficient: n-octanol/water	No data available
Flash point	> 93.4 °C
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	No data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
10200020819

7/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

Conditions to avoid	freezing
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Eye contact, Ingestion, Inhalation, Skin Absorption

Immediate Effects

Eye Causes substantial but temporary eye injury.

Skin Harmful if absorbed through skin.

Ingestion Harmful if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) > 2,000 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.6 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
highest concentration tested

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation Moderate eye irritation. (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – repeated exposure

Tebuconazole did not cause specific target organ toxicity in experimental animal studies.
Metalaxyl did not cause specific target organ toxicity in experimental animal studies.
Prothioconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.
Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.
Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

8/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

Assessment developmental toxicity

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Metalaxyl did not cause developmental toxicity in rats and rabbits.

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient prothioconazole.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 1.3 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient prothioconazole.
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient prothioconazole.
Biodegradability	Tebuconazole: Not rapidly biodegradable Metalaxyl:

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

9/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

	Not rapidly biodegradable Prothioconazole: Not rapidly biodegradable
Koc	Tebuconazole: Koc: 769 Metalaxyl: Koc: 163 Prothioconazole: Koc: 1765; log Koc: < 3
Bioaccumulation	Tebuconazole: Bioconcentration factor (BCF) 35 - 59 Does not bioaccumulate. Metalaxyl: Bioconcentration factor (BCF) < 7 Does not bioaccumulate. Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate.
Mobility in soil	Tebuconazole: Slightly mobile in soils Metalaxyl: Moderately mobile in soils Prothioconazole: Slightly mobile in soils
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply when weather conditions favor runoff or drift. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Do not contaminate water, food, or feed by disposal.
Contaminated packaging	Triple rinse containers. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

10/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

IMDG

UN number	3082
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION)

IATA

UN number	3082
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1072

US Federal Regulations

TSCA list

Ethoxylated tallow alkyl amines 61791-26-2

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

11/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

Tebuconazole 107534-96-3

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Danger!

Hazard statements:

Causes irreversible eye damage.
Harmful if swallowed, inhaled or absorbed through the skin.
Do not get in eyes or on clothing.
Avoid contact with skin.
Avoid inhalation of vapour or mist.
Wash thoroughly with soap and water after handling.
Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

SAFETY DATA SHEET



RAXIL® PRO MD

Version 3.0 / USA
102000020819

12/12
Revision Date: 09/21/2016
Print Date: 09/22/2016

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 2: Hazards Identification. Section 3: Composition / Information on Ingredients. Section 11: Toxicological Information.

Revision Date: 09/21/2016

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.