

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

1/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** RIMFIRE® MAX HERBICIDE

**Product code (UVP)** 79717342

**SDS Number** 102000020887

**EPA Registration No.** 264-1099

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer CropScience  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577

**Product Information Telephone Number** 1-866-99BAYER (1-866-992-2937)

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

Carcinogenicity: Category 2

Eye irritation: Category 2A

#### Labelling in accordance with regulation HCS 29CFR §1910.1200



**Signal word:** Warning

#### Hazard statements

Suspected of causing cancer.

Causes serious eye irritation.

#### Precautionary statements

Obtain special instructions before use.

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

2/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wash thoroughly after handling.  
IF exposed or concerned: Get medical advice/ attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Mesosulfuron-methyl	208465-21-8	1.91
Propoxycarbazone-sodium	181274-15-7	4.76
Mefenpyr-diethyl	135590-91-9	14.28
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	16.6
Tetrapropylene benzene sulfonate, calcium salt	11117-11-6	1.3
Naphthalene	91-20-3	0.16
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	10.0

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

3/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

**Ingestion** Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

### Most important symptoms and effects, both acute and delayed

**Symptoms** If large amounts are ingested, the following symptoms may occur:  
Headache, Nausea, Dizziness, Somnolence  
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.  
Aspiration may cause pulmonary oedema and pneumonitis.  
Inhalation may provoke the following symptoms:  
Cough, Shortness of breath, Cyanosis, Fever  
Symptoms and hazards refer to the solvent.

### Indication of any immediate medical attention and special treatment needed

**Risks** Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.

**Treatment** There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

---

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx), Sulphur oxides

### Advice for firefighters

**Special protective equipment for firefighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

**Flash point** Not applicable

**Auto-ignition temperature** No data available

**Lower explosion limit** Not applicable

**Upper explosion limit** Not applicable

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

4/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

**Explosivity** Not explosive  
92/69/EEC, A.14 / OECD 113

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. If material is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters**

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

5/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

Components	CAS-No.	Control parameters	Update	Basis
Propoxycarbazone-sodium	181274-15-7	10 mg/m3 (TWA)		OES BCS*
Mefenpyr-diethyl	135590-91-9	10 mg/m3 (TWA)		OES BCS*
Solvent Naphtha (petroleum), heavy aromatic  (Non-aerosol.)	64742-94-5	200 mg/m3 (TWA)	03 2014	ACGIH
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	400 mg/m3/100 ppm (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	100 mg/m3 (REL)	2010	NIOSH
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	400 mg/m3/100 ppm (PEL)	02 2006	OSHA Z1
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	400 mg/m3/100 ppm (TWA)	1989	OSHA Z1A
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	400 mg/m3/100 ppm (TWA)	06 2008	TN OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	46ppb (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	2560ug/m3 (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	460ppb (ST ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	256ug/m3 (AN ESL)	07 2011	TX ESL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,600 mg/m3/400 ppm (TWA PEL)	08 2010	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,350 mg/m3/300 ppm (TWA PEL)	09 2013	US CA OEL
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	1,800 mg/m3/400 ppm (STEL)	09 2013	US CA OEL
Naphthalene	91-20-3	10 ppm (TLV)		OES BCS*
Kaolin	1332-58-7	2 mg/m3 (TWA)	02 2012	ACGIH

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

6/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

(Respirable fraction.)				
Kaolin	1332-58-7	5 mg/m3 (REL)	2010	NIOSH
(Respirable.)				
Kaolin	1332-58-7	10 mg/m3 (REL)	2010	NIOSH
(Total)				
Kaolin	1332-58-7	5 mg/m3 (PEL)	02 2006	OSHA Z1
(Respirable fraction.)				
Kaolin	1332-58-7	15 mg/m3 (PEL)	02 2006	OSHA Z1
(Total dust.)				
Kaolin	1332-58-7	10 mg/m3 (TWA)	06 2008	TN OEL
(Total dust.)				
Kaolin	1332-58-7	5 mg/m3 (TWA)	06 2008	TN OEL
(Respirable fraction.)				
Kaolin	1332-58-7	20ug/m3 (ST ESL)	03 2014	TX ESL
Kaolin	1332-58-7	2ug/m3 (AN ESL)	03 2014	TX ESL
Kaolin	1332-58-7	2 mg/m3 (TWA PEL)	08 2010	US CA OEL
(Respirable dust.)				

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

#### Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

#### Hand protection

Chemical resistant nitrile rubber gloves

#### Eye protection

Chemical resistant goggles must be worn.

#### Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

#### General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.

Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

7/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

---

<b>Appearance</b>	beige
<b>Physical State</b>	water-dispersible granules
<b>Odor</b>	aromatic
<b>Odour Threshold</b>	No data available
<b>pH</b>	7.5 - 9.0 at 1 % (23 °C) (deionized water)
<b>Vapor Pressure</b>	No data available
<b>Vapor Density (Air = 1)</b>	No data available
<b>Bulk density</b>	0.662 - 0.777 g/ml (loose)
<b>Evaporation rate</b>	Not applicable
<b>Boiling Point</b>	Not applicable
<b>Melting / Freezing Point</b>	Not applicable
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	No data available
<b>Decomposition temperature</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Viscosity</b>	Not applicable
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	Not applicable
<b>Upper explosion limit</b>	Not applicable
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	
<b>Thermal decomposition</b>	No data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

8/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

---

<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	No data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Eye contact, Skin contact, Inhalation, Ingestion
<b>Immediate Effects</b>	
<b>Eye</b>	Causes substantial but temporary eye injury. Severe eye irritation.
<b>Skin</b>	Harmful if absorbed through skin. May cause slight irritation.
<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	Harmful if inhaled.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD50 (Rat) > 2,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (Rat) > 0.995 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol.
<b>Acute dermal toxicity</b>	LD50 (male/female combined Rat) > 2,000 mg/kg
<b>Skin irritation</b>	slight irritation (Rabbit)
<b>Eye irritation</b>	Severe eye irritation. (Rabbit)
<b>Sensitisation</b>	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

#### Assessment STOT Specific target organ toxicity – repeated exposure

Mesosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.  
Propoxycarbazone-sodium did not cause specific target organ toxicity in experimental animal studies.  
Mefenpyr-diethyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Mesosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Propoxycarbazone-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Mefenpyr-diethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Mesosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.  
Propoxycarbazone-sodium was not carcinogenic in lifetime feeding studies in rats and mice.  
Mefenpyr-diethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### ACGIH

Solvent Naphtha (petroleum), heavy aromatic 64742-94-5 Group A3



# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

9/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

Naphthalene	91-20-3	Group A3
<b>NTP</b>		
Naphthalene	91-20-3	
<b>IARC</b>		
Naphthalene	91-20-3	Overall evaluation: 2B
<b>OSHA</b>		
None.		

### Assessment toxicity to reproduction

Mesosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.  
Propoxycarbazone-sodium did not cause reproductive toxicity in a two-generation study in rats.  
Mefenpyr-diethyl did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Mesosulfuron-methyl did not cause developmental toxicity in rats and rabbits.  
Propoxycarbazone-sodium did not cause developmental toxicity in rats. Propoxycarbazone-sodium caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Propoxycarbazone-sodium are related to maternal toxicity.  
Mefenpyr-diethyl caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Mefenpyr-diethyl are related to maternal toxicity.

### Further information

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

---

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 7.6 mg/l Exposure time: 96 h Test conducted with a similar formulation.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 8.8 mg/l Exposure time: 48 h Test conducted with a similar formulation.
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.88 mg/l Growth rate; Exposure time: 72 h Test conducted with a similar formulation.
<b>Biodegradability</b>	Mesosulfuron-methyl: Not rapidly biodegradable Propoxycarbazone-sodium: Not rapidly biodegradable Mefenpyr-diethyl: Not rapidly biodegradable

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

10/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

---

<b>Koc</b>	Mesosulfuron-methyl: Koc: 92 Propoxycarbazone-sodium: Koc: 29 Mefenpyr-diethyl: Koc: 625
<b>Bioaccumulation</b>	Mesosulfuron-methyl: Does not bioaccumulate. Propoxycarbazone-sodium: Does not bioaccumulate. Mefenpyr-diethyl: Bioconcentration factor (BCF) 232 Does not bioaccumulate.
<b>Mobility in soil</b>	Mesosulfuron-methyl: Moderately mobile in soils Propoxycarbazone-sodium: Mobile in soils Mefenpyr-diethyl: Slightly mobile in soils
<b>Additional ecological information</b>	No other effects to be mentioned.
<b>Environmental precautions</b>	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants. Apply this product as specified on the label.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

<b>Product</b>	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. Dispose in accordance with all local, state/provincial and federal regulations.
<b>Contaminated packaging</b>	Do not re-use empty containers. Triple rinse containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
<b>RCRA Information</b>	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

## SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

11/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

### IMDG

UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MESOSULFURON-METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE)

### IATA

UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MESOSULFURON-METHYL, SOLVENT NAPHTHA (PETROLEUM) HEAVY AROMATIC MIXTURE )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than poison; HAVING A DENSITY OF GREATER THAN 20 LBS. PER CUBIC FOOT

---

## SECTION 15: REGULATORY INFORMATION

**EPA Registration No.** 264-1099

### US Federal Regulations

#### TSCA list

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5
Naphthalene	91-20-3
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**  
None.

### SARA Title III - Section 302 - Notification and Information

None.

### SARA Title III - Section 313 - Toxic Chemical Release Reporting

Naphthalene	91-20-3
-------------	---------

### US States Regulatory Reporting

#### CA Prop65

This product contains a chemical known to the State of California to cause cancer.

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

12/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

Naphthalene 91-20-3

### US State Right-To-Know Ingredients

Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	CA, CT, MN, NJ
Naphthalene	91-20-3	CA, CT, IL, MN, NJ, RI

**Canadian Regulations**  
**Canadian Domestic Substance List**  
None.

### Environmental

#### CERCLA

Naphthalene 91-20-3 100 lbs

#### Clean Water Section 307 Priority Pollutants

Naphthalene 91-20-3

#### Safe Drinking Water Act Maximum Contaminant Levels

Naphthalene 91-20-3

### EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Warning!

**Hazard statements:** Causes substantial but temporary eye injury.  
Harmful if swallowed, inhaled or absorbed through the skin.  
Avoid contact with skin, eyes and clothing.  
Do not get in eyes or on clothing.  
Avoid breathing dust.

---

## SECTION 16: OTHER INFORMATION

### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens

# SAFETY DATA SHEET



## RIMFIRE® MAX HERBICIDE

Version 2.0 / USA  
102000020887

13/13  
Revision Date: 01/25/2017  
Print Date: 01/25/2017

---

OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

### **NFPA 704 (National Fire Protection Association):**

Health - 2      Flammability - 1      Instability - 0      Others - none

### **HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)**

Health - 2      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 01/25/2017

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.