



SAFETY DATA SHEET

DREXEL CHLORPYRIFOS 4E-AG INSECTICIDE

Section 1: Material Identification

Product Name: Drexel Chlorpyrifos 4E-AG Insecticide

EPA Reg No.: 19713-520

CAS NO: 2921-88-2

Formula: C₉H₁₁ClNO₃PS

Company: Drexel Chemical Company
1700 Channel Avenue
Memphis, TN 38106

Synonyms: O, O-Diethyl O-3, 5, 6-trichloropyridin-2-yl phosphorothioate

Identifiers:

- EINECS:** 220-864-4
- RTECS:** TF6300000
- DOT label:** UN-3017, Organophosphorus Pesticide, Liquid, Toxic, Flammable, (Chlorpyrifos/Xylene), 6.1, (3), PG-III, RQ 1 lb., Marine Pollutant

Emergency Telephone Number:

CHEMTREC	Drexel Chemical Co.
Tel: 1-800-424-9300	901-774-4370

This product is an EPA FIFRA registered pesticide. Some of the classifications on this SDS are not the same as the FIFRA label. Certain sections of this SDS are superseded by federal law governed by EPA for a registered pesticide. Please see **Section 15. REGULATORY INFORMATION** for explanation.


Section 2: Hazard Identification (As defined by the OSHA Hazard Communication Standard, 29)

GHS Classification		
Health hazards	Acute toxicity - oral	Category 3
	Acute toxicity – inhalation	Category 2
	Skin irritation	Category 2
	Eye irritation	Category 2B
	Aspiration hazard	Category 1
	Specific target organ toxicity (single exposure)	Category 1
	Specific target organ toxicity (repeated exposure)	Category 1
	Aquatic acute toxicity	Category 1
	Flammable liquids	Category 4

GHS label elements

Signal word

Danger



Hazard statements

Toxic if swallowed
Fatal if inhaled
Causes skin irritation
Causes eye irritation
May be fatal if swallowed and enters airways
Causes damage to nervous system
May cause damage to nervous system through prolonged or repeated exposure
Very toxic to aquatic life
Combustible liquid

Precautionary statements

Prevention

Wash thoroughly after handling.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wear protective gloves/protective clothing. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Polyvinyl chloride ("PVC" or "vinyl").
Wear respiratory protection. Use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).
Wear eye protection/face protection (see Section 8).
Do not eat, drink or smoke when using this product.
Use only outdoors or in well-ventilated area.
In case of inadequate ventilation wear respiratory protection.
Avoid release to the environment from other than intended use
Keep away from flames and hot surfaces. No smoking.
Wear protective gloves/eye protection/face protection.

Response

If swallowed: Immediately call a poison control center/doctor. Rinse mouth. Do NOT induce vomiting.
If on skin: Wash with plenty of water. If skin irritation occurs; Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
If exposed: Call poison center/doctor. Specific treatment see Note to Physician, Section 4.
Get medical attention if you feel unwell.
Collect spillage.
In case of fire use foam, dry chemical, carbon dioxide or water to extinguish.

Storage	Store locked up. Store in well-ventilated place. Keep cool. Keep container tightly closed.
Disposal	Disposal of contents/container must be in accordance with your local or area regulations.

Section 3: Composition Information

<u>Components</u>	<u>% By Wt.</u>	<u>OSHA PEL:</u>	<u>ACGIH TLV:</u>
Active Ingredient: Chlorpyrifos	44.9%	N/Av	0.2 mg/m ³
Inert Ingredients:	55.1%	N/A	N/A

Section 4: First-Aid Measures

Have the product container or label with you when calling a poison control center or doctor.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes for at least 10 minutes. Obtain medical attention without delay, preferably from an ophthalmologist

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Rinse out mouth with water. DO NOT INDUCE VOMITING. Do not give anything by mouth to an unconscious person. Have product label with you when calling a poison control center or doctor.

Skin Contact: Immediately flush skin with water while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Destroy contaminated leather items such as shoes, belts, and watchbands.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: This product contains an organophosphate that inhibits cholinesterase. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe, acute poisoning, use antidote immediately after establishing an open airway and respiration. Contains petroleum distillate. Do not induce vomiting since vomiting may cause aspiration pneumonia.

Section 5: Fire Fighting Measures

Fire Hazards: Combustible liquid and vapor. Will ignite when exposed to heat, flame and other sources of ignition. Vapors can travel to a source of ignition and flash back causing an explosive and fire. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Thermal decomposition during a fire can produce fumes and irritating gases.

Flammability classification (OSHA 29 CFR 1910.1200): Combustible

Flash point: 109°F

Lower flammable limit (% by volume): N/Av

Upper flammable limit (% by volume): N/Av

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

Firefighting media: Use foam, dry chemical, carbon dioxide, or water fog when fighting fires involving this product. Do not use water jet, as this may spread burning material. Minimize the use of water to avoid environmental contamination. Contain all runoff.

Special Protective Equipment for Firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Hazardous Combustion Products: Hydrogen chloride, ethyl sulfide, diethyl sulfide, nitrogen oxides, carbon oxides, irritating fumes and smoke.

(NFPA):	Health:	Flammability:	Reactivity:
	2	2	1

Section 6: Accidental Release Measures

Steps to be taken if Material is Released or Spilled:

Contain spilled material if possible. Small spills: Apply suitable absorbent and sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Drexel Chemical Co. for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Spilled material may cause a slipping hazard. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Section 7: Handling and Storage

KEEP OUT OF REACH OF CHILDREN

Handling: **General Handling:** Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not swallow. Avoid breathing vapor. Use with adequate ventilation. Wear chemical protective equipment when handling. Keep away from heat, sparks and flame. See Section 8, Exposure Controls and Personal Protection.

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies.

Section 8: Exposure Controls/ Personal Protection

Exposure Limits: TLV Chlorpyrifos 0.2 mg/m³

Personal Protection:

Eye/Face Protection: Wear safety glasses with side shields or chemical splash goggles to prevent vapors or mists from entering the eyes. If using a full face shield, always use safety glasses or goggles along with the face shield to ensure adequate protection of the eyes.

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber (“nitrile” or “NBR”) or Polyvinyl chloride (“PVC” or “vinyl”).

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. When handling in enclosed areas, when large quantities of mists are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Engineering Controls:

Ventilation: When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with and eyewash facility and safety shower.

Section 9: Physical and Chemical Properties

Physical State:	Liquid
Color:	Light Amber
Odor:	Mild solvent odor
Flash Point:	109°F Combustible
Vapor Pressure (mmHg) :	>10 mmHg @ 25°C
Boiling Point:	>300°F
Vapor Density (air = 1):	N/Av
Bulk Density (H₂O = 1):	9.00 lbs. /gal.
Freezing Point:	N/Av
Solubility in water:	Emulsifies
pH:	3 - 5
Viscosity:	N/Av
% Volatiles:	>30%

Section 10: Stability and Reactivity

- Stability/Instability:** Avoid heating above 60°C (100°F). Chlorpyrifos undergoes exothermic decomposition at approximately 130°C (266°F), which can lead to higher temperatures and violent decomposition if generated heat is not removed.
- Conditions to Avoid:** Keep this product away from heat, sparks, flame and other sources of ignition.
- Incompatible Materials:** Avoid contact with strong alkalais, amines and oxidizers.
- Hazardous Polymerization:** Will not occur
- Thermal Decomposition:** Decomposition products can include but are not limited to: Hydrogen chloride, ethyl sulfide, diethyle sulfide and nitrogen oxides.

Section 11: Toxicological Information

Data presented for technical Chlorpyrifos:

Acute Toxicity

Ingestion:

- Oral LD50, (rat): 223 mg/kg

Dermal:

- Dermal LD50, (rabbit): >5,000 mg/kg

Inhalation:

- LC50, (rat): > 0.2 mg/L

Eye Irritation (rabbit):

- Slight irritation resolved within 24 hours

Skin Irritation (rabbit):

- Mild irritation resolved within 7 days.

Sensitization Skin:

- Non-sensitizer (Guinea Pig).

Carcinogenicity:

- Not likely to be carcinogenic in humans.

Teratogenicity, mutagenicity, and other reproductive effects: None known

Section 12: Ecological Information

ENVIRONMENTAL FATE:

- Very highly toxic to fish, highly toxic to daphnia, moderately to highly toxic to birds and serious hazard to honeybees.

Persistence and Degradability:

- Moderately persistent in soils degrading slowly through aerobic and anaerobic metabolism. Absorbs strongly to soil particles and is not readily soluble in water.

Aquatic Toxicity:

- Rainbow Trout: 96 hour LC50: (0.007 – 0.051 mg/L)
- Bluegill Sunfish: 96 hour LC50: (0.002 – 0.010 mg/L)
- Daphnia magna: 48 hour EC50: (1.7 µg/L)

Bees:

- LD50: (oral: 360 ng/bee; contact: 70 ng/bee)

Bird Toxicity:

- Mallard Duck: 8-day LC50: (180 ppm)
- Bobwhite Quail: 8-day LC50: (423 ppm)

Section 13: Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Section 14: Transport Information

DOT: UN-3017, Organophosphorus Pesticide, Liquid, Toxic, Flammable, (Chlorpyrifos/Xylene), 6.1, (3), PG-III, RQ 1 lb., (Add "Marine Pollutant" for bulk vessel shipments.)

IMDG: Organophosphorus Pesticide, Liquid, Toxic, Flammable, (Chlorpyrifos/Xylene), 6.1, (3), PG-III, RQ 1 lb
Marine Pollutant

IATA: UN-3017, RQ, Organophosphorus pesticide, liquid, toxic (chlorpyrifos), 6.1, PG III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

Section 15: Regulatory Information

OSHA Hazard Communication Standard:

- **This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.**
- **EPA FIFRA INFORMATION**
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemical. The hazard information required on the pesticide label is listed out below. The pesticide label also includes other important information, including directions for use.

- **EPA/CERCLA Reportable Quantity:** Chlorpyrifos RQ = 1lb.

SARA/TITLE III:

- **Sec 302: Extremely Hazardous Substance Notification:** This material is not known to contain any Extremely Hazardous Substances.
- **Sec. 311/312. Hazard Categories:** Fire Hazard
Immediate health hazard
Chronic health hazard
- **Section 313 Toxic Chemical(s):** This material is not known to contain any Toxic Chemical constituents.
- **RCA Waste Code:** Not applicable

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

- This product is not listed.

Toxic Substances Control Act (TSCA):

- All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

Section 16: Other Information

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown below. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Date Issued: May 15, 2015