

SAFETY DATA SHEET

SDS REVISIONS: SEC. 2, 3, 14

DATE OF ISSUE: 11/02/18

HERBIMAX® SUPERSEDES: 10/05/16

H319

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER: TRADE NAME:

TRADE NAME: HERBIMAX® 1.2 RECOMMENDED USE: PETROLEUM OIL

PETROLEUM OIL-SURFACTANT ADJUVANT

1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC. P.O. Box 1286 • Greeley, CO 80632-1286

1.4 24 Hour Emergency Phone: 1-800-424-9300 - Medical Emergencies: 1-866-944-8565 - Product Information: 1-888-574-2878 (LPI-CUST) U.S. Coast Guard National Response Center: 1-800-424-8802

Category 2A

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200Combustible LiquidCategory 4H227Aspiration HazardCategory 1H304Skin Corrosion/IrritationCategory 2H315

Eye Damage/Irritation 2.2 Label elements



DANGER Signal word: Hazard Statements: H227 - Combustible liquid. H304 – May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H319 - Causes serious eye irritation. Precautionary Statement: P210 - Keep away from heat/sparks/open flames/hot surfaces - No smoking. (Prevention): P264 – Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. Precautionary Statement: P301+P310 - IF SWALLOWED: Immediately call a poison center/doctor/physician. P331 - Do NOT induce vomiting. (Response): P302+P351 - IF ON SKIN: Rinse continuously with water for several minutes. P321 - Specific treatment (see Note to Physician on the product label). P332+P313 - If skin irritation occurs: Get medical advice/attention. P362 - Take off contaminated clothing and wash it before reuse. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use medium appropriate to surrounding fire to extinguish. P391 - Collect spillage. Precautionary Statement: (Storage): P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. Precautionary Statement: (Disposal): P501 - Dispose of contents / contai9ner in accordance with local / national regulations. 2.3 Other hazards None known



SAFETY DATA SHEET 5-18-LPI SDS REVISIONS: SEC. 2, 3, 14

DATE OF ISSUE: 11/02/18

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Weight %
Petroleum Hydrocarbons	Proprietary	83.00
Alkylphenol ethoxylate and fatty acids	Proprietary	16.32
Other ingredients		0.68

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

Eye contact:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
Skin contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
Inhalation:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.	
rgestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by to an unconscious person.		

4.2 Most Important Symptoms and Effects, Acute and Delayed

ing incontribution of the	
Overview:	Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure
	limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse
	effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue,
	muscular weakness, drowsiness and in extreme cases, loss of consciousness. Repeated or prolonged contact with the
	preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact
	dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and
	soreness with possible reversible damage. See section 2 for further details.
Eyes:	Causes serious eye irritation.
Skin:	May be harmful in contact with skin. Causes skin irritation.

4.3 Immediate Medical Attention and Special Treatment

Treatment:	Treatment: Treat symptomatically. Symptoms may be delayed.		
FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565			
	Take container, label or product name with you when seeking medical attention.		

NOTES TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.



SAFETY DATA SHEET

SDS NUMBER: 1000008555-18-LPI

SDS REVISIONS: SEC. 2, 3, 14 DATE C

DATE OF ISSUE: 11/02/18

HERBIMAX® SUPERSEDES: 10/05/16

. .

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

	Suitable Extinguishing Media:	Alcohol resistant foam, carbon dioxide (CO_2), powder, water spray. Do not use water jet.		
5.2	2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:			
	Specific Hazards During Firefighting:	Keep away from heat / sparks / open flames / hot surfaces - No smoking. Irritating or toxic substances may be emitted upon thermal decomposition. Thermal decomposition products may include oxides of carbon as well as smoke and fume.		

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES Personal Precautions: Remove sources of ignition, do not turn lights or unprotected electrical equipment on or off. In case of a major spill or spillage in a confined space, evacuate the area.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Do not allow spills to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or watercourses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the U.S. Coast Guard National Response Center should also be informed.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Handle containers carefully to prevent damage and spillage. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

Store in cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. If stored below 20 °F (-6 °C) for an extended period, product may become cloudy and thicken. Raise temperature to 32 °F (0 °C) and product will return to clear, fluid state. Do not contaminate water, food or feed by storage or disposal.



SAFETY DATA SHEET

SDS REVISIONS: SEC. 2, 3, 14 DATE OF ISSUE: 11/02/18

_				
8.	EXPOSURE CONTROLS	S / PERSONAL PROTECTION		
	CONTROL PARAMETER CUPATIONAL EXPOSURE U.S. Workplace Exposure	LIMITS		
	Components		Value	
	No listings	TWA	Value	
Biol	ogical limit values			
	ACGIH Biologic	al Exposure Indices		
	Components	Value	Specimen	
	No listings			
8.2	EXPOSURE CONTROLS	:		
0	Engineering Measures			
	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.			
	Individual Protection Measures:			
	Eye / Face Protection: Goggles or shielded safety glasses are recommended.			
	Skin Protection: Coveralls worn over long-sleeved shirt and long pants. Chemical-resistant gloves. Chemical-resistant footwear plus socks.			vear plus
	Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment s MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection d operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.		during re	

PHYSICAL AND CHEMICAL PROPERTIES 9.

9.1	APPEARANCE:	Liquid		
	ODOR:	Mild.		
	ODOR THRESHOLD:	No data available.		
	COLOR:	Pale yellow.		
	pH:	6.8 – 7.0 (1% solution)		
	MELTING POINT / FREEZING POINT: No data available			
	BOILING POINT:	215 °F (101.2 °C)		
	FLASH POINT:	163 °F (73 °C) / SCC		
	FLAMMABILILITY (solid, gas): No data available.			
	UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.			
	VAPOR PRESSURE:	No data available.		
	SOLUBILITY:	Dispersible		
	PERCENT VOLATILE (by volu	ume): No data available		
PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.				
AUTO-IGNITION TEMPERATURE: No data available.				
	DECOMPOSITION TEMPERA	ATURE: No data available		
	VISCOSITY, (cSt):	4.5 cP @ 40 °C.		
	SPECIFIC GRAVITY (Water =	= 1): 0.846 g/ml		
	DENSITY:	7.06 lbs./gal / 0.85 kg/L		
Note:	These physical data are ty	pical values based on material tested but may vary from sample to sample.		
	Turning Lugan about and	he construed as a guaranteed analysis of any analific later as an alification items		

Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



SAFETY DATA SHEET SDS REVISIONS: SEC. 2, 3, 14

DATE OF ISSUE: 11/02/18

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable **10.2 CHEMICAL STABILITY**

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize. **10.4 CONDITIONS TO AVOID**

Extreme heat / open flame / sparks and other sources of ignition. **10.5 INCOMPATIBILE MATERIALS**

Oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS Oxides of carbon from burning.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact. Skin contact. LC₅₀ (rat): 1.42 mg/L (4 HR) LD₅₀ Oral (rat): >5,000 mg/kg LD₅₀ Dermal (rabbit): >2,000 mg/kg Acute Toxicity Estimates: No data available Skin Irritation (rabbit): Skin irritant. Eye Irritation (rabbit): Serious eye irritant. Specific Target Organ Toxicity: Single exposure: No data available. Aspiration: May be fatal if swallowed and enters airways. Skin Sensitization (guinea pig): Not a sensitizer Carcinogenicity: No data available Germ Cell Mutagenicity: No data available Interactive Effects: None known

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

-

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings. **Ecotoxicological Data**

	Species	Test Results	
Product component	·		
96-hour LC ₅₀	Lepomis macrochirus	2.20 mg/L	
24-hour EC ₅₀	Dendronereides heteropoda	4,720.0 mg/L	

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water. Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

- Bioaccumulation: No data available.
- **12.4 MOBILITY IN SOIL**
- No data available.
- **12.5 OTHER ADVERSE EFFECTS**
- Assessment: No data available.



SAFETY DATA SHEET -18-LPI SDS REVISIONS: SEC. 2, 3, 14

DATE OF ISSUE: 11/02/18

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED. U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS NFPA & HMIS Hazard Ratings: NFPA HMIS 1 Health 0 Least 1 Health 0 Flammability Slight 0 Flammability 1 0 Instability 2 Moderate 0 Reactivity 3 High В PPE 4 Severe SARA Hazard Notification/Reporting SARA Title III Hazard Category: Immediate Fire Sudden Release of Pressure Ν N Reactive Delayed Reportable Quantity (RQ) under U.S. CERCLA: Not listed SARA, Title III, Section 313: Not listed RCRA Waste Code: Not listed CA Proposition 65: Not applicable

16. OTHER INFORMATION

SDS STATUS: Sections 2, 3, and 14 revised PREPARED BY: Product Stewardship and Regulatory Affairs

REVIEWED BY: Safety, Health and Environment

CA REG. NO.: 34704-50032 WA REG. NO.: 34704-04006

®Herbimax is a registered trademark of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.