

NFPA HAZARD RATING

U.S. TRANSPORT SUMMARY

0	Least		
1	Slight	2	Health
2	Moderate	0	Flammability
3	High	1	Reactivity
4	Severe		



See Section 14 for full information.

SECTION 1: IDENTIFICATION

Product Name: Six Iron™ EPA Registration #: Exempt

Product ID/Unity #: 10045118, 10113391, 10136107, 10136288, 66928689

Common Name: Nitrogen and Micronutrient fertilizer

Chemical Description: Liquid fertilizer

Recommended Uses: Fertilizer product – See product label for full directions for use See product label for any potential restrictions on use.

Manufactured For: MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs) WINFIELD SOLUTIONS, LLC

P. O. Box 64589 Non-Emergency Business Inquiries: 1-855-494-6343 St. Paul, MN 55164-0589 Mon – Fri 8am – 5pm (Central Standard Time)

FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Clear green liquid. Causes serious eye and skin damage. Harmful if swallowed.

POTENTIAL HEALTH EFFECTS:

Eyes: Causes serious eye irritation with the potential for irreversible damage. **Skin:** Causes serious skin irritation with the potential for irreversible damage. **Inhalation:** Inhalation of mist may cause irritation of the upper respiratory tract.

Ingestion: Harmful if swallowed. May cause burning of the esophagus.

Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposure to mists.

Chronic Health Effects: Prolonged or repeated oral exposure may have a negative impact on fertility and the reproductive system. Prolonged or repeated inhalation of product may have an impact on the central nervous system and/or lungs.

Carcinogenicity NTP: Sulfuric acid IARC: Sulfuric acid OSHA: Not listed

(Known human carcinogen) (Group 1)

OSHA HCS 2012 CLASSIFICATION: Skin Corrosion/Irritation Category 1; Eye Damage/Irritation Category 1; Carcinogenicity Category 1A; Specific Target Organ Toxicant – Repeated Exposure Category 2

SIGNAL WORD: DANGER

HAZARD STATEMENTS:

Causes severe skin burns and serious eye damage.

May cause cancer.

May cause damage to gastro-intestinal system and liver through prolonged or repeated inhalation.

May be corrosive to metals.

Percent of product with unknown toxicity: 0%





PRECAUTIONARY STATEMENTS:

Prevention: Do not breathe mist or spray. Wash hands thoroughly after use. Wear protective gloves, protective clothing,

eye protection, and face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and

face protection. Keep only in original container.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. **If inhaled:** Remove person to fresh air and keep comfortable for breathing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice. **If in eyes:** Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center (1-877-424-7452) or doctor for treatment advice.

If exposed or concerned: Get medical attention. Absorb any spillage to prevent material damage.

Storage: Store in a secured, preferably locked, area. Undiluted product is corrosive to mild steel, aluminum, and brass

and must be stored and/or shipped in fiberglass, polypropylene, or stainless steel--use only stainless or P.V.C.

fittings.

Disposal Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient	% (wt)	CAS Reg. #		
Ferrous sulfate heptahydrate	30.1%	7782-63-0		
Urea	25.0 – 27.0%	57-13-6		
Sulfuric acid	2.5%	7664-93-9		
Citric acid	2.0 - 3.0%	77-92-9		

*Ingredients not specifically listed are non-hazardous and/or are considered to be confidential business information under 29 CFR 1910.1200(i).

See Section 8 for exposure limits.

SECTION 4: FIRST AID MEASURES

Inhalation: Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention

if irritation occurs.

Ingestion: Seek medical attention or call a poison control center immediately for treatment advice. Do not induce

vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to

an unconscious person.

Eyes: Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove

contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.

Skin: Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap

and water. Seek medical attention immediately.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray or fog, foam, carbon dioxide, or dry chemical

Unsuitable Extinguishing Media: Water jet; Use water jet only to cool containers.

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Carbon oxides, Sulfur oxides, and Nitrogen oxides

Unusual Fire and Explosion Hazards: Closed containers may explode from vapor expansion in high heat. Contain run-off by diking to prevent contamination of water supplies.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled product by diking area with sand or earth.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop, or sweep up material and place in a container for disposal. Do not place spilled material back in original container.

Other Information: Spills of this product may require reporting under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) as the product contains sulfuric acid with a reportable quantity (RQ) of 100 lbs. and ferrous sulfate heptahydrate with a reportable quantity of 1,000 lbs. See Section 15 for additional information.

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation during handling and use. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Storage: Store in cool, dry areas away from children, food and feed products in an area away from incompatible substances. Ensure that storage area is secured. Protect packaging from physical damage. Protect from exposure to fire. Maintain product between 40°F - 100°F. Undiluted product is corrosive to mild steel, aluminum, and brass and must be stored and/or shipped in fiberglass, polypropylene, or stainless steel--use only stainless or P.V.C. fittings.

Minimum Storage Temperature: 40°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION				
Exposure Guidelines				
Component:	OSHA PEL	ACGIH TLV	NIOSH REL	
Ferrous sulfate heptahydrate (CAS # 7782-63-0)	1 mg/m3 (TWA)	1 mg/m3 (TWA)	1 mg/m3 (TWA)	
Sulfuric acid (CAS # 7664-93-9)	1 mg/m3 (TWA)	0.2 mg/m3 TWA		

Respiratory Protection: For most well-ventilated conditions, no respiratory protection should be needed. If airborne concentrations exceed exposure limits, use a NIOSH approved air-purifying respirator with cartridges/canisters approved for acid gases.

Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Protective Gloves: This product can cause serious skin damage. Wear chemically protective gloves to prevent exposure to skin.

Eye Protection: To avoid contact with eyes, wear chemical safety goggles or safety glasses and full face shield. Contact lenses are not protective eye devices. An emergency eyewash or water supply should be readily accessible to the work area. **Other Protective Clothing or Equipment:** Wear long-sleeve shirt, long pants and chemically protective boots plus socks to prevent skin contact.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						
Physical State:	Liquid	Specific Gravity (H ₂ O=1):	1.318 (typical)			
Vapor Pressure (mm Hg):	Not determined	Density (lbs/gallon):	11.0 lbs/gallon (typical)			
Vapor Density (Air=1):	Not determined	Melting Point/Freezing Point:	Not determined			
Solubility in Water (wt %):	100%	Boiling Point/Range:	Not determined			
Viscosity:	Not determined	pH:	1.5 – 2.5			
Appearance and odor:	Clear green liquid	Flash Point:	Does not flash			

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Corrosive to mild steel, aluminum, and brass

Chemical Stability: Product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Excessive heat

Incompatible Materials: Avoid mixing with calcium solutions, strong reducing agents and finely powdered metals.

Hazardous Decomposition Products: During prolonged exposure to high heat or fire conditions Carbon oxides, Sulfur oxides,

and Nitrogen oxides may form.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects: May cause serious and irreversible eye damage if exposed for more than a few minutes. Skin Effects: May cause serious and irreversible skin damage if exposed for more than a few minutes.

Acute Inhalation Effects: May be harmful if inhaled.

Acute Oral Effects: Estimated LD50 = 4,587 mg/kg; May cause burning of the esophagus due to low pH of

concentrate.

Specific Target Organ

Toxicity:

Prolonged or repeated exposure may have an impact on the gastrointestinal system and liver.

CHRONIC TOXICITY

Chronic Effects: Prolonged or repeated exposure may have an impact on the gastrointestinal system and liver.

Carcinogenicity: Sulfuric acid is a known human carcinogen.

Mutagenicity: No component is anticipated to have mutagenic effects.

Teratogenicity: No component is anticipated to have teratogenic effects.

Reproductive Toxicity: No component is anticipated to have negative effects on the reproductive system.

POTENTIAL HEALTH EFFECTS:

Eyes: Causes serious eye irritation with the potential for irreversible damage. **Skin:** Causes serious skin irritation with the potential for irreversible damage. **Inhalation:** Inhalation of mist may cause irritation of the upper respiratory tract. **Ingestion:** Harmful if swallowed. May cause burning of the esophagus.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Not determined

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity: Estimated 96 hr LC50 = 1,017 mg/L

Aquatic Invertebrate Acute Toxicity: Estimated 48 hr EC50 for Daphnia = 727 mg/L

Aquatic Plant Toxicity: Not determined Bird Acute and Prolonged Toxicity: Not determined Honeybee Toxicity: Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility: Not determined
Persistence and degradability: Not determined
Bioaccumulative Potential: Not determined
Other adverse effects: Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.

Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations. **RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste. If disposed of as purchased, waste code D002 (Corrosive) applies.

SECTION 14: TRANSPORT INFORMATION				
DOT: (Ground)	UN1760, Corrosive liquids, n.o.s. (sulfuric acid and citric acid), 8, PG III			
IMDG: (Sea)	Not determined			
IATA: (Air)	Not determined			
TDG: (Canada)	Not determined			

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are listed on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: Sulfuric acid (CAS # 7664-93-9) Section 311/312 - Hazard Categories: Immediate (Acute), Delayed (Chronic)

Section 313 - The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund

Amendments and Reauthorization Act of 1986 and 40 CFR 372:

Sulfuric acid (CAS # 7664-93-9)

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

Sulfuric acid has an RQ of 100 lbs (reached with 364 gallons of product).

Ferrous sulfate heptahydrate has an RQ of 1,000 lbs (reached with 302 gallons of product).

California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer and/or reproductive harm.

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical NameCAS #State(s)Ferrous sulfate heptahydrate7782-63-0MA, NJ, PAUrea57-13-6MNSulfuric acid7664-93-9MA, NJ, PA

Canadian Domestic Substances List: Not determined

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: September 11, 2014 Supersedes document dated: April 21, 2014

Sections Revised: 14