NipsltTM SUITE Cereals OF Seed Protectant



Safety Data Sheet - GHS

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: Nipslt™ SUITE Cereals OF Seed Protectant

EPA REGISTRATION NUMBER: 59639-183 **PRODUCT CODE:** Not established **VC NUMBER(S):** 1875 and 1888

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. LLC P.O. Box 5075 4600 Norris Canyon Road San Ramon, CA 94583

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr): (800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC (800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA-required classifications on the product label. Certain sections of this SDS are superseded by federal law under EPA FIFRA for a registered pesticide. Please see Section 15, REGULATORY INFORMATION for an explanation.

Classification - (per U.S. OSHA 29 CFR 1910.1200 (Hazcom 2012))

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Reproductive toxicity	Category 2

Label elements

EMERGENCY OVERVIEW

WARNING



Hazard statements

Harmful if inhaled

Suspected of damaging fertility or the unborn child

Precautionary statements

Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required.
Wash face, hands and any exposed skin thoroughly after handling
Use only outdoors or in a well-ventilated area
Do not breathe dusts or mists

Response

IF EXPOSED OR CONCERNED: Get medical advice/attention

Eyes None.

Skin None.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion None.

FIRE None.

Spill None.

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

<5% of the mixture consists of ingredient(s) of unknown toxicity

For information on Transportation requirements, see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	TRADE SECRET
Clothianidin	210880-92-5	2.93	
Metconazole	125116-23-6	0.44	
Metalaxyl	57837-19-1	0.88	
Hexylene glycol	107-41-5	15 - 22	*
Propylene glycol	57-55-6	3 - 9	*
Other ingredients	Various CAS#s	65 - 78	*

^{*} The chemical name, CAS number and/or exact percentage have been withheld as a trade secret

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4.	FIRST	AID	MEASU	JRES
----	-------	-----	-------	------

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-892-0099 for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

Treatment is supportive and symptomatic.

FIRE FIGHTING MEASURES

> 93.3 °C Flash point °C > 201 °F Flash point °F **FLASH POINT METHOD:** Not applicable **AUTOIGNITION:** No data available

EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical

FLAMMABLE LIMITS IN AIR - LOWER (%): FLAMMABLE LIMITS IN AIR - UPPER (%): OSHA FLAMMABILITY CLASS: Class IIIB Not applicable Not applicable

NFPA RATING:

Health: 1 Flammability: 1 Reactivity: 0 Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

HAZARDOUS DECOMPOSITION PRODUCTS: May form toxic materials such as: carbon dioxide, hydrogen chloride

Emergency Telephone: (800) 892-0099 SDS NO.: 0416 09/08/2020 **REVISION DATE: REVISION NUMBER:**

(HCI), oxides of sulfur, oxides of nitrogen, carbon monoxide (CO), various hydrocarbons, etc.

ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099 CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300 **OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION**

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable **EMERGENCY RESPONSE GUIDEBOOK NO.:** Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents.

CLEANUP: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release on to soil or into surface water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and shoes immediately. Then wash thoroughly and put on clean clothing. Wash the outside of gloves before removing.

Keep container tightly closed. Keep container in a cool well ventilated area. Stable at normal temperatures and storage conditions in closed original package.

STORAGE:

Do not reuse empty container. Do not store near food or feed. Keep pesticide in original container only. Protect from excessive heat. Do not contaminate water, food or feed by storage or disposal. To close package, replace and tighten cap to form an airtight seal.

EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

Emergency Telephone: (800) 892-0099 SDS NO.: 0416 **REVISION NUMBER:** 09/08/2020 **REVISION DATE:**

Mixers, loaders, applicators and other handlers should refer to the product label before use for detailed information on personal protective equipment (PPE).

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If operating conditions result in airborne concentrations of this material, the use of an approved respirator is recommended.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including long pants, long-sleeved shirt and shoes plus socks, and chemical-resistant gloves. Remove contaminated clothing. Wash before reuse.

ENGINEERING CONTROLS: Use in a well ventilated area.

EXPOSURE LIMITS

Chemical name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Clothianidin	None	None	None
Metconazole	None	None	None
Metalaxyl	None	None	None
Hexylene glycol	TWA: 25 ppm vapor fraction STEL: 50 ppm vapor fraction STEL: 10 mg/m³ inhalable particulate matter, aerosol only	(vacated) Ceiling: 25 ppm (vacated) Ceiling: 125 mg/m ³	None
Propylene glycol	None	None	None
Other ingredients	Inhalable particles: 10 mg/m ³ Respirable particles: 3 mg/m ³	None	None

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid

AppearanceOpaqueOdorPaint-like, LatexColorRedOdor thresholdNo information available

PROPERTIES
pHValues
5.94Remarks • Method
@ 25°C (1% dilution)

Melting point/freezing point
Boiling point/boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limits in Air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density
Specific Gravity
Water solubility
Solubility in other solvents
No information available

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Viscosity 73.0 cP @ 20°C; 58.9 cP @ 40°C

Explosive propertiesOxidizing properties
No information available
No information available

Liquid Density 1.05 g/mL @ 20°C **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity

Not reactive with water, monoammonium phosphate, zinc, and potassium permanganate.

Chemical stability

Stable under normal ambient conditions.

Possibility of Hazardous Reactions

Not explosive. Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

May form toxic materials such as:. Carbon dioxide (CO2). Hydrogen chloride. oxides of sulfur. oxides of nitrogen,. Carbon monoxide (CO). various hydrocarbons,. etc.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

The following information is for Nipslt SUITE Cereals OF Seed Protectant

Oral Toxicity LD 50 (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD 50 (rats)	> 5000 mg/kg	EPA Tox Category	IV
Inhalation Toxicity LC 50 (rats)	> 2.06 mg/L	EPA Tox Category	IV
Eye Irritation (rabbits)	Minimally irritating	EPA Tox Category	IV
Skin Irritation (rabbits)	Slightly irritating	EPA Tox Category	IV

Skin Sensitization (guinea pigs) Non-sensitizer EPA Tox Category Not applicable

CARCINOGEN CLASSIFICATION

OARONOOLII OLAOON IOATION			
Chemical name	IARC Group 1 or 2	OSHA - Select Carcinogens	NTP Carcinogen List
Clothianidin	Not listed	Not Listed	Not listed
Metconazole	Not listed	Not listed	Not listed
Metalaxyl	Not listed	Not listed	Not listed
Hexylene glycol	Not listed	Not listed	Not listed
Propylene glycol	Not listed	Not listed	Not listed
Other ingredients	Not listed	Not Listed	Not listed

TOXICITY OF CLOTHIANIDIN TECHNICAL

SUBCHRONIC: The NOEL in a 3-month rat feeding study with Clothianidin Technical was 27.9 mg/kg/day (male) and 34.0 mg/kg/day (female) The NOEL in a 90-day dog feeding study was 19.3 mg/kg/day (male) and 21.2 mg/kg/day (female). In a subchronic dermal study with rats, the NOAEL is >1,000 mg/kg/day.

CHRONIC/CARCINOGENICITY: The Clothianidin NOEL for a 2-year rat study was 9.7 mg/kg/day (female); for a

18-month mouse study was 47.2 mg/kg/day (male) and for a 12-month dog study was 4.8 mg/kg/day (male). The principal target organs were the glandular stomach, kidney, ovary, and liver. No oncogenic effects were observed in the 2-year rat or 18-month mouse feeding studies.

NEUROTOXICITY: Clothianidin is not a neural toxin.

DEVELOPMENTAL TOXICITY: No teratogenic effects on rats or rabbits were observed. Transient developmental effects (delayed ossification) were observed in rabbits at maternally toxic doses (100 mg/kg/day). The technical material is fetotoxic in animal studies at maternally toxic doses.

REPRODUCTION: No reproductive effects were observed in rats at the highest dose tested (2500 ppm).

MUTAGENICITY: *In vivo* tests have demonstrated that the technical material is not mutagenic. Some *in-vitro* tests were positive for mutagenicity. The observed effects *in-vitro* were due to cytotoxic effects. The weight-of-evidence from the *in vivo* whole animal tests suggest that this product does not present a mutagenic hazard.

TOXICITY OF METCONAZOLE TECHNICAL

SUBCHRONIC: Subchronic (28 to 90 days) studies of Metconazole Fungicide Technical in rodents and dogs reported decreased body weights, fatty vacuolation and hypertrophy of the liver, reduced RBC parameters, increased serum liver enzyme levels, and increased spleen and liver weights. The lowest no-observable-effect level (NOEL) was 2.5 mg/kg/day.

CHRONIC/CARCINOGENICITY: In a one-year dog study, Metconazole Fungicide Technical produced effects on liver histopathology, increase serum liver enzymes and bleeding/irritation in the gastrointestinal tract. The NOEL was 11.1 mg/kg/day. In a 2-year study in rats, Metconazole Fungicide Technical produced histological changes in the liver, kidney and adrenal and possibly leukemia. The NOEL for this study was 4.8 mg/kg/day. In an 18-month mouse study, increased white blood cell count, increased serum liver enzymes increased liver weights, histopathological changes in the liver, spleen and adrenal and increased liver adenomas and adenocarcinomas were observed at doses of 167 mg/kg/d or higher. The NOEL in mice was 4.8 mg/kg/day. The mechanism of liver tumor formation in mice is believed to be not relevant to humans.

DEVELOPMENTAL TOXICITY: Maternal and fetal effects were observed in rats and rabbits treated with Metconazole Fungicide Technical during gestation. The NOELs in rats and rabbits are 16 and 20 mg/kg/day, respectively.

REPRODUCTION: Metconazole Fungicide Technical was tested in a 2-generation rat reproduction study. At maternally toxic doses, effects were noted on estrus cycling, litter size, gestation length and pup body weight.

MUTAGENICITY: Metconazole is not considered a genotoxic hazard. Negative in gene mutation assays *in vitro*, in *in vivo/in vitro* UDS assays and in *in vivo* micronucleus assays in mice. Positive in an *in vitro* chromosome aberration assay in the presence of S-9 but not observed in the *in vivo* assay.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY: The following information is based upon component(s) of this material.

96-hr Oral Bobwhite quail: > 780 mg/kg

96-hr Oral Mallard duck: = 503 mg/kg 96-hr Dietary Mallard duck: > 5,200 ppm

AQUATIC ORGANISM TOXICITY: The following are results, obtained from studies with Clothianidin Technical, show

that it is toxic to aquatic invertebrates and practically non-toxic to fish:

96-hr Bluegill LC50: >117 mg/L 96-hr Rainbow trout LC50: >104 mg/L 96-hr Sheepshead minnow LC50: >102 mg/L

48-hr Water flea EC50: >119 mg/L 96-hr Mysid LC₅₀: 0.053 mg/L

120-hr Freshwater Green Algae E₀C₅o: 56 mg/L

OTHER NON-TARGET ORGANISM TOXICITY: The following information, based on studies with Clothianidin Technical, show that

it is highly toxic to bees:

Honeybee 48-hr oral LD₅₀: 0.0038 ug (microgram)/bee Honeybee 48-hr contact LD₅₀: 0.044 ug (microgram)/bee

Earthworm 7-day LC50: 19 mg/kg dry soil

OTHER ENVIRONMENTAL INFORMATION:

This pesticide is toxic to aquatic invertebrates, oysters and shrimp. Do not apply to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply where runoff is likely occur. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Apply this product only as specified on label.

Treated seed exposed on soil surface may be hazardous to birds. Cover or collect spilled seed.

DISPOSAL CONSIDERATIONS 13.

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Refer to pesticide label for proper container disposal instructions based on container type and size.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by US DOT or Canada TDG.

EMERGENCY RESPONSE

GUIDEBOOK NO.:

Not applicable

ICAO/IATA SHIPPING NAME: UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Clothianidin,

Metconazole), 9, III, Marine Pollutant

•Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from **REMARKS:**

Dangerous Goods regulations – see IATA Special Provision A197.

Emergency Telephone: (800) 892-0099 SDS NO.: 0416 09/08/2020 **REVISION DATE: REVISION NUMBER:**

•For US shipping, Emergency Response Guidebook No. 171

IMDG SHIPPING NAME: UN 3082, Environmentally Hazardous Substance, Liquid, N.O.S. (Clothianidin,

Metconazole), 9, III, Marine Pollutant

REMARKS: •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from

Dangerous Goods regulations – see IMDG 2.10.2.7

•For US shipping, Emergency Response Guidebook No. 171

EMS NO.: F-A, S-F

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

Pesticide products in the U.S. are registered by the EPA under FIFRA and are subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

· Keep out of reach of children.

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

SARA (311, 312):

Immediate Health:YesChronic Health:NoFire:YesSudden Pressure:NoReactivity:No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Hexylene glycol

California - Directors List of Present

Hazardous Substances

MA Right To Know Present NJ Right To Know 1003

PA Right To Know Present
RI Right To Know Listed
MN Hazardous Substance Present

Propylene glycol

NJ Right To Know 3595
PA Right To Know Present
RI Right To Know Listed
MN Hazardous Substance Present

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE: Update the Manufacturer's address.

SDS NO.: 0416

EPA REGISTRATION NUMBER: 59639-183

REVISION NUMBER: 3

REVISION DATE: 09/08/2020 **SUPERCEDES DATE**: 12/13/2017

RESPONSIBLE PERSON(S): Valent U.S.A. LLC, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. LLC to confirm that you have the most current product label and SDS.

This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label.

2020 Valent U.S.A. LLC