




NFPA HAZARD RATING				U.S. TRANSPORT SUMMARY	
0	Least				Regulated in bulk packaging (119 gallons); see Section 14 for additional information.
1	Slight	1	Health		
2	Moderate	2	Flammability		
3	High	0	Reactivity		
4	Severe				

SECTION 1: IDENTIFICATION	
Product Name: Powerlock® EPA Registration #: Exempt Product ID/Unity #: 10051714, 10051715, 10062821, 10062863, 10112604 Common Name: Agricultural adjuvant Chemical Description: Deposition aid, canopy penetrating agent, drift control agent, nonionic surfactant and antifoaming agent Recommended Uses: Adjuvant – See product label for full directions for use. Restrictions for Use: See product label for any restrictions on use.	MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs) Non-Emergency Business Inquiries: 1-855-494-6343 Mon – Fri 8am – 5pm (Central Standard Time)
Manufactured For: WINFIELD SOLUTIONS, LLC P. O. Box 64589 St. Paul, MN 55164-0589	FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL: CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION	
EMERGENCY OVERVIEW: Tan clear to slightly hazy liquid with a mild odor. Flammable liquid. May be harmful if inhaled.	
POTENTIAL HEALTH EFFECTS: Eyes: May cause mild eye irritation. Skin: Not anticipated to cause skin irritation with short-term exposure. Long term exposure may result in redness. Inhalation: May cause irritation of the upper respiratory tract and lungs. Ingestion: May cause irritation of the digestive tract. Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposure to mist. Chronic Health Effects: Repeated exposure may cause damage to the central nervous system, kidneys and/or liver.	
Carcinogenicity	NTP: Not listed IARC: Not listed OSHA: Not listed
OSHA HCS 2012 CLASSIFICATION: Flammable Liquid Category 3; Specific Target Organ Toxicant – Repeated Exposure Category 2	
SIGNAL WORD: WARNING	
HAZARD STATEMENTS: Flammable liquid and vapor. May cause damage to central nervous system, kidneys and/or liver through prolonged or repeated exposure.	 
Percent of product with unknown toxicity: 0%	
PRECAUTIONARY STATEMENTS: Prevention: Do not breathe the mist or spray. Keep away from heat, sparks, open flames, hot surfaces. - No Smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves, eye protection and face protection (See Section 8).	

Continued on next page

Response:	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use alcohol-resistant foam, universal foam, water spray or water fog to extinguish. Get medical attention if you feel unwell.
Storage:	Store in a well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS		
Ingredient	% (wt)	CAS Reg. #
Ethoxylated nonylphenol, branched	28.5 – 29.5%	68412-54-4 or 127087-87-0
Isopropyl alcohol	4.5 – 5.5%	67-63-0
Poly(ethylene) oxide	<1.0%	25322-68-3
Benzenesulfonic acid, dodecyl-, calcium salt	<0.8%	26264-06-2
Propanol, 2-methyl-	<0.25%	78-83-1
*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(i).		
See Section 8 for exposure limits.		

SECTION 4: FIRST AID MEASURES	
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES	
Suitable Extinguishing Media:	Alcohol-resistant foam, universal foam, water spray or water fog
Unsuitable Extinguishing Media:	Water jet – burning material will float
Special Fire Fighting Procedures:	Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.
Hazardous Combustion Products:	Toxic gases may be formed in a fire situation. Carbon monoxide and other asphyxiates may form as well.
Unusual Fire and Explosion Hazards:	Closed containers may explode from vapor expansion in high heat. Product may burn under fire conditions. Containers adjacent to fire may be cooled by a stream of water.

SECTION 6: ACCIDENTAL RELEASE MEASURES	
Personal Precautions:	Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.
Environmental Precautions:	Product is slightly toxic to aquatic organisms. Do not allow spilled product to enter sewers or waterways.
Methods for Containment:	Contain spilled liquid by diking area with sand or earth. DO NOT use combustible materials such as sawdust.
Methods for Clean-up:	Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container. Eliminate all ignition sources.
Other Information:	None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Product thickens when cold.

Storage: Store in cool, dry areas away from children, feed and food products and sources of heat or flame. Protect from freezing. Protect package from physical damage.

Minimum Storage Temperature: 32°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Isopropyl alcohol	980 mg/m3 (400 ppm) TWA	200 ppm TWA 400 ppm STEL	980 mg/m3 (400 ppm) TWA
Poly(ethylene) oxide	10 mg/m3 TWA		
Propanol, 2-methyl- (CAS # 78-83-1)	50 ppm (TWA)	50 ppm (TWA)	

Respiratory Protection: Inhalation of this product may cause irritation of the respiratory tract. When handling this product in areas which are not ventilated or where exposure limits are exceeded, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against organic vapors.

Engineering Controls: **Local Exhaust:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Protective Gloves: Wear chemical resistant gloves to prevent skin contact.

Eye Protection: To avoid contact with eyes, wear chemical goggles or full face shield and safety glasses. Contact lenses are not protective eye devices.

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact.

Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Specific Gravity (H₂O=1):	0.94 (typical)
Vapor Pressure (mm Hg):	Not determined	Density (lbs/gallon):	7.82 – 7.85 lbs/gallons
Vapor Density (Air=1):	Not determined	Freezing Point:	10°F
Solubility in Water (wt %):	Emulsifies	Boiling Point/Range:	Not determined
Viscosity:	5 to 10 centistokes at 77°F.	pH (1% in water):	5.0 – 7.0
Appearance and odor:	Tan clear to hazy liquid with mild odor	Flash Point:	114°F

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Flammable liquid

Chemical Stability: This product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Avoid excessive heat, ignition sources, sparks, fires and freezing temperatures

Incompatible Materials: Strong oxidizing agents, strong reducing agents

Hazardous Decomposition Products: Oxides of sulfur, nitrogen, and other chemicals may be formed in a fire situation.

Carbon monoxide and other asphyxiates may form as well.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Eye Effects:	May cause mild eye irritation.
Skin Effects:	LD50 >5,050 mg/kg (albino rabbits). Non-irritant (based upon animal testing)
Acute Inhalation Effects:	LC50 > 2.16 mg/L (albino rats); No mortality was observed during the study and based upon component data the product is not anticipated to be toxic by inhalation.
Acute Oral Effects:	LD50 > 5,000 mg/kg (albino rats)
Specific Target Organ Toxicity:	Central nervous system, kidneys, liver

CHRONIC TOXICITY

Chronic Effects:	Repeated exposure may cause damage to the central nervous system, kidneys and/or liver.
Carcinogenicity:	No component is known to have a carcinogenic effect.
Mutagenicity:	No component is known to have a mutagenic effect.
Teratogenicity:	No component is known to have a teratogenic effect.
Reproductive Toxicity:	No component is known to have an effect on the reproductive system.

POTENTIAL HEALTH EFFECTS:

Eyes:	May cause mild eye irritation.
Skin:	Not anticipated to cause skin irritation with short-term exposure. Long term exposure may result in redness.
Inhalation:	May cause irritation of the upper respiratory tract and lungs.
Ingestion:	May cause irritation of the digestive tract.

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This product is slightly toxic to aquatic organisms.

ECOTOXICITY DATA:

Fish Acute and Prolonged Toxicity:	<i>Pimephales promelas</i> (Fathead Minnow) – NOEC = 10 mg/L; LC50 = 15.17 mg/L <i>Oncorhynchus mykiss</i> (Rainbow Trout) – NOEC = 12.5 mg/L; LC50 = 18.75 mg/L
Aquatic Invertebrate Acute Toxicity:	<i>Daphnia magna</i> – NOEC = 12.5 mg/L; EC50 = 35.5 mg/L
Aquatic Plant Toxicity:	Not determined
Bird Acute and Prolonged Toxicity:	Not determined
Honeybee Toxicity:	Not determined

ENVIRONMENTAL EFFECTS:

Soil Absorption/Mobility:	Not determined
Persistence and degradability:	Not determined
Bioaccumulative Potential:	Not determined
Other adverse effects:	Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations.
Container: Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations.
RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste. If product is disposed of as purchased – D001.

SECTION 14: TRANSPORT INFORMATION

DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation in quantities less than 119 gallons. For quantities of 119 gallons or greater: UN1993, Flammable liquid, n.o.s. (Isopropanol), 3, PG III
IMDG: (Sea)	UN1993, Flammable liquid n.o.s. (Isopropanol), 3, PG III
IATA: (Air)	UN1993, Flammable liquid n.o.s. (Isopropanol), 3, PG III
TDG: (Canada)	UN1993, Flammable liquid n.o.s. (Isopropanol), 3, PG III

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are listed on the TSCA inventory.

SARA Title III Information:

Section 302 - Extremely hazardous substances: None listed

Section 311/312 – Hazard Categories: Delayed (Chronic), Fire

Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

Isopropyl alcohol (CAS# 67-63-0)

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

None listed

California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer and/or reproductive harm.

U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI):

Chemical Name	CAS #	State(s)
Isopropyl alcohol	67-63-0	CT, IL, MA, MN, NJ, PA, RI
Poly(ethylene) oxide	25322-68-3	MN

Canadian Domestic Substances List: Not determined

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

SECTION 16: OTHER

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: February 11, 2015

Supersedes document dated: August 9, 2013

Sections Revised: 14