SAFETY DATA SHEET SPARTAN® 4 F HERBICIDE

SDS # : 1466-1-A Revision date: 2016-05-26 Format: NA Version 1.01



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name	SPARTAN® 4 F HERBICIDE
Formula code	6527-A
Other means of identification	
Product Code(s)	1466-1-A
Synonyms	SULFENTRAZONE (FMC 97285): 2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl) methanesulfonanilide (IUPAC name); N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H- 1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)
Active Ingredient(s)	Sulfentrazone,
Chemical Family	Triazolinones
Alternate Commercial Name	Authority™ 4 F; Boral™ 480 SC; Authority™ 480 SC
Recommended use of the chemica	and restrictions on use
Recommended Use:	Herbicide
Restrictions on Use:	Use as recommended by the label
Restrictions on Use: Manufacturer Address Emergency telephone number	
Manufacturer Address	Use as recommended by the label FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Warning

Specific target organ toxicity (repeated exposure)

Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Hazard Statements H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - Prevention P260 - Do not breathe dust/fume/gas/mist/vapors/spray Precautionary Statements - Response P314 - Get medical advice/ attention if you feel unwell

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	40
Propylene glycol	57-55-6	5-10
Toluene	108-88-3	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES			
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for further treatment advice.		
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.		
Inhalation	Move to fresh air. If person is not breathing, contact emergency medical services, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or		

SPARTAN® 4 F HERBICIDE	SDS # : 1466-1-A Revision date: 2016-05-26		
	doctor for further treatment advice. Version 1.01		
Ingestion	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting unless told to an unconscious person.		
Most important symptoms and effects, both acute and delayed	Central nervous system effects.		
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Carbon dioxide (CO2). Foam. Dry powder. Water spray.		
Specific Hazards Arising from the Chemical	Thermal decomposition can lead to release of irritating and toxic gases and vapors.		
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Not sensitive.		
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.		
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.		
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.		
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.		
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.		
	7. HANDLING AND STORAGE		
Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.		
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container.		
Incompatible products	None known		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Toluene	TWA: 20 ppm	TWA: 200 ppm	IDLH: 500 ppm	Mexico: TWA 50 ppm
(108-88-3)		Ceiling: 300 ppm	TWA: 100 ppm	Mexico: TWA 188 mg/m ³
			TWA: 375 mg/m ³	
			STEL: 150 ppm	
			STEL: 560 mg/m ³	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol	-	-	TWA: 10 mg/m ³	-
(57-55-6)			aerosol only	
			TWA: 50 ppm	
			aerosol and vapor	
			TWA: 155 mg/m ³	
			aerosol and vapor	
Toluene	TWA: 20 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 50 ppm
(108-88-3)		TWA: 188 mg/m ³		TWA: 188 mg/m ³
		Skin		Skin

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.
Hand Protection	Protective gloves
Respiratory Protection	For dust, splash, mist or spray exposures wear a filtering mask.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Off-white Liquid
Physical State	Liquid
Color	Off-white
Odor	Low Alcohol
Odor threshold	No information available
рН	5.3-6.0 @ 20 °C
Melting point/freezing point	123 °C
Boiling Point/Range	No information available
Flash point	> 94 °C / > 201 °F Tag Closed Cup
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available

Vapor pressure Vapor density Density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing properties Molecular weight Bulk density 1 x 10-9 mm Hg at 25° C No information available 10.07 lb/gal 1.206 @ 20 °C (water = 1) Dispersible in water No information available No data available No information available

10. STABILITY AND REACTIVITY

SDS #: 1466-1-A

Version 1.01

Revision date: 2016-05-26

Reactivity	None under normal use conditions.
Chemical Stability Possibility of Hazardous Reactions Hazardous polymerization	Stable. None under normal processing. Hazardous polymerization does not occur.
Conditions to avoid Incompatible materials Hazardous Decomposition Products	Excessive heat None known. s Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	2084 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rabbit)
LC50 Inhalation	> 2.72 mg/L 4 hr (rat) - Maximum attainable concentration (zero mortality)
Serious eye damage/eye irritation	Non-irritating.
Skin corrosion/irritation	Minimally irritating.
Sensitization	Did not cause sensitization on laboratory animals.

Information on toxicological effects

Symptoms	Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions, ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased locomotion, lacrimation, nasal discharge, and squinting eyes.
Delayed and immediate effects	as well as chronic effects from short and long-term exposure
Chronic toxicity	Sulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit, and increased spleen weight and splenic extramedullary hematopoiesis at high doses in animal studies
Mutagenicity	Sulfentrazone: Not genotoxic in animal studies
Carcinogenicity	Sulfentrazone: No evidence of carcinogenicity from animal studies
Neurological effects	Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.
Reproductive toxicity	Sulfentrazone: No toxicity to reproduction in animal studies.
Developmental toxicity	Sulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were generated for sulfentrazone with toluene present as an impurity.

STOT - single exposure STOT - repeated exposur Target organ effects Neurological effects	e May cause da Sulfentrazone	Not classified. May cause damage to organs through prolonged or repeated exposure. Sulfentrazone: Hematopoietic system. Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high dose levels.		
Aspiration hazard	No informatio	on available.		
Chemical name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		
108-88-3				

12. ECOLOGICAL INFORMATION

Ecotoxicity

Packing Group

Sulfentrazone (122836-35-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Sulfentrazone	72 h EC50	Algae	32.8	mg/L
	48 h EC50	Crustacea	60.4	mg/L
	96 h LC50	Fish	94	mg/L
	21 d NOEC	Fish	5.9	mg/L
	21 d NOEC	Crustacea	0.51	mg/L

Persistence and degradability Sulfentrazone: Persistent, Does not readily hydrolyze, Not readily biodegradable.					
Bioaccumulation	Sulfentrazone: The substance does not have a potential for bioconcentration.				
Mobility Sulfentrazone: Mobile, Has potential to reach ground water.					
13. DISPOSAL CONSIDERATIONS					
Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.				
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.				

14. TRANSPORT INFORMATION

DOT	This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.
TDG UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description	Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only. UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Sulfentrazone. UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant
<u>ICAO/IATA</u> UN/ID no Proper Shipping Name Hazard class	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9

Ш

Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant
IMDG/IMO	
UN/ID no	UN3082
Hazard class	9
Packing Group	111
EmS No.	F-A, S-F
Marine Pollutant	Sulfentrazone
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, PGIII, Marine pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	1-5	1.0

Yes Yes

No

No

No

SARA 311/312 Hazard Categories	
Acute health hazard	
Chronic health hazard	
Fire hazard	

Sudden release of pressure hazard

Clean Water Act

Reactive Hazard

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	Х	Х
Sodium Hydroxide 1310-73-2	1000 lb			X

CERCLA

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene	1000 lb	
108-88-3	454 kg	
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin. This pesticide is toxic to marine/estuarine invertebrates

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65	
Toluene - 108-88-3	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	Х		Х
Toluene 108-88-3	Х	X	Х

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Propylene glycol 57-55-6	Х	Х	Х	Х	Х	Х	Х	Х
Toluene 108-88-3	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Slight risk, Grade 1

Chemical name	Carcinogen Status	Mexico
Toluene		Mexico: TWA 50 ppm
		Mexico: TWA 188 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Toluene	1000 5000 kg/yr	1000 kg/yr

<u>WHMIS Statement</u> This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2A - Very toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

Revision date: Reason for revision: 2016-05-26 (M)SDS sections updated

SPARTAN® 4 F HERBICIDE

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved. End of Safety Data Sheet