

Safety Data Sheet (SDS)

COMPLEX

MSDS Revision Date:

12/23/2015

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Complex

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet

Application Method See Technical Data Sheet

1.3. Details of the supplier of the safety data sheet

Company Name Winfield Solutions, LLC
P.O. Box 64589
St. Paul, MN 55164-0589

Emergency

24 hour Emergency Telephone No. CHEMTREC (USA) (800) 424-9300

2. Hazard identification of the product

2.1. Classification of the substance or mixture

Combustible Liquid;H227 Combustible Liquid.
Eye Dam. 2A;H319 Causes serious eye irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Warning

H227 Combustible liquid.

H319 Causes serious eye irritation.

[Prevention]:

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P337+313 If eye irritation persists: Get medical advice / attention.

[Storage]:

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product is labeled with the following GHS Classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend. In accordance with paragraph (i) of § 1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Proprietary Blend of Surfactants, Solvent, Base Oil and Diluent	100	Combustible Liquid H227 Skin Irrit. 3;H316 Eye Dam. 2A;H319	[1] [2]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean fresh water for at least 10 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser. Do NOT use solvents or thinners.

Ingestion

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview	No adverse symptoms or effects anticipated under normal handling conditions See section 2 for further details.
Eyes	Causes serious eye irritation.
Skin	Causes mild skin irritation. (Not adopted by US OSHA)

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO², powder, water spray. Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed.

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Evacuate area. Prevent contamination from run-off of adjacent areas, streams, drinking water and sewers. Do not flush down sewers or other drainage systems. Exposed firefighters must wear standard protective equipment and in enclosed areas self-contained breathing apparatus. Use water-spray to cool fire exposed surfaces and personnel

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep all sources of ignition away from spill/release. In case of a major spill or spillage in a confined space evacuate the area and check vapor levels.

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors or mists. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13). Clean, preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or watercourses. If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

7. Handling and storage

7.1. Precautions for safe handling

Do not get in eyes on skin or on clothing. Do not breathe vapors or mists. Keep container closed. Use only with adequate ventilation. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. Destroy contaminated belts and shoes and other items that cannot be decontaminated.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in dry, well-ventilated area away from excessive heat and incompatibles.

Incompatible materials: Oxidizing agents, Strong Acids, Strong Bases

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

See Technical Data Sheet

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

This product contains the following ingredients (at greater than 0.1%) with established limits for exposure under OSHA, ACGIH and or NIOSH.

CAS No.	Ingredient	Source	Value
Proprietary	Petroleum distillates – Base Oil Unspecified	OSHA	TWA: 5 mg/m ³ 8 hours.
		ACGIH	TWA: 5 mg/m ³ STEL: 10 mg/m ³ as Oil Mist, if Generated
		NIOSH	No Established Limit

Carcinogen Data

This product contains no ingredients that are suspected of being or known to be a carcinogen under OSHA, NTP or IARC (at appreciable concentrations).

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Wear safety eyewear, e.g. safety spectacles, goggles or visors to protect against the splash of liquids.

Skin

Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

See Technical Data Sheet

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance

Cloudy Off White Liquid

Odor	solvent odor
Odor threshold	Not Measured
pH	8 - 9 (5% AQUEOUS DILUTION)
Melting point / freezing point (°C)	Not Measured
Initial boiling point and boiling range (°C)	Not Measured
Flash Point	88 (C) 190.4 (F) SETA FLASH CLOSED CUP
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	0.98 - 1.01 @ 20C
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature (°C)	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
VOC %	Not Measured

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

10. Stability and reactivity

10.1. Reactivity

Not chemically reactive

10.2. Chemical stability

Stable under normal ambient and anticipated conditions of use.

10.3. Possibility of hazardous reactions

Hazardous reactions not anticipated.

10.4. Conditions to avoid

Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition.

10.5. Incompatible materials

Oxidizing agents, Strong Acids, Strong Bases

10.6. Hazardous decomposition products

Not anticipated under normal conditions of use.

11. Toxicological information

Acute toxicity

ATE (Acute Toxicity Estimate)

Product	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapour LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr
AU-372	>5,000.00 Category: NA	>5,000.00 Category: NA	No data available	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	---	Not Applicable
Acute Toxicity (skin)	---	Not Applicable
Acute Toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	3	Causes mild skin irritation. (Not adopted by US OSHA)
Eye damage/irritation	2A	Causes serious eye irritation.
Sensitization (respiratory)	---	Not Applicable
Sensitization (skin)	---	Not Applicable
Germ toxicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive Toxicity	---	Not Applicable
Specific target organ systemic toxicity (single exposure)	---	Not Applicable
Specific target organ systemic Toxicity (repeated exposure)	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product.

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available

13. Disposal considerations

13.1. Waste treatment methods

Do not allow into drains or water courses. Wastes and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this data sheet advice should be obtained from the Waste Regulation Authority, whether the special waste regulations apply. Dispose of contents in accordance with local and national regulations.

14. Transport information

DOT Proper shipping name	NA1993, Combustible Liquid, N.O.S. (contains Aromatic Naphtha), PG III DOT: Only Regulated in Bulk Containers (>119 gallons)
DOT Hazard Class	Combustible liquid
DOT Packing group	III
DOT Label	Placard Bulk
IMDG Proper Shipping Name	Not Regulated
IMDG Hazard Class	Not Applicable
IMDG Packing Group	Not Applicable
IMDG	Marine Pollutant: no
ICAO/IATA	See bill of lading

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.
WHMIS Classification	B3 D2B
US EPA Tier II Hazards	Fire: Yes Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): No
EPCRA 311/312 Chemicals and RQs (lbs) (>0.1%) :	
Diethanolamine (100.00)	
EPCRA 302 Extremely Hazardous (>0.1%):	
To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.	
EPCRA 313 Toxic Chemicals (>.1%) :	
Diethanolamine (<1.0%)	
Proposition 65 - Carcinogens (>0.0%):	
1,4-dioxane	
Diethanolamine	

Naphthalene

Oxirane

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

Oxirane

Proposition 65 - Male Repro Toxins (>0.0%):

Oxirane

N.J. RTK Substances (>1%) :

Triethanolamine (1 – 5%)

Penn RTK Substances (>1%) :

Triethanolamine (1 – 5%)

16. Other information

DISCLAIMER: The information in this Safety Data Sheet is provided in good faith and believed to be accurate as of the date issued. It pertains only to the product as shipped by Winfield Solutions, LLC. WINFIELD SOLUTIONS, LLC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. It is the responsibility of the recipient and /or user of the product to study this Safety Data Sheet and to understand the information contained herein and any hazards associated with the product. Regulatory requirements are subject to change and may differ by jurisdiction. Therefore, it is the responsibility of the recipient and/or user of the product to insure that its activities comply with all federal and state laws. Winfield Solutions, LLC assumes no responsibility for injury to the recipient and /or user or to any third party, or for damage to property.

End of Document