



## BREAK-UP® Professional Oven & Grill Cleaner

Version Number: 1

Preparation date: 2016-12-22

### 1. IDENTIFICATION

**Product name:** BREAK-UP® Professional Oven & Grill Cleaner  
**Product Code:** CBD991206  
**SDS #:** MS0801099  
**Recommended use:**

- Industrial/Institutional
- Oven and Grill Cleaner
- This product is intended to be used neat.

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

US Headquarters Diversey, Inc. 2415 Cascade Pointe Blvd. Charlotte, NC 28208 Phone: 1-888-352-2249 SDS Internet Address: <a href="https://sds.sealedair.com">https://sds.sealedair.com</a>	Canadian Headquarters Sealed Air - Canada 3755 Laird Road Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171
---	--

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Flammability	Extremely flammable aerosol, Category 1
Metal Corrosion:	Category 1



**Signal Word:**

**Danger.**

#### Precautionary Statements

**EXTREMELY FLAMMABLE AEROSOL. CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.**

Causes burns/ serious damage to mouth, throat and stomach. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Keep container tightly closed. Keep only in original container. Do not pierce or burn, even after use. Do not incinerate. Do not breathe spray. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, long chemical-resistant gloves and protective footwear when spraying and wiping. Do not spray towards face. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Protect from sunlight. Store

**BREAK-UP® Professional Oven & Grill Cleaner**

1 of 5

in a well-ventilated place. Do not expose to temperatures exceeding 50 °C (122 °F) which may cause bursting. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

### **Classification for the diluted product @ RTU**

This product is intended to be used neat.

### **Precautionary Statements**

See undiluted product information above. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### **Classified Ingredients**

<b>Ingredient(s)</b>	<b>CAS #</b>	<b>Weight %</b>
Diethylene glycol butyl ether	112-34-5	10 - 20%
Sodium hydroxide	1310-73-2	3 - < 5%
Butane	106-97-8	1 - < 3%
Isobutane	75-28-5	1 - < 3%
Monoethanolamine	141-43-5	1 - < 3%

\*Exact percentages are being withheld as trade secret information

## **4. FIRST AID MEASURES**

### **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

### **Diluted Product:**

This product is intended to be used neat.

**Eyes:** See undiluted product information above.

**Skin:** See undiluted product information above.

**Inhalation:** See undiluted product information above.

**Ingestion:** See undiluted product information above.

## **5. FIRE-FIGHTING MEASURES**

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

Dry chemical, water spray, foam, carbon dioxide.

**Specific hazards:**

Aerosol product - Containers may rocket or explode in heat of fire. NFPA 30B Level 1 Aerosol. Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:**  
**Environmental precautions**  
**and clean-up methods:**

Put on appropriate personal protective equipment (see Section 8.).  
Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. ALWAYS WEAR LONG CHEMICAL-RESISTANT GLOVES, CHEMICAL-SPLASH GOGGLES AND PROTECTIVE FOOTWEAR WHEN SPRAYING AND WIPING. Do not spray toward face. Wash hands and arms after use. Do not spray on or let spray contact pilot light, electrical connections, switches, light bulbs, heating elements, receptacles, or thermostats. Spray may cause electric short. Do not let product contact floor coverings, linoleum, aluminum, copper, chrome, painted surfaces or plastics. Do not use on continuous or self-cleaning ovens. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Do not mix with any other product or chemical. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.  
**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Exposure to heat may cause bursting. Do not pierce or burn, even after use.  
**Aerosol Level (if applicable) :** Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Diethylene glycol butyl ether	112-34-5	10 ppm (TWA)	-
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup> (Ceiling)	2 mg/m <sup>3</sup> (TWA)
Butane	106-97-8	1000 ppm (STEL)	-
Isobutane	75-28-5	1000 ppm (STEL)	-
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m <sup>3</sup> (TWA)

**Undiluted Product:**

**Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles.  
**Hand protection:** Long chemical-resistant gloves.  
**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.  
**Respiratory protection:** No special requirements under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:**

This product is intended to be used neat.  
Engineering measures to reduce exposure: Good general ventilation should be sufficient to control airborne levels

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles.  
**Hand protection:** Long chemical-resistant gloves.  
**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.  
**Respiratory protection:** No special requirements under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Pressurized Liquid  
**Evaporation Rate:** No information available  
**Odor threshold:** No information available.  
**Melting point/range:** Not determined  
**Autoignition temperature:** No information available  
**Solubility in other solvents:** No information available  
**Density:** 8.75 lbs/gal 1.049 Kg/L  
**Bulk density:** No information available  
**Flash point (°F):** 19 °F -7 °C  
**Dilution Flash Point:** Not Applicable  
**Elemental Phosphorus:** 0.00 % by wt.  
**pH:** 13.0

**Color:** Opaque, Tan  
**Odor:** Citrus  
**Boiling point/range:** Not determined  
**Decomposition temperature:** Not determined  
**Solubility:** Dispersible  
**Relative Density (relative to water):** 1.049  
**Vapor density:** No information available  
**Vapor pressure:** No information available.  
**Partition coefficient (n-octanol/water):** No information available  
**Viscosity:** No information available  
**VOC:** 7.95 % \*  
**VOC % by wt. at use dilution** 7.95 % \*

**Dilution pH:** 13.0 @ RTU  
**Corrosion to metals:** Corrosive  
**Explosion limits:** - upper: Not determined - lower: Not determined

**Flammability (Solid or Gas):** Not applicable  
**Sustained combustion:** Not applicable

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not Applicable  
**Stability:** The product is stable  
**Possibility of hazardous reactions:** May vigorously react with acids resulting in spattering and excessive heat.  
**Hazardous decomposition products:** None reasonably foreseeable.  
**Materials to avoid:** Strong acids. Do not mix with any other product or chemical unless specified in the use directions.  
**Conditions to avoid:** No information available.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

### Numerical measures of toxicity

**ATE - Oral (mg/kg):** 4700  
**ATE - Dermal (mg/kg):** >5000  
**ATE - Inhalatory, mists (mg/l):** >20  
**ATE - Inhalatory, vapors (mg/l):** >50

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations. This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Waste from residues / unused products (diluted product):** Not applicable.

**RCRA Hazard Class (undiluted product):** D002 Corrosive Waste

**RCRA Hazard Class (diluted product):** Not Applicable

**Contaminated Packaging:** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

**DOT (Ground) Bill of Lading Description:** LTD. QTY.

**IMDG (Ocean) Bill of Lading Description:** UN1950, AEROSOLS, 2.1, LTD. QTY.

## 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Diethylene glycol butyl ether	112-34-5	-	X	-	-
Sodium hydroxide	1310-73-2	X	X	X	X
Butane	106-97-8	X	X	X	-
Isobutane	75-28-5	X	X	X	-
Monoethanolamine	141-43-5	X	X	X	-

### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol butyl ether	112-34-5	10 - 20%			X
Sodium hydroxide	1310-73-2	3 - < 5%	1000		

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol butyl ether	X		

### SARA 311/312 Hazard Categories

**Immediate:** X  
**Delayed:** -  
**Fire:** X  
**Reactivity:** -  
**Sudden Release of Pressure:** X

### Canadian Regulations

Ingredient(s)	CAS #	NPRI
Diethylene glycol butyl ether	112-34-5	X

## 16. OTHER INFORMATION

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

**Health** 3  
**Flammability** 4  
**Instability** 0

**Version Number:** 1  
**Preparation date:** 2016-12-22

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC  
**Additional advice:** • Contains an added fragrance, see "Odor" heading in section 9 for specific description

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*