



Revision Date: 18-Dec-2023

# Safety Data Sheet

## Spartan Chemical Company, Inc.

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier**

**Product Name:** XCELENTE  
**Product Number:** 0019  
**Recommended Use:** Cleaning agent  
**Uses Advised Against:** For Industrial and Institutional Use Only

**Manufacturer/Supplier:** Spartan Chemical Company, Inc.  
1110 Spartan Drive  
Maumee, Ohio 43537 USA  
800-537-8990 (Business hours)  
[www.spartanchemical.com](http://www.spartanchemical.com)

**24 Hour Emergency Phone Numbers:**

**Medical Emergency/Information:** 888-314-6171  
**Transportation/Spill/Leak:** CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Serious Eye Damage/Eye Irritation: Category 2A

**GHS Label Elements**

**Signal Word:**

**Symbols:**

**Warning**



**Hazard Statements:** Causes serious eye irritation

**Precautionary Statements:**

**Prevention:**

Wash hands and any exposed skin thoroughly after handling.  
Wear eye / face protection

**Response:**

**-Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

**-Specific Treatment:**

**Storage:**

Not Applicable

**Disposal:**

Not Applicable

**Hazards Not Otherwise Classified:** Not Applicable

**Other Information:**

- May be harmful if swallowed
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
C9-11 Alcohols Ethoxylated	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	1-5
Sodium Caprylyl Sulfonate	5324-84-5	0.1-1
Tetrasodium EDTA	64-02-8	0.1-1
Terpineol Acetate	8007-35-0	<0.1
Citric Acid	77-92-9	<0.1
Ethylene Brassylate	105-95-3	<0.1
Diphenyl Ether	101-84-8	<0.1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	<0.1
Fragrance	PROPRIETARY	<0.1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Isobornyl Acetate	125-12-2	<0.1
Eucalyptol	470-82-6	<0.1
Butylphenyl Methylpropional	80-54-6	<0.1
Benzyl Acetate	140-11-4	<0.1
Anisaldehyde	123-11-5	<0.1
3a,4,5,6,7,7a-Hexahydro-4,7-Methano-1H-Indenyl Acetate	54830-99-8	<0.1
Amyl Salicylate	2050-08-0	<0.1
2-T-Butylcyclohexyl Acetate	88-41-5	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Colorant	PROPRIETARY	<0.1
Methylisothiazolinone	2682-20-4	<0.1
Acid Blue 9	3844-45-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

<b>-Eye Contact:</b>	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
<b>-Skin Contact:</b>	Wash with soap and water. If skin irritation occurs: Get medical attention.
<b>-Inhalation:</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.
<b>-Ingestion:</b>	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.
<b>Note to Physicians:</b>	Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media:</b>	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.
<b>Specific Hazards Arising from the Chemical:</b>	Dried product is capable of burning. Combustion products are toxic.
<b>Hazardous Combustion Products:</b>	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
<b>Protective Equipment and Precautions for Firefighters:</b>	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Environmental Precautions:</b>	Do not rinse spill onto the ground, into storm sewers or bodies of water.

**Methods for Clean-Up:** Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

## 7. HANDLING AND STORAGE

**Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

**Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Diphenyl Ether 101-84-8	STEL: 2 ppm vapor TWA: 1 ppm vapor	TWA: 1 ppm vapor TWA: 7 mg/m <sup>3</sup> vapor (vacated) TWA: 1 ppm vapor (vacated) TWA: 7 mg/m <sup>3</sup> vapor	IDLH: 100 ppm vapor TWA: 1 ppm vapor TWA: 7 mg/m <sup>3</sup> vapor
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-

**Engineering Controls:** Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

### Personal Protective Equipment

**Eye/Face Protection:**

Wear splash goggles.

**Skin and Body Protection:**

Not required with expected use.

**Respiratory Protection:**

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.

**General Hygiene Considerations:** Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance/Physical State:</b>	Liquid
<b>Color:</b>	Purple
<b>Odor:</b>	Pleasant fragrance added
<b>pH:</b>	Undiluted: 7.0-8.0 / Diluted 1:43: 7.5-9.0
<b>Melting Point / Freezing Point:</b>	No information available
<b>Boiling Point / Boiling Range:</b>	90 °C / 194 °F
<b>Flash Point:</b>	none / Pensky-Martens Closed Cup (PMCC)
<b>Evaporation Rate:</b>	< 1 (Butyl acetate = 1)
<b>Flammability (solid, gas)</b>	No information available
<b>Upper Flammability Limit:</b>	No information available
<b>Lower Flammability Limit:</b>	No information available
<b>Vapor Pressure:</b>	No information available
<b>Vapor Density:</b>	No information available
<b>Specific Gravity:</b>	0.998
<b>Solubility(ies):</b>	Soluble in water
<b>Partition Coefficient:</b>	No information available
<b>Autoignition Temperature:</b>	No information available
<b>Decomposition Temperature:</b>	No information available
<b>Viscosity:</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This material is considered to be non-reactive under normal conditions of use.
<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions:</b>	Not expected to occur with normal handling and storage.
<b>Conditions to Avoid:</b>	Extremes of temperature and direct sunlight.
<b>Incompatible Materials:</b>	Strong oxidizing agents. Strong acids.
<b>Hazardous Decomposition Products:</b>	May include carbon monoxide, carbon dioxide (CO <sub>2</sub> ) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely Routes of Exposure:</b>	Eyes, Skin, Ingestion, Inhalation.
<b>Symptoms of Exposure:</b>	
<b>-Eye Contact:</b>	Pain, redness, swelling of the conjunctiva and blurred vision.
<b>-Skin Contact:</b>	Drying of the skin.
<b>-Inhalation:</b>	Nasal discomfort and coughing.
<b>-Ingestion:</b>	Pain, nausea, vomiting and diarrhea.
<b>Immediate, Delayed, Chronic Effects</b>	
<b>Product Information:</b>	Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

### Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):	30076 mg/kg
ATEmix (dermal):	53520 mg/kg
ATEmix (inhalation-dust/mist):	4686 mg/l

### Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	Not Available	Not Available
C9-11 Alcohols Ethoxylated 68439-46-3	= 1400 mg/kg ( Rat )	Not Available	Not Available
Isopropyl Alcohol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg ( Rat )	Not Available	Not Available
Citric Acid	= 3 g/kg ( Rat )	Not Available	Not Available

77-92-9			
Diphenyl Ether 101-84-8	= 2450 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	Not Available
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	Not Available
Isobornyl Acetate 125-12-2	= 9050 mg/kg ( Rat )	> 20000 mg/kg ( Rabbit )	Not Available
Eucalyptol 470-82-6	= 2480 mg/kg ( Rat )	Not Available	Not Available
Butylphenyl Methylpropional 80-54-6	= 1390 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Anisaldehyde 123-11-5	> 2000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 0.32 mg/L ( Rat ) 7 h
Amyl Salicylate 2050-08-0	= 4100 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
2-T-Butylcyclohexyl Acetate 88-41-5	= 4600 mg/kg ( Rat )	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg ( Rat )	Not Available	= 1.23 mg/L ( Rat ) 4 h

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	9640: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 11130: 96 h <i>Pimephales promelas</i> mg/L LC50 static 1400000: 96 h <i>Lepomis macrochirus</i> µg/L LC50	Not Available	13299: 48 h <i>Daphnia magna</i> mg/L EC50
Tetrasodium EDTA 64-02-8	1,01: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	41: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 59.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static	Not Available	Not Available
Citric Acid 77-92-9	Not Available	1516: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	Not Available	Not Available
Diphenyl Ether 101-84-8	Not Available	4: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 4 - 7.9: 96 h <i>Pimephales promelas</i> mg/L LC50 static	Not Available	0.11 - 1.1: 48 h <i>Daphnia magna</i> mg/L LC50
Isobornyl Acetate 125-12-2	Not Available	10.0 - 18.0: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	Not Available	Not Available
Eucalyptol 470-82-6	Not Available	95.4 - 109: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	Not Available	Not Available
Butylphenyl Methylpropional 80-54-6	Not Available	2.2 - 4.6: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	Not Available	10.7: 48 h <i>Daphnia magna</i> mg/L EC50
Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static 0.03 - 0.13: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 static	1.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static	Not Available	4.71: 48 h <i>Daphnia magna</i> mg/L EC50 0.12 - 0.3: 48 h <i>Daphnia magna</i> mg/L EC50 Flow through 0.71 - 0.99: 48 h <i>Daphnia magna</i> mg/L EC50 Static

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Other Adverse Effects:** No information available

### 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.  
**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

**DOT:** Not Regulated  
**Proper Shipping Name:** Non Hazardous Product  
**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

**IMDG:** Not Regulated  
**Proper Shipping Name:** Non Hazardous Product

### 15. REGULATORY INFORMATION

**TSCA Status:** (Toxic Substance Control Act Section 8(b) Inventory)  
 All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313**  
 This product contains the following listed substances:

#### **SARA 311/312 Hazard Categories**

<b>Acute Health Hazard:</b>	Yes
<b>Chronic Health Hazard:</b>	No
<b>Fire Hazard:</b>	No
<b>Sudden release of pressure hazard:</b>	No
<b>Reactive Hazard:</b>	No

**California Proposition 65**  
 This product is not subject to warning requirements under California Proposition 65.

### 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazards: 2</b>	<b>Flammability: 0</b>	<b>Instability: 0</b>	<b>Special: N/A</b>
<b>HMIS</b>	<b>Health Hazards: 2</b>	<b>Flammability: 0</b>	<b>Physical Hazards: 0</b>	

**Revision Date:** 18-Dec-2023  
**Reasons for Revision:** Section, 3, 7, 11, 12

**Disclaimer:**  
 The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**