

Producer AG

CORN DISCOUNT SCHEDULE PRODUCER AG TRAIN LOADERS

Moisture	% Dock	\$ MHC	Moisture	% Dock	\$ MHC	Moisture	% Dock	\$ MHC
15.6	0.12	0.0100	17.6	2.52	0.0660	19.6	4.92	0.1360
15.7	0.24	0.0125	17.7	2.64	0.0695	19.7	5.04	0.1395
15.8	0.36	0.0150	17.8	2.76	0.0730	19.8	5.16	0.1430
15.9	0.48	0.0175	17.9	2.88	0.0765	19.9	5.28	0.1465
16.0	0.60	0.0200	18.0	3.00	0.0800	20.0	5.40	0.1500
16.1	0.72	0.0225	18.1	3.12	0.0835	20.1	5.52	0.1535
16.2	0.84	0.0250	18.2	3.24	0.0870	20.2	5.64	0.1570
16.3	0.96	0.0275	18.3	3.36	0.0905	20.3	5.76	0.1605
16.4	1.08	0.0300	18.4	3.48	0.0940	20.4	5.88	0.1640
16.5	1.20	0.0325	18.5	3.60	0.0975	20.5	6.00	0.1675
16.6	1.32	0.0350	18.6	3.72	0.1010	20.6	6.12	0.1710
16.7	1.44	0.0375	18.7	3.84	0.1045	20.7	6.24	0.1745
16.8	1.56	0.0400	18.8	3.96	0.1080	20.8	6.36	0.1780
16.9	1.68	0.0425	18.9	4.08	0.1115	20.9	6.48	0.1815
17.0	1.80	0.0450	19.0	4.20	0.1150	21.0	6.60	0.1850
17.1	1.92	0.0485	19.1	4.32	0.1185	21.1	6.72	0.1885
17.2	2.04	0.0520	19.2	4.44	0.1220	21.2	6.84	0.1920
17.3	2.16	0.0555	19.3	4.56	0.1255	21.3	6.96	0.1955
17.4	2.28	0.0590	19.4	4.68	0.1290	21.4	7.08	0.1990
17.5	2.40	0.0625	19.5	4.80	0.1325	21.5	7.20	0.2025

moisture limits will be determined by the location

Moisture: 1.2% of weight for each 1% of moisture beginning at 15.6%.

Moisture Handling Charge (MHC): 1 cent per bushel for the first tenth increasing at .0025 per tenth to 17 and then .0035 per tenth

Test Weight:	
53.9 - 53.0	\$0.08
52.9 - 52.0	\$0.16
51.9 - 51.0	\$0.24
50.9 - 50.0	\$0.32
49.9 - 49.0	\$0.42
48.9 - 48.0	\$0.52
47.9 - 47.0	\$0.62
46.9 - 46.0	\$0.72
45.9 - 45.0	\$0.82
plus \$.10 each # under 45	

Broken Kernals/ Foreign Material:	
3.1 - 4.0%	1.0%
4.1 - 5.0%	2.0%
5.1 - 6.0%	3.0%
6.1 - 7.0%	4.0%
7.1 - 8.0%	5.0%
8.1 - 9.0%	6.0%
9.1 - 10.0%	7.0%
Continues at 1% for each 1% of BCFM above 10%	

Damage:	
5.1 - 6.0	\$0.02
6.1 - 7.0	\$0.04
7.1 - 8.0	\$0.08
8.1 - 9.0	\$0.12
9.1 - 10.0	\$0.16
10.1 - 11.0	\$0.22
11.1 - 12.0	\$0.28
12.1 - 13.0	\$0.34
13.1 - 14.0	\$0.40
14.1 - 15.0	\$0.46
plus \$.06 for each 1% over 15.0%	

Heat Damage:	
.3 - 1.0	\$0.05
1.1 - 1.5	\$0.10
1.6 - 2.0	\$0.15
2.1 - 2.5	\$0.20
2.6 - 3.0	\$0.25
3.1 - 3.5	\$0.30
3.6 - 4.0	\$0.35
4.1 - 4.5	\$0.40
4.6 - 5.0	\$0.45
5.1 - 5.5	\$0.50
plus \$.05 for each 1/2% over 5.5%	

Aflatoxin:	
100 - 150	\$1.00
151 - 200	\$1.50
201 +	\$2.00

Cocklebur:	\$0.05
Musty:	\$0.10
Sour:	\$0.10
Infested:	\$0.10
Stones:	\$0.20
COFO:	\$0.20

State grade fees apply to aflatoxin
Subject to elevator's ability to handle
Subject to rejection over 200 ppb

ALL DISCOUNTS SUBJECT TO CHANGE WITHOUT NOTICE

Effective January 1, 2022