

Producer AG

MILO DISCOUNT SCHEDULE MID-WEST FERTILIZER

Moisture	% Dock	MHC	Moisture	% Dock	MHC	Moisture	% Dock	MHC
14.1	0.12	0.0054	16.1	2.52	0.0774	18.1	4.92	0.1494
14.2	0.24	0.0090	16.2	2.64	0.0810	18.2	5.04	0.1530
14.3	0.36	0.0126	16.3	2.76	0.0846	18.3	5.16	0.1566
14.4	0.48	0.0162	16.4	2.88	0.0882	18.4	5.28	0.1602
14.5	0.60	0.0198	16.5	3.00	0.0918	18.5	5.40	0.1638
14.6	0.72	0.0234	16.6	3.12	0.0954	18.6	5.52	0.1674
14.7	0.84	0.0270	16.7	3.24	0.0990	18.7	5.64	0.1710
14.8	0.96	0.0306	16.8	3.36	0.1026	18.8	5.76	0.1746
14.9	1.08	0.0342	16.9	3.48	0.1062	18.9	5.88	0.1782
15.0	1.20	0.0378	17.0	3.60	0.1098	19.0	6.00	0.1818
15.1	1.32	0.0414	17.1	3.72	0.1134	19.1	6.12	0.1854
15.2	1.44	0.0450	17.2	3.84	0.1170	19.2	6.24	0.1890
15.3	1.56	0.0486	17.3	3.96	0.1206	19.3	6.36	0.1926
15.4	1.68	0.0522	17.4	4.08	0.1242	19.4	6.48	0.1962
15.5	1.80	0.0558	17.5	4.20	0.1278	19.5	6.60	0.1998
15.6	1.92	0.0594	17.6	4.32	0.1314	19.6	6.72	0.2034
15.7	2.04	0.0630	17.7	4.44	0.1350	19.7	6.84	0.2070
15.8	2.16	0.0666	17.8	4.56	0.1386	19.8	6.96	0.2106
15.9	2.28	0.0702	17.9	4.68	0.1422	19.9	7.08	0.2142
16.0	2.40	0.0738	18.0	4.80	0.1458	20.0	7.20	0.2178

Test Weight

54.9 - 54.0	\$0.01
53.9 - 53.0	\$0.02
52.9 - 52.0	\$0.04
51.9 - 51.0	\$0.06
50.9 - 50.0	\$0.09
49.9 - 49.0	\$0.12
48.9 - 48.0	\$0.15
47.9 - 47.0	\$0.18

Damage

5.1 - 6.0	\$0.01
6.1 - 7.0	\$0.02
7.1 - 8.0	\$0.03
8.1 - 9.0	\$0.04
9.1 - 10.0	\$0.05
10.1 - 11.0	\$0.07
11.1 - 12.0	\$0.09
12.1 - 13.0	\$0.11
13.1 - 14.0	\$0.13
14.1 - 15.0	\$0.15
15.1 - 16.0	\$0.17
16.1 - 17.0	\$0.19
17.1 - 18.0	\$0.21
18.1 - 19.0	\$0.23
19.1 - 20.0	\$0.25
20.1 - 21.0	\$0.27

Foreign Material

3.01 - 4.00	\$0.02
4.01 - 5.00	\$0.05
5.01 - 6.00	\$0.10
6.01 - 7.00	\$0.15
7.01 - 8.00	\$0.20
8.01 - 9.00	\$0.25

Other Discounts

Musty	\$0.10
Infested	\$0.10
Sour	\$0.10
Stones	\$0.20

ALL DISCOUNTS SUBJECT TO CHANGE WITHOUT NOTICE

Effective January 1, 2022