

2027

SEED GUIDE

HYBRID & VARIETY RECOMMENDATIONS
FOR WISCONSIN GROWERS



CONTENTS

Corn Hybrids

DeKalb.....	4
Croplan.....	7
Brevant.....	8
NK.....	10

Soybean Varieties

Asgrow.....	12
Croplan.....	13
NK.....	14
Brevant.....	15
Xitavo.....	16

Forage

Croplan Alfalfa.....	17
----------------------	----

One-Stop Shop for Easy Account Management

Our team is always working to offer you the latest technology, programs, and products to make doing business with us easier to do than ever before.

United Cooperative is excited to talk about our Online Portal. With the online site and/or mobile app, you'll save time with easy access to the information you need, when you need it.


With the United Cooperative Customer Portal, you can:

- View & pay invoices from anywhere
- Access all your account info in just a few clicks
- Easily look up purchase history and product information
- Conveniently eSign contracts
- Communicate with our team anytime
- And much more!

Our United Cooperative Online Portal is secure, easy to use, and above all else, built for you as our customer.

Please contact us for any questions.
- Your Trusted United Cooperative Team

Get started here:



Use our SMART Precision Technology to make smart decisions for your fields.



In our agronomy division, we have a program that allows our producers to access all of their field data from the comfort of their own home. This program is called SMART. It stands for Soil Management and Rate Technology.

Our SMART program has five key benefits for the customer who sign up for it:

- 24/7 online access to agronomic information,
- Mobile access through the explorer app,
- Variable rate seed,
- Lime and fertility recommendations, and
- On-site technical training and access to our AgSolver profitability tool.

For the producer that wants to make management decisions from the data collected on their farms, our SMART program is the best way to accomplish that goal.

We use the AgSolver program with our growers to look at how a field's profitability and ROI can change as you go from one end to the other. It allows our agronomy team to look at how ROI can change across the landscape. These changes can be caused by many factors such as soil type, drainage, pH, fertility, slope, elevation, aspect, soil bulk density, and soil health.

We are used to looking at yield and fertility maps. Now the challenge is to look at how a field produces, what its true profitability and ROI are for each acre, and how can we use this knowledge to better manage our bottom line. There are many types of reports we can generate within the AgSolver platform. The best part is they can be 100% customized with your own information.

If an area of a field is below break-even, we need to decide if we can raise production or lower expenses. On our field report card, there is a category titled "Acreage Opportunity Ratio". This refers to the percentage of acres in the field that are currently below break-even. The next item listed on our report card is the "Working Capital Opportunity". This number is reported in dollars and shows the potential dollar savings if the acreage opportunity ratio is moved down to zero. In most fields we can never get this number to zero, but could we lower it? Possibly cut it down by half?

On our "Cash Rent" report, there are a couple of very key parameters to focus on: the break-even commodity price, the break-even yield and ROI. There is an estimated profit per acre listed as well for each of these scenarios. At the bottom

of the Cash Rent report is a break-even cash rent spreadsheet. This spreadsheet helps the grower to better understand what level of rent is appropriate for the current commodity price and average yield for each scenario.

Breakeven Cash Rent (\$/ac) w/ 5% Farmer Return							
Commodity Price (\$/bu)	Yield (bu/ac)						
	170	189	208	227	245	264	283
4.56	284.12	365.93	447.75	529.56	611.37	693.19	775.00
4.26	235.03	311.39	387.75	464.11	540.47	616.83	693.19
3.95	185.94	256.85	327.75	398.66	469.56	540.47	611.37
3.65	136.86	202.31	267.76	333.21	398.66	464.11	529.56
3.35	87.77	147.77	207.76	267.76	327.75	387.75	447.75
3.04	38.68	93.22	147.77	202.31	256.86	311.39	365.93
2.74	-10.41	38.68	87.77	136.86	185.94	235.03	284.12


Please visit with your local United Cooperative agronomist today so you can start using this tool to better understand and evaluate your field's profitability and ROI. It is informative when you compare three different scenarios and only change one variable; such as changing the commodity price by \$0.30 on each scenario and then see how the numbers change. This could be useful when setting up targets with your grain merchandiser.

Our SMART Program has three choices available.

1. View only - Mobile & Web. The grower has their own unique login & password to view all their data online or through the iOS app on an iPad.
2. Ag Solver only. The grower will receive customized reports on a field level showing profitability, ROI, production efficiency, acreage opportunity ratio, working capital opportunity, breakeven commodity price and breakeven cash rent values. All of this information is created using the grower's own information.
3. Full SMART program.
 - 24 / 7 access to their information online and or through the iOS app
 - All Variable Rate prescriptions; VR Lime, VR Crop Nutrients, and VR Seed
 - Ag Solver profit plans. Through our full program the grower can interact live with their profit plans adjusting various inputs and income levels to learn more about their field's profitability.
 - On-site technical support and training. Our commitment to service does not end when you sign your contract. We will provide the necessary training to you and your farms staff to ensure you have a positive experience with our program.

Want to learn more?

View our SMART Soil Sampling video by scanning the QR code with your phone or contact your agronomist.



SECURE™

BUILT FOR THE WAY FARMING WORKS

Choose flexible, farm-friendly SECURE™ financing this season.



Apply or Renew Today!

SECURE PROGRAM LOAN BASICS

All loans mature 02/01/2028

Up to \$750k with no collateral

\$750k-\$1.5M approved with balance sheet \$1.5M+
available with full underwriting

Amounts are per crop year, 2027 crop year loan
available prior to 2026 crop year repayment

Standard non-promotional seed and crop protection
rates 3.75% A rated; 5.25% B Rated

Standard non-promotional Fertilizer, application and
services at Prime - 1.5%

**SCAN AND REGISTER TO APPLY
APPLICATION OPENS 8/1/2026**



**CONTACT YOUR SALES AGRONOMIST
FOR MORE DETAILS**

2027 Programs

Go Early Seed

0.99% APR when you apply and commit to units by
10/13/26

1.99% APR when you apply and commit to units by
11/10/26

2.99% APR when you apply and commit to units by
1/20/27

Rate fixed to 10/31/27, then fixed 3.75%/5.25% APR until 2/1/28
Hybrid selection and funds disbursement required by 1/8/27



Crop Protection

0% when you purchase by 3/12/2027

Rate fixed to 10/31/27, then fixed 3.75%/5.25% APR until 2/1/28



* Product exclusions may apply

Fall Fertilizer

0% through 2/1/2027, then Prime + .5% through 2/1/2028

Some of your most important decisions on the farm are financial decisions. This season, choose SECURE™ financing from WinField® United for low fixed interest rates and industry-leading maturity dates that help you take advantage of valuable crop marketing and tax benefits.

*Any product exclusions determined prior to September 1st program launch date.
©2025 WinField United. SECURE and WinField are trademarks of WinField United.
Offer subject to credit approval. Terms and conditions apply.

**DKC36-48 (86 RM)****VT2PRIB**

- Good Roots & Stalks
- Good emergence and seedling vigor
- Good flex allows it go across multiple soil types keep pops lower

DKC87-97 (87 RM)**TRERIB**

- Excellent emergence (2) and seedling growth (2)
- Excellent roots (2) and good stalks (3)
- Strong drought (2) and drydown (3)
- Excellent greensnap (2)

DKC92-13/14 (92 RM)**SSPRORIB and VT4PRIB**

- Very Strong emergence (2) and Vigor (2)
- Very Good Roots (2) and Stalks (2)
- Good Ear Flex in Girth and Length
- Exciting Yield Punch

DKC94-67 (94 RM)**VT4P/TRERIB**

- Excellent emergence (2) and seedling growth (2)
- Excellent roots (2) and stalks (2)
- Strong ASR (2) and NCLB (4)
- Vert nice staygreen (2) and harvest appearance (2)

DKC96-96/97 (96 RM)**VT4PRIB**

- Excellent emergence (2) and seedling growth (2)
- Very strong roots (2) and stalks (2)
- Excellent drydown (2) and good test weight (3)
- Excellent staygreen (2), & harvest appearance (1)
- Step change in yield and defensive characteristics

DKC98-98 (98 RM)**SSPRIB**

- First in last out hybrid with competitive yield
- Strong disease package
- Compliment to DKC098-88 with broad acre performance

DKC100-53 (100 RM)**SSPRIB**

- RM leading yield with solid agronomics
- Anchored by solid roots (3) and stalks (3)
- Consistent yield advantage over checks in all yield environments
- Strong emergence (2) and seedling growth (2)

DKC100-70 (100 RM)**TRERIB**

- Excellent top end yield with solid agronomics
- Solid roots (3) and stalks (3)
- Consistent yield advantage over checks in all yield environments

DKC101-33/35 (101 RM)**SSPRO and VT2P**

- IMPRESSIVE YIELDER
- Consistency and good tip fill on moderately girthy ear
- Can utilize pops of ML-MH
- Suitable for many different yield environments

DKC103-63 (103 RM)**SSPRO**

- Very strong early season emergence (2) and vigor (2)
- Drought (3) average on heat stress
- Strong stalks (2) and roots (2) with great staygreen (2)
- Strong disease profile ASR (2) and GW (3)
- Above average on Tar Spot

DKC104-32 (104 RM)**VT2PRIB**

- Consistent broad acre performance and strong yield
- Good roots (3) with strong stalks (2)
- Average emergence (3) and seedling growth (3)

DKC56-26 (106 RM)**TRE Only**

- Excellent yield potential across different environments
- Excellent Stress package
- Die and Dry type hybrid
- All about the Yield!

DKC107-11 (107 RM)**SSPRO**

- Strong emergence (2) and vigor (2)
- Performs best at medium planting populations
- Strong drought (2) tolerance
- Great compliment to DKC106-98VT4PRIB
- Great disease package, ASR (3), Goss' Wilt (3)
- Above average on Tar Spot!

DKC107-69 (107 RM)**TRERIB**

- Excellent yield with broad acre placement
- Excellent emergence (2) and seedling growth (2)
- Very strong roots (2) & stalks (1)
- Excellent ASR (2) and Goss's Wilt tolerance (3)

DKC110-15 (110 RM)**SSPRIB**

- Agronomically stable product with excellent yield for RM
- Excellent roots (2) and stalk strength (2)
- Smaller plant with a balanced ear

DKC112-35 (112 RM)**SSPRIB**

- Excellent emergence (2) & seedling growth (2)
- Very strong roots (2) and stalks (2)
- Very good staygreen (3), drought tolerance (3) & harvest appearance (2)
- Strong disease pkg; Goss's Wilt (4), NCLB (4), & ASR (2)

2027 WISCONSIN DEKALB CHARACTERISTICS NORTH



PRODUCTS

		80-90RM																				91-95RM										96-100 RM										101-105 RM									
SSPRO/RIB	SS/RIB	VT4P/RIB	TRE/RIB	VT2P/RIB	81	1080	2030				3	2	3	3	3	3	3	3	3	3	4	3	5	4	5	A	Moderate	31-33	32-34	33-35	34-36	35-37																			
				DKC081-18	81	1080	2025				3	3	3	3	2	4	2	2	3	3	3	5	4	4	A	Moderate	29-31	31-33	32-34	33-35	34-36																				
				DKC32-35	82	1080	2060				2	2	3	3	2	2	2	2	2	3	4	6	2	5	A	Moderate	29-31	31-33	32-34	33-35	34-36																				
				DKC084-15	84	1090	2100				3	2	2	3	2	2	3	2	3	2	3	4	5	5	A	Moderate	28-30	29-31	30-32	32-34	32-34																				
				DKC36-48	86	1120	2150				3	3	3	3	2	3	3	4	4	4	-	-	3	3	A	High	28-30	29-31	30-32	32-34	32-34																				
			DKC086-66		86	1170	2150				2	3	3	3	3	3	3	3	3	4	6	3	4	A	High	31-33	32-34	33-35	34-36	35-37																					
			DKC087-97		87	1190	2175				2	2	2	3	2	2	3	3	2	4	-	3	5	A	Mod-High	29-31	31-33	32-34	33-35	34-36																					
			DKC088-39		88	1200	2220				2	2	3	3	3	2	3	3	4	5	2	4	A	High	31-33	32-34	33-35	34-36	35-37																						
		DKC39-54		DKC39-55	89	1200	2225				2	2	2/3	2	3	2	2	3	2	3	2	3	-	3/5	3	A	Mod-High	29-31	31-33	32-34	33-35	34-36																			
SSPRO/RIB	SS/RIB	VT4P/RIB	TRE/RIB	VT2P/RIB	91	1190	2300				3	2	2	3 <th>3</th> <th>2</th> <th>3</th> <th>2</th> <th>2</th> <th>6</th> <th>6</th> <th>2</th> <th>4</th> <th>A</th> <th>Moderate</th> <td>31-33</td> <td>32-34</td> <td>33-35</td> <td>34-36</td> <td>35-37</td>	3	2	3	2	2	6	6	2	4	A	Moderate	31-33	32-34	33-35	34-36	35-37																					
DKC092-13		DKC092-14			92	1216	2310				2	2	2	2	3	3/4	2	3	3	4/5	6	2	5	A	Mod-High	29-31	31-33	32-34	33-35	34-36																					
				DKC43-75	93	1215	2325				2	3	2	2	3	2	1	3	3	4	3	4	A	Moderate	31-33	32-34	33-35	34-36	35-37																						
DKC094-51					94	1120	2400				2	2	2	3	2	3	3	2	3	5	5	2	4	A	Mod-High	31-33	32-34	33-35	34-36	35-37																					
		DKC094-67			94	1220	2360				2	2	2	2	2	3	3	2	3	4	5	2	5	A	Mod-High	31-33	32-34	33-35	34-36	35-37																					
			DKC094-78		94	1241	2330				2	2	3	3	3	3	2	3	2	4	5	2	4	C	Mod-High	31-33	32-34	33-35	34-36	34-36																					
			DKC45-35		95	1260	2405				2	2	2	3	3	3	3	3	2	4	4	3	5	A	Mod-High	29-31	31-33	32-34	33-35	34-36																					
		DKC45-74			95	1260	2400				2	2	3	2	2	2	2	2	3	4	-	2	4	A	Moderate	31-33	32-34	33-35	34-36	35-37																					
SSPRO/RIB	SS/RIB	VT4P/RIB	TRE/RIB	VT2P/RIB	96	1265	2400				2	3	3	3	2	3	3	3	3	3	6	2	4	A	High	31-33	32-34	33-35	34-36	35-37																					
			DKC096-21		96	1200	2400				2	2	2	2	2	2	2	2	2	3	4	5	2	4	C/A	Mod-High	31-33	32-34	33-35	34-36	35-37																				
DKC097-07			DKC096-96	DKC096-97	97	1240	2415				2	2	2	2	3	2	2	2	3	4	5	2	5	C	Mod-High	31-33	32-34	33-35	34-36	35-37																					
				DKC47-27	97	1253	2375				3	3	4	3	1	3	2	3	2	3	4	5	4	C	Mod-High	29-31	31-33	32-34	33-35	34-36																					
DKC097-37					97	1200	2500				2	2	2	3	3	3	2	3	3	4	5	2	4	-	Mod-High	31-33	32-34	33-35	34-36	35-37																					
				DKC47-85	97	1260	2415				3	3	2	3	2	3	2	3	4	4	6	3	4	A	High	32-34	33-35	34-36	35-37	36-38																					
		DKC48-34			98	1275	2465				2	2	3	2	2	2	3	2	2	5	5	2	5	C	Mod-High	31-33	32-34	33-35	34-36	35-37																					
				DKC48-69	98	1275	2465				3	3	2	2	2	2	2	3	2	4	4	3	4	A	Mod-High	29-31	31-33	32-34	33-35	34-36																					
				DKC098-88	98	1270	2465				2	2	2	3	2	3	2	4	3	4	5	2	4	A	High	31-33	32-34	33-35	34-36	35-37																					
DKC098-98					98	1265	2510				2	3	3	4	3	3	3	2	4	4	5	2	3	A	Mod-High	31-33	32-34	33-35	34-36	35-37																					
				DKC099-11	99	1275	2485				2	2	3	2	2	3	3	2	4	5	4	2	4	A	High	32-34	33-35	34-36	35-37	36-38																					
DKC099-59					99	1245	2490				2	2	2	3	2	4	2	2	4	3	4	3	5	A	High	31-33	32-34	33-35	34-36	35-37																					
DKC100-53					100	1230	2550				2	2	3	3	3	3	3	4	5	6	2	4	-	High	31-33	32-34	33-35	34-36	35-37																						
			DKC100-70		100	1230	2550				2	2	3	3	3	4	2	3	4	5	6	3	5	-	High	31-33	32-34	33-35	34-36	35-37																					
SSPRO/RIB	SS/RIB	VT4P/RIB	TRE/RIB	VT2P/RIB	101	1285	2545				3	2	3	3	2	3/4	3	2	4	4	5/6	2/3	4/5	A	High	31-33	32-34	33-35	34-36	35-37																					
DKC101-33				DKC101-35	101	1285	2560				2	2	3	3	3	4	3	3	4	4	5	3	5	A	Mod-High	31-33	32-34	33-35	34-36	35-37																					
DKC102-18		DKC102-13			102	1285	2560				2	2	2	4	3	2	2	3	5	3	2	3	A	Mod-High	31-33	32-34	33-35	34-36	35-37																						
				DKC102-28	102	1280	2560				2	3	2	2	3	2	3	3	4	5	2	5	A	Mod-High	32-34	33-35	34-36	35-37	36-37																						
DKC103-63					103	1305	2590				2	2	2	2	3	3	3	2	3	4	4	2	3	C	Mod-High	31-33	32-34	33-35	34-36	35-37																					
				DKC104-32	104	1270	2610				3	3	3	2	2	2	4	2	5	4	2	5	A	Mod-High	29-31	31-33	32-34	33-35	34-36																						
		DKC105-33		DKC105-35	105	1305	2605				2	2	4	3	2	3	3	1	4	4	5	3/2	4	C	High	31-33	32-34	33-35	34-35	35-36																					

RED = 2027 New Products

A = Acceptable C = Caution

All GENVT2PRIB & TRE are CAUTION for Corn on Corn

Avoid

Caution

Good

Very Good

2027 WISCONSIN DEKALB CHARACTERISTICS SOUTH



PRODUCTS

SSPRO/RIB	SS/RIB	VT4P/RIB	TRE	VT2P/RIB	96-100 RM																				101-105 RM										106-110 RM										111-115 RM									
			DKC096-21		96	1265	2400				2	3	3	3	2	3	3	3	3	3	3	3	6	2	4	A	High	31-33	32-34	33-35	34-36	35-37																						
		DKC096-96	DKC096-97		96	1200	2400				2	2	2	2	2	2	2	2	2	2	2	3	4	5	2	4	C/A	Mod-High	31-33	32-34	33-35	34-36	35-37																					
DKC097-07					97	1240	2415				2	2	2	2	2	2	2	2	2	2	2	3	4	5	2	5	C	Mod-High	31-33	32-34	33-35	34-36	35-37																					
				DKC47-27	97	1253	2375				3	3	4	3	1	3	2	3	2	3	2	3	4	5	4	C	Mod-High	29-31	31-33	32-34	33-35	34-36																						
DKC097-37					97	1200	2500				2	2	2	3	3	3	2	3	3	3	4	5	2	4	-	Mod-High	31-33	32-34	33-35	34-36	35-37																							
				DKC47-85	97	1260	2415				3	3	2	3	2	3	2	3	4	4	6	3	4	A	High	32-34	33-35	34-36	35-37	36-38																								
	DKC48-34				98	1275	2465				2	2	3	2	2	2	3	2	2	5	5	2	5	C	Mod-High	31-33	32-34	33-35	34-36	35-37																								
				DKC48-69	98	1275	2465				3	3	2	2	2	2	2	3	2	4	4	3	4	A	Mod-High	29-31	31-33	32-34	33-35	34-36																								
		DKC098-88			98	1270	2465				2	2	2	3	2	3	2	4	3	4	5	2	4	A	High	31-33	32-34	33-35	34-36	35-37																								
DKC098-98					98	1265	2510				2	3	3	4	3	3	3	2	4	4	5	2	3	A	Mod-High	31-33	32-34	33-35	34-36	35-37																								
				DKC099-11	99	1275	2485				2	2	3	2	2	3	3	2	4	5	4	2	4	A	High	32-34	33-35	34-36	35-37	36-38																								
DKC099-59					99	1245	2490				2	2	2	3	2	4	2	2	4	3	4	3	5	A	High	31-33	32-34	33-35	34-36	35-37																								
DKC100-53					100	1230	2550				2	2	3	3	3	3	3	3	4	5	6	2	4	-	High	31-33	32-34	33-35	34-36	35-37																								
			DKC100-70		100	1230	2550				2	2	3	3	3	4	2	3	4	5	6	3	5	-	High	31-33	32-34	33-35	34-36	35-37																								
SSPRO/RIB	SS/RIB	VT4P/RIB	TRE/RIB	VT2P/RIB	101-105 RM																				106-110 RM										111-115 RM																			
DKC101-33				DKC101-35	101	1285	2545				3	2	3	3	2	3/4	3	2	4	4	5/6	2/3	4/5	A	High	31-33	32-34	33-35	34-36	35-37																								
		DKC102-13			102	1285	2560				2	2	3	3	4	3	4	3	4	4	5	3	5	A	Mod-High	31-33	32-34	33-35	34-36	35-37																								
DKC102-18					102	1285	2600				2	2	2	4	3	2	2	3	4	5	3	2	3	A	Mod-High	31-33	32-34	33-35	34-36	35-37																								
			DKC102-28		102	1280	2560				2	3	3	2	2	3	3	3	3	4	5	2	5	A	Mod-High	32-34	33-35	34-36	35-37	36-37																								
DKC103-63					103	1305	2590				2	2	2	2	3	3	3	2	3	4	4	2	3	C	Mod-High	31-33	32-34	33-35	34-36	35-37																								
			DKC104-32		104	1270	2610				3	3	3	2	2	2	4	2	5	4	2	5	A	Mod-High	29-31	31-33	32-34	33-35	34-36																									
DKC105-33				DKC105-35	105	1305	2605				2	2	4	3	2	2	3	3	1	4	4	5	3/2	4	C	High	31-33	32-34	33-35	34-35	34-35																							
SSPRO/RIB	SS/RIB	VT4P/RIB	TRECEPTA	VT2P/RIB	106-110 RM																				111-115 RM										111-115 RM																			
			DKC56-26		106	1315	2650				3	3	3	2	2	2	2	4	5	3	2	5	A	High	29-31	31-33	32-34	33-35	34-36																									
		DKC106-98			106	1320	2655				3	3	2	2	2	2	4	3	2	4	4	3	5	A	High	32-34	33-35	34-36	35-37	36-38																								
DKC107-11					107	1325	2700				2	2	3	2	2	2	3	3	3	4	5	3	3	C	Mod-High	29-31	31-33	32-34	33-35	34-36																								
			DKC107-69		107	1310	2700				2	2	2	1	2	3	3	2	5	5	4	2	3	C	Mod-High	31-33	32-34	33-35	34-36	35-37																								
DKC109-71					109	1334	2750				2	3	3	3	3	3	2	3	4	5	4	2	5	A	High	31-33	32-34	33-35	34-36	35-37																								
	DKC110-10				110	1330	2750				2	3	2	2	2	3	4	2	2	4	2	4	A	High	32-34	33-35	34-36	35-37	36-38																									
DKC110-15					110	1320	2790				2	2	2	2	3	2	3	3	3	5	5	2	5	A	High	31-33	32-34	33-35	34-36	35-37																								
				DKC110-82	110	1310	2800				2	2	2	2	2	3	2	3	2	4	4	2	4	A	Mod-High	31-33	32-34	33-35	34-36	35-37																								
SSPRO/RIB	SS/RIB	VT4P/RIB	TRECEPTA	VT2P/RIB	111-115 RM																				111-115 RM										111-115 RM																			
			DKC112-12		112	1340	2835				2	2	3	2	3	3	4	2	2	5	4	3	4	A	Mod-High	29-31	31-33	32-34	33-35	34-36																								
DKC112-35					112	1334	2825				3	3	2	2	3	3	4	2	5	4	5	2	4	A	Mod-High	31-33	32-34	33-35	34-36	35-37																								
DKC113-03					113	1382	2850				3	3	2	3	2	3	2	3	4	5	5	3	4	A	High	31-33	32-34	33-35	34-36	35-37																								
			DKC113-87		113	1350	2855				2	2	2	3	2	2	4	2	4	4	4	2	4	A	Mod-High	31-33	32-34	33-35	34-36	35-37																								
DKC114-42				DKC114-43	114	1360	2860				2	2	2	3	2	3	2	3	2	5/6	4	3	3	A	Mod-High	29-31	31-33	32-34	33-35	34-36																								

RED = 2027 New Products

All GENVT2PRIB & TRE are CAUTION for Corn on Corn

C = Caution

A = Acceptable

Avoid

Caution

Good

Very Good

CROPLAN®

CP3104 (91RM)**VT4P**

- Big yield potential when placed on medium-to-highly productive acres
- Highly recommended hybrid on productive soils and has good drought tolerance
- High response to intensive Nitrogen management
- Harvest on time if field was under stress; late-season standability can weaken in tough environments

CP3143 (91RM)**VT2P**

- High-yield potential for productive soils with good stress tolerance for tougher acres
- Strong early vigor for early planting; strong stalks late into season
- Good ear flex for planting at reduced populations
- Acceptable Goss's wilt tolerance

CP3330A (93RM)**VT2P**

- Broadly adapted hybrid with outstanding agronomics and yield potential
- Strong emergence, stalks, roots and drought tolerance
- Low RTN and RTF; flexible and economical to manage
- Strong Goss's wilt tolerance

CP3519 (95RM)**SS**

- SmartStax® hybrid enhanced by big tonnage and great plant health
- Strong agronomic package to complement yield potential
- Moderate management allows versatility across many acres
- Fungicide application recommended in areas with GLS pressure

CP3595 (95RM)**VT4P**

- High-yield potential from productive soils to tougher ground
- Strong Goss's Wilt and late season agronomics
- High response to intensive Nitrogen management with low response to fungicide
- Use caution in high Southern Rust environments

CP3790 (97RM)**VT2P**

- Excellent tonnage potential
- Strong emergence and stalks
- Great flex ear and strong drought tolerance
- Don't over populate to aid in root development

CP4024 (101RM)**SSPRO**

- Versatile hybrid; works well within zone and north of zone
- Strong roots and stalks; wide area of adaptability
- Moderate response to nitrogen and fungicide; great flexibility
- Manage leaf diseases with a fungicide in corn-on-corn situations

CP4129 (101RM)**PCE**

- Broadly adapted across yield environments; excels on highly productive acres
- Very Strong late season agronomics and Goss's Wilt tolerance
- Flex ear allows for variable planting populations
- Great choice for irrigated acres

CP4444 (104RM)**VT2P**

- Consistent and versatile hybrid to cover broad acres
- Excellent emergence and seedling vigor; strong stalks and roots
- Manage populations in high-yield environments
- Tall hybrid with acceptable Anthracnose rating

CP4689 (106RM)**PCE**

- Works from East to West on all acres and soil types
- Outstanding disease tolerances and strong plant characteristics
- Responds to improved nitrogen management
- Manage for Southern Rust

CP4770 (107RM)**SS**

- Broadly adapted across yield environments; excels on highly productive and silage acres
- Strong test weight and drought tolerance allow for broad placement
- Position at medium populations with enhanced nitrogen management for high yield potential
- Tall plant type with higher ear placement

GRAIN CORN COMPARISON TABLE

Hybrid	Emergence	Drought Tol.	Roots	Staygreen	Stalk Quality	Dry Down	Test Weight	RTP	RTN	RTF	GDU to Maturity	Flower Date
2180VT2P	2	3	2	3	3	2	3	MOD	MOD	MOD	2,025	M-E
2288 VT2P	2	2	1	2	1	2	1	HIGH	HIGH	MOD	2,065	M
2324 VT2P	2	2	2	3	3	2	4	MOD	MOD	MOD	2,075	M
2667 VT2P (X25086A/VT2P)	3	2	2	2	2	2	2	TBD	TBD	TBD	2,140	NA
2845 VT2P/SS	1	1	1	3	2	1	3	HIGH	HIGH	HIGH	2,210	E
3104 VT4P (X25091B/VT4P)	2	2	2	2	3	2	2	MOD	HIGH	MOD	2,275	L
3143 VT2P	2	2	2	2	3	2	2	MOD	HIGH	MOD	2,290	M-L
3330a VT2P	2	2	1	2	1	2	2	MOD	MOD	MOD	2,320	M
3519 SS	2	2	2	2	2	2	2	MOD	HIGH	HIGH	2,380	M
3595 VT4P (X25096C/VT4P)	2	2	2	2	2	2	3	MOD	HIGH	LOW	2,375	NA
3790 VT2P	2	2	4	2	2	2	2	LOW	MOD	HIGH	2,440	M-L
3818 TRE/VT4P	2	2	2	3	2	2	3	MOD	MOD	MOD	2,450	M
3899 VT2P	1	2	2	2	2	3	2	HIGH	HIGH	HIGH	2,450	L
4024 SSPRO	2	2	2	3	2	2	3	HIGH	HIGH	HIGH	2,500	M
4099 SS	1	2	1	3	2	3	3	HIGH	HIGH	HIGH	2,500	L
4111 VT4P (X24100C/VT4P)	1	2	1	3	2	3	3	MOD	MOD	MOD	2,530	NA
4129 PCE (X24102A/PCE)	1	3	1	2	1	2	2	NA	NA	NA	2,525	NA
4444 VT2P	1	2	1	1	1	2	3	HIGH	LOW	LOW	2,580	M
4689 PCE (X24106B/PCE)	2	2	1	1	1	2	1	MOD	HIGH	MOD	2,660	L
4770 SS	3	2	3	3	3	2	2	MOD	HIGH	HIGH	2,675	L
4840 TRE	2	2	2	2	2	2	2	MOD	LOW	HIGH	2,700	M
4949 PCE (X25109B/PCE)	2	3	2	1	2	2	2	NA	NA	NA	2,725	M
5050 VT4P	2	2	3	2	2	3	2	HIGH	MOD	HIGH	2,750	M
5320 SSPRO	2	2	2	3	2	2	3	MOD	HIGH	MOD	2,825	M-L

B87K63 (87 RM)

PCE & V

- Forage Quality
- Strong stress emergence for early planting and for no-till acres.
- Excellent grain quality and test weight.

B90H65 (90 RM)

PCE

- Forage Quality
- Elite yield performance.
- Excellent stress emergence.
- Top performer across yield and soil types.
- Great stability across the high to low breakouts.

B93D60 (93 RM)

V

- Forage Quality
- Grain and silage leader in maturity.
- Strong stress emergence for early planting and for no-till tillage systems.
- Good grain quality and test weight.
- Excellent tonnage and quality potential for silage acres.

B95D68 (95 RM)

PCE

- Forage Quality
- Excellent emergence for early planting.
- Strong drought tolerance with nice ear flex allows for broad flexibility in placement.
- Excellent greensnap tolerance and root strength.

B96M56 (96 RM)

PCE & V

- Forage Quality
- Elite yield performance backed by excellent drought tolerance
- Strong emergence and ear flex allows for a broad range of planting dates and densities

B98Z37 (98 RM)

PCE & V

- Good disease package for NCLB and GLS
- Excellent stress emergence for early planting and no-till
- Broad acre fit

B99A24 (99 RM)

AM & V

- Forage Quality
- Tall plant stature with a full flex ear style that can perform across variable soils
- Very good northern corn leaf blight and Goss's Wilt tolerance

B99R54 (99 RM)

PCE & V

- Yield leader with moderate stature and strong Northern Corn Leaf Blight tolerance
- Faster grain drydown after physiological maturity

B01A60 (101 RM)

PCE & V

- Forage Quality
- Strong drought, Goss's wilt, and greensnap tolerance.
- Excellent test weight and grain quality on a long slender ear.
- Excellent tonnage and quality potential for silage acres.

B03W64 (103 RM)

PCE & V

- Forage Quality
- Leader hybrid with top yield potential and solid agronomic package.
- For best performance, avoid aggressive plant densities to complement ear flex.

B04J45 (104 RM)

PCE & V

- Elite yield potential with balanced agronomics
- Excellent emergence for early planting into cold and/or wet soils

B05D47 (105 RM)

PCE & V

- Forage Quality
- Leader for grain yields, tonnage potential, and balanced agronomics
- Excellent tonnage and quality potential for silage acres

B06F91 (106 RM)

Qrome

- Forage Quality
- Stable performer with broad adaptability and solid agronomics
- Broadly adapted across most soil types and yield environments

B07M67 (107 RM)

V

- Elite yield potential with balanced agronomics.
- Excellent emergence for early planting into cold and/or wet soils.

B08R32 (108 RM)

AM & V

- Forage Quality
- Strong stress emergence suitable for early planting and no-till
- Excellent roots and stalks for season-long stability

B09C43 (109 RM)

PCE & V

- Forage Quality
- Great ear flex and staygreen
- Excellent tonnage and quality potential for silage acres

B10Z50 (110 RM)

PCE & V

- Exciting combination of yield performance and agronomics.
- Great stalks, sound roots and strong green snap tolerance.

B11C37 (111 RM)

AM & V

- Forage Quality
- Exciting combination of yield performance and agronomics
- Great stalks, sound roots and strong green snap tolerance

B12J58 (112 RM)

V

- Industry leading top-end yield performance backed by balance agronomics.
- Excellent stress emergence.

			Yield Environment and Recommended Populations			Soil Type			Agronomics						KEY		HS - Highly Suitable
S - Suitable																	
MA -Manage Appropriately																	
SC - Strong Caution																	
NA - Rating Not Available																	
Hybrid	Trait Versions	Relative Maturity	Low Yield 150 -180	Moderate Yield 180-230	High Yield 230+	Poorly Drained	Sandy	Clay	Stress Emergence	Stalks	Roots	Drought Tolerance	GLS	NCLB	Brevant Retail Sales Agronomist Local Comments		
B87K63	PCE V	87	HS 28-30k	HS 30-32k	HS 32-34k	S	HS	S	S	S	S	S	NA	HS	Wide range of placement across soil types and yield environments. Strong late season staygreen and test weight. Excellent choice for FQ acres.		
B90H65	PCE	90	HS 28-30k	HS 30-32k	HS 32-34k	HS	HS	HS	S	S	S	S	NA	S	Great stress emergence for the high residue, no-till and first plant acres. Strong agronomics and wide placement across soil types and environments. Excellent tonnage and digestibility for the FQ acre. Use caution where there is a strong history of gib ear rot.		
B93D60	V	93	S 30-32k	HS 30-32k	HS 32-34K	S	S	S	HS	S	S	S	NA	HS	Strong agronomics and emergence in high residue, no-till or early plant situations. Excellent NCLB but staygreen is slightly below average. Wide leaf and good roots work well on a silage acre.		
B95D68	PCE	95	HS 28-30k	HS 30-32k	HS 32-34k	S	S	S	HS	S	HS	S	SC	S	Strong emergence in no-till and early planting. Strong stalks and excellent roots. Strong drought tolerance with nice ear flex allows for broad placement. Above average staygreen but a fungicide application is highly recommended for areas with history of GLS.		
B96M56	PCE V	96	HS	HS	HS	S	HS	S	HS	S	S	HS	SC	HS	Elite yield and wide AOA east to west. Excellent drought tolerance helps with stress tolerance and performance in variable years. Strong emergence and early vigor. NLCB tolerance is excellent but recommend a fungicide for GLS and Tar Spot areas. Also labeled as FQ silage.		
B98Z37	PCE V	98	S 28-30k	HS 30-32k	HS 32-34k	HS	S	HS	HS	HS	HS	S	MA	HS	Consistent top end yield performer. Outstanding yield in both internal and third party trials. Excellent germination and moderate stature. Outstanding Roots and Stalks.		
B99A24	AM V	99	HS 28-30k	HS 30-32k	HS 32-34k	S	HS	S	S	S	S	S	MA	HS	Consistent product in the late 90RM. This products works great as a FQ silage play Available in both the AM and V, but we expect to transition AM only acres over to B99R54 and keep the V longer term for silage acres.		
B99R54	PCE V	99	S	HS	HS	S	S	S	HS	S	S	S	MA	HS	This new product is set to replace B99A24 for the non-silage acres. Eastern adapted and moderate stature will allow for wide placement in the eastern US. This product is a first to plant and a fungicide is recommended.		
B01A60	PCE V	101	HS 28-30k	HS 30-32k	HS 32-34k	S	HS	S	S	S	S	S	S	S	New for 2026. Elite grain and silage product. Excellent test weight backed by a consistent agronomic package. Average staygreen but allows for faster drydown. Good placement across yield environments and soil types. Very strong digestibility numbers for silage acres.		
B03W64	PCE V	103	HS 28-31k	HS 30-34k	HS 33-36k	S	HS	S	S	S	S	S	MA	HS	Versitale product for both grain and silage acres. Moderate stature plant with wide AOA, but strongest data against competitors in moderate to stress acres in the east Strong NLCB and Tar Spot ratings.		
B04J45	PCE V	104	S 28-30k	HS 30-33k	HS 33-34k	S	HS	S	HS	S	S	S	MA	HS	In the East the main placement will be in N IL and Wisconsin. GIB is the main concern as move east. New Leader product in this area with moderate plant height and ear height. Data suggests performs well under stress if conditions turn out droughty.		
B05D47	PCE V	105	S 28-30k	HS 30-33k	HS 33-34k	HS	HS	HS	S	S	S	S	MA	HS	Above and below ground trait options in a hybrid that bring yield, moderate stature, good drought and stalks. Consider moving 03H and 05C/05K to this product. Given the distinction of FQ at advancement. Highest tonning product in our FQ lineup.		
B06F91	Q	106	S	S	HS	S	S	S	S	S	S	S	MA	HS	Targeting the silage acre with versatile placement. The full flex ear adds versatility by allowing planting at lower densities. Strong foliar disease package for NCLB and tar spot. Strong agronomic package for roots, stalks, drought, and staygreen.		
B07M67	V	107	S 28-30K	HS 30-32K	HS 32-34K	S	HS	S	HS	S	S	S	S	S	New for 2026. Industry leading yield to moisture sub 110RM. Excellent stress emergence for early planting. Strong agronomics but data suggested better positioned on moderate to top end acres with better drainage. Strong disease tolerance including excellent tar spot tolerance and strong gib ear rot protection.		
B08R32	PCE V	108	S 28-31k	HS 30-32k	HS 32-34k	S	MA	HS	HS	S	HS	S	HS	S	PCE version replaced AM in 2026. Top end and consistent yields. More semi-determinate side of ear flex allows for pushing the pops for those growers that want to push top end with fertility. Great germination and early season vigor. Performance since 2023 speaks for itself.		
B09C43	PCE V	109	HS 28-30k	HS 30-32k	HS 32-33k	S	HS	S	S	S	S	HS	S	HS	Optimum AQUAmax and FQ product. Roots are the limitations in IA, IL and eastern IN on prarie soils. Consider FQ replacement for B09F18Q in the East.		
B10Z50	PCE V	110	HS 28-30k	HS 30-32k	HS 32-33k	S	S	S	S	S	S	HS	MA	HS	Combination of yield and drought tolerance allows for wide placement across the corn belt. Very good overall foliar diseae and anthracnose stalk rot.		
B11C37	AM V	111	S 28-30K	HS 30-33K	HS 33-34K	HS	HS	HS	HS	HS	S	HS	S	HS	As transition out of the AM, the V will become the core trait version. Versatile product and delivers strong performance north of I-80 corridor. Great option for FQ acres providing the agronomics, tonnage and versatility over a broad range of acres.		
B12J58	V	112	S 28-30K	HS 30-33K	HS 33-34K	S	S	S	HS	S	S	S	S	S	Fully traited top end yielder. Data would suggest to place on 180+ ground for best performance. Very strong agronomics and disease tolerance		
B14J68	PCUE V	114	HS 28-30k	HS 30-32k	HS 33-34k	S	HS	S	S	S	S	S	S	S	New for 2026. Industry leader for yield and agronomics. Available in PowerCore Ultra Enlist for those growers looking for additional ear worm protection for late planting/ longer growing season locations. Low volume available for 2026 planting but will be available in plots to see. Fungicide is recommended where southern rust is a concern Hard endosperm (reach out to IL RSAs for location offering premiums).		



NK8828-V (88RM)

- Top-end yield potential with consistent performance across all soil types
- Solid overall agronomic package for season-long standability
- Strong FCR rating
- SF ear provides planting population flexibility

NK9134-V (91RM)

- Lead agronomics with strong FCR tolerance
- Broadly adapted across all environments
- Best positioned on medium to fine soils with good fertility
- Responds well to increased populations
- Excellent compliment for NK9231-AA

NK9231-AA (92RM)

- Lead hybrid in this maturity- high win rate in Answer plots 2023 & 2024
- M/T hybrid with semi flex ear, 28-32K pops
- Racehorse yields with work horse capabilities
- High yield for 92 and later RM

NK9535-V (95RM)

- Performs well across soil types and yield environments.
- Best performance on well drained soils.
- Flex ear allows for population flexibility.
- Naturally good NDFd numbers. Consistent and reliable agronomic package.
- E095D3-D Enogen version.

NK9771-DV (97RM)

- Flowers later but is 97 RM
- Performs well on medium to heavy ground and irrigated sand
- Above average on tar spot
- Semi- Flex ear
- Very stable hybrid with consistent yield

NK9908-AA (99 RM)

- Outstanding emergence and vigor for tough conditions
- Strong performance in moderate to well drained soils
- Full agronomic package for broad acre, above average drydown, SF style ear
- Relation to NK0123/NK0252

NK0001-DS (100 RM)

- Versatile hybrid with exceptional yield potential
- Solid emergence allows for early planting
- Great season-long plant health with excellent root and stalk strength
- Responds well to increased populations in high fertility environments

NK0025-DV (100 RM)

- Exclusive NK hybrid
- Excellent agronomic and high performing hybrid to pair with multiple offerings for CRW acre (NK9771, NK0252)
- Very good late season plant intactness and drydown SF style ear
- Great Dual-Purpose option

NK0440-AT (104 RM)

- Proven Performer
- Proven Silage Performance
- Flexible in placement heavy soils and sand
- High yields in silage and grain

NK0415-AA (104 RM)

- Elite yield potential on highly productive acre
- Best in class drydown with open husk architecture
- Very strong tolerance to tar spot
- SF style ear to manage populations by yield goal

E104D5-DV (107 RM)

- Broadly adapted across soil textures
- Strong emergence with very good early-season vigor allows for early planting
- Outstanding stalks and roots
- Leafy tall plant with semi-flex ear
- Strong staygreen rating for excellent silage quality

NK0604-DV (106 RM)

- Taller plant structure, slightly shorter than NK0440AT
- Semi-flex ear
- Strong drought tolerance
- Excellent late season intactness
- Consistent and stable silage performance

E107C1-D (107 RM)

- Best placement is on medium to well drained soils, but still suitable for fine textured poorly drained soils
- Excellent roots and dependable stalks.
- Lead Enogen product.
- Tall plant with good tonnage.





AG14XF4

- Medium tall plant
- Good Standability (3)
- Resistance to SCN (R3)
- PRR Field Tol (TBD) – Rps1c
- Good WM Tolerance (4)
- Average SDS (5)
- Very Good BSR (3)

AG21XF2

- Medium tall plant with good
- Above average WM, BSR and SDS
- Avoid placement on PRR prone fields
- Very strong emergence
- Good No-Till option

AG24XF1

- Medium tall plant that stands well
- Leading XF yielder
- Excellent emergence
- Good mix of Disease Protection

AG28XF7

- Medium height plant with great standability (2)
- Strong yield performance, advantage greater in higher yielding environments
- Compact and bushy variety; branching
- Average White Mold and SDS

AG19XF3

- Excellent Yield potential
- Good Standability with Medium Bushy Canopy
- Average WM
- Above Average PRR Field Tolerance – Rps1c

AG22XF6

- Medium plant height with good standability (4)
- Rps1c and Rps3a gene stack for PRR, field tolerance of 5
- Strong broad acre fit.
- Average on White Mold
- Improved PRR tolerance over AG21XF2

AG26XF4

- Strongtop end yield potential
- Medium-Tall plant with VG Standability
- Excellent WM, SDS, and PRR
- Widely adapted product
- Best placed in High Yield Environments
- Balanced mix of agronomic defense & Top End yield potential

ASGROW®	RM	Poorly Drained Soils	Well-drained Highly Productive	Droughty/Light Soils	Narrow Row Planting	No-Till Adaptability	Emergence	Standability	SCN Resistance	PPR Gene K, C, or A	Phytophthora Field Tolerance	White Mold	Brown Stem Rot	Sudden Death Syndrome
.05-1.0														
AG07XF4	0.7					1	1	3	R3	Rps3a	5	4	2	5
AG10XF4	1.0					1	2	3	R3	Rps1c	4	4	3	5
1.1-1.5														
AG12XF4	1.2					2	2	3	Sus.	Rps1c	5	4	4	6
AG12XF7	1.2					1	2	3	R3	Rps1k	4	-	-	-
AG14XF4	1.4					2	2	3	R3	Rps1c	4	4	3	5
AG15XF7	1.5					2	2	3	R3	Rps1c	5	5	-	5
1.6-2.0														
AG16XF5	1.6					3	3	4	R3	Rps1c	4	5	5	4
AG18XF1	1.8					3	2	3	R3	Susc	6	5	3	5
AG19XF3	1.9					1	2	3	R3	Rps1c	4	5	2	3
AG20XF4	2.0					1	2	3	R3	Rps1c	4	5	3	5
2.1-2.5														
AG21XF2	2.1					2	2	3	R3	Rps3a	7	4	4	4
AG22XF6	2.2					2	2	4	MR3	Rps1c,Rps3a	5	5	3	3
AG24XF1	2.4					1	1	2	R3	Rps1c	5	4	3	4
AG24XF7	2.4					1	2	3	R3	Rps1c	5	-	-	5
2.6-2.9														
AG26XF4	2.6					2	2	3	R3	Rps1c	4	4	2	4
AG28XF7	2.7					2	3	2	R3	Rps1c	-	-	-	5
AG29XF5	2.9					3	2	4	R3	Rps1c	6	5	3	4
Highly Rec Recommended in most situations Use with appropriate management Not generally recommended														

CP0926E**Enlist E3**

- Component in WinPak® variety CP0820E
- Strong, defensive bean for placement on soils prone to IDC or SWM
- Excellent IDC and SWM tolerance
- Has Peking SCN resistance for high SCN areas

CP1627E**Enlist E3**

- Also available in WinPak® variety 1620E
- Offensive yield potential for productive soils with Peking SCN
- Strong SWM, SDS, and PRR with excellent standability
- Acceptable IDC tolerance

CP1830E**Enlist E3 WinPak**

- Upgraded WinPak® variety consisting of CP1825E and CP1827E
- Broadly adapted WinPak variety that combines yield and agronomic strength
- Excellent standability; strong PRR, IDC and SWM tolerance
- Half Peking variety and half PI88.788 for SCN control

CP2024E**Enlist E3**

- High yield potential single line Peking variety also in WinPak® variety CP2020E
- Strong performance west to east across many soil types
- Excellent standability; acceptable SWM tolerance, strong PRR and BSR tolerance
- Acceptable IDC tolerance

CP2054E**XF**

- Single line that pairs strong agronomics with yield potential
- Strong PRR, SDS, and stress tolerance allows movement east to west
- Strong SWM and standability for heavy white mold acres
- Average IDC; manage on high pH acres

CP2230E**Enlist E3 WinPak**

- Upgraded WinPak® variety consisting of CP2225E and CP2325E
- Broadly adapted with proven yield potential and agronomic strength
- Acceptable SWM, IDC, and standability

CP2336E**Enlist E3 WinPak**

- A Peking variety with excellent PRR, BSR and SDS tolerance
- Excellent choice where Peking is needed for SCN
- Strong SWM with excellent standability on highly productive soils
- High-yield potential with PRR tolerance that works great for no-till and narrow rows

CP2530E**Enlist E3 WinPak**

- WinPak® variety that consists of CP2527E and CP2627E
- High yield potential variety that moves east to west and can handle tougher soils
- Strong standability plus acceptable PRR, SDS, SWM, and IDC tolerance

Soybeans												
	The Rundown	SCN	PRR	SDS	SWM	BSR	Emergence	Standability	Stress Tol.	Canopy	Height	
1620E	WinPak of 1624E and 1627E. Strong offensive and defensive package.	Peking	3	2	2	4	2	2	2/NA	INT/ BUSH	MT	
1627E	Top-yielding Peking bean at 1.5 RM with exceptional SWM tolerance.	Peking	2	2	2	5	1	1	NA	INT	MT	
1830E	Upgraded WinPak of 1825E and 1827E. Genetically diverse. Top yield.	Peking/PI88.788	1	2	2	1	1	1	1/NA	INT	MT	
1840XF	WinPak of 1846XF and 1844XF. Strong disease package + standability.	PI88.788	2	2	2	2	1/NA	1	2/NA	INT	MT	
2020E	WinPak of 2024 and 2027. Genetically diverse. Excellent standability.	Peking/PI88.788	2	3	2	2	2	1	2/NA	INT	M	
2024E	High yield potential with good standability. Solid disease package.	Peking	2	4	2	2	2	1	NA	INT	MS	
2054XF	Yield monster with fantastic agronomics.	PI88.788	2	2	2	1	1	2	2	INT	M	
2230E	Double Peking WinPak of 2227E and 2336E. Great stand with strong SWM.	Peking	2	2	2	1	2	2	2/NA	INT	MT	
2336E	Excellent standing bean with top SWM resistance.	Peking	1	2	2	1	2	2	1	INT	MT	
2350XF	WinPak of 2244XF and 2346XF. Broad acre fit with solid yield potential.	PI88.788	3	2	3	3	2/NA	3	NA	INT	MT	
2530E	WinPak of 2527E and 2627E. Massive yield potential!	PI88.788	3	3	3	1	2	2	NA	INT	MT	



NK11-A4E3

Enlist E3

- High yield soybean, lead option for this RM!!
- Suitable for all soil types and management levels
- Top end yield potential on high management acres
- Strong agronomic package with exceptional SWM tolerance

NK15-G9E3

Enlist E3

- Strong SWM rating with Peking protection
- Excellent SDS rating
- Best placed on medium to heavier soils, lean on NK14-U5E3 or NK16-Z6E3 for sand acres
- Very good yield potential, sister to NK19-T8E3

NK16-B4E3S

Enlist E3 STS

- Broadly adapted across soil types, including drought prone and poorly drained
- Excels in high yield environments
- Good response to early planting

NK18-A6XF

XF

- Next generation NK17-M2XF type with improved yield
- Strong option for high pH acre (IDC 3)
- Excellent plant structure and SWM tolerance (2) for high pressure acres

NK20-J9E3

Enlist E3

- NEW genetics with Peking source of SCN,
- Excellent performance across all soil types with top-end yield potential
- Similar WM tolerance as NK21-C2E3
- Dependable phytophthora tolerance on poorly drained soils

NK21-C2E3

Enlist E3

- Broadly adapted for production on all soil types
- Brings great SDS and PRR field tolerance
- Strong standability and SWM tolerance for use on highly productive acres

NK23-P1E3

Enlist E3

- High yield ceiling 80+ bu, very good in clay soils, limited supply

NK24-U5XF

XF

- Racehorse type variety with agronomics
- Performs well in poorly drained soils
- Protects yield with strong SDS + SWM ratings
- S20-J5X type genetics

NK26-M6E3

Enlist E3

- Broad placement and strong agronomics
- Excellent standability
- Well suited for all row widths
- Very good SDS and WM rating
- Will respond to irrigation

Product			Agronomic Characteristics										Plant / Ear Characteristics										Adaptation to Environments				Insect Resistance/Disease Tolerance																		Herbicide Response	
NK	Trait Stack	Relative Maturity (RM)	Emergence	Standability	Branching	Green Stem	Shatter Tolerance	Chloride Sensitivity	Narrow Row	Wide Row	Plant Height	Canopy Type	Growth Habit	Flower Color	Pubescence Color	Pod Color	Hilum Color	Seed Size	% Protein @ 13% mst.	% Oil @ 13% mst.	Drought Prone	High pH	Highly Productive	Variable	Poorly Drained	Phytophthora Gene Resistance	Phytophthora Field Tolerance	Soybean Cyst Nematode (SCN) Source	Soybean Cyst Nematode (SCN) Rating	Southern Stem Canker (SSC)	Iron Deficiency Chlorosis (IDC)	Brown Stem Rot (BSR)	Charcoal Rot (CHR)	Soybean White Mold (SWM)	Pod and Stem Blight (PSB)	Sudden Death Syndrome (SDS)	Frogeye Leaf Spot (FELS)	Sulfentrazone	Metribuzin							
NK11-A4E3	E3	1.1	2	2	M	4	1	INC	1	2	MS	M	IND	WH	GR	TN	BF	L	33.7	20	G	F	B	B	B	Rps1k, Rps3a	2	PI88788	MR3, MR14	1	4	3	-	3	-	4	2	B	B							
NK11-U2XF	XF	1.1	2	3	M	3	2	EXC	1	2	MT	M	IND	PUR	LTW	TN	BL	L	36.1	19	B	G	B	B	B	Rps3a	3	PI88788	MR3	1	3	2	-	3	-	2	-	-	G							
NK13-Y4XF	XF	1.3	3	2	M	3	1	INC	1	2	MT	MT	IND	PUR	LTW	BR	BR	L	35.8	19	B	G	B	B	B	Rps1c, Rps3a	1	PI88788	MR3, MR14	1	3	3	-	2	3	3	4	-	G							
NK14-U5E3	E3	1.4	2	3	M	2	3	EXC	1	2	MT	MT	IND	PUR	GR	TN	BF	L	35.1	19	G	B	G	G	G	Rps1c, Rps3a	2	Peking	MR1, MR3, MR5	-	2	3	-	5	-	3	-	-	B							
NK14-V3XF	XF	1.4	2	2	M	4	3	EXC	1	1	M	M	IND	PUR	LTW	BR	BL	S	35.5	19	B	G	B	B	B	Rps1c, Rps3a	3	PI88788	MR3, MR14	-	3	4	4	2	-	4	-	G	R							
NK15-G9E3S	E3/STS	1.5	3	2	M	3	3	INC	1	2	MS	M	IND	PUR	GR	BR	IMB	M	34.5	20	B	P	B	G	B	Rps1k	3	Peking	MR1, R3	1	5	3	-	3	5	2	4	B	B							
NK16-B4E3S	E3/STS	1.6	3	2	M	2	4	INC	1	1	M	MB	IND	PUR	GR	BR	BF	M	-	-	B	F	B	G	B	Rps1k	3	PI88788	MR3	-	4	4	-	4	-	3	-	-	R							
NK16-Z6E3	E3	1.6	1	3	M	2	3	INC	2	1	M	MB	IND	PUR	GR	TN	IMB	M	35	19	B	G	G	B	G	Rps1c, Rps3a	2	Peking	R1, MR3, MR5	1	3	3	-	4	4	3	4	B	G							
NK17-H1E3	E3	1.7	3	2	M	2	2	INC	1	1	M	M	IND	PUR	GR	TN	BF	S	35.9	19	G	F	B	G	G	Rps1c	3	PI88788	MR3, MR14	-	4	3	4	2	-	3	-	G	R							
NK17-M2XF	XF	1.7	3	2	M	3	2	INC	1	2	MT	M	IND	PUR	LTW	BR	BR	M	35.1	20	G	G	B	B	G	Rps1c	4	PI88788	MR3	1	3	2	-	3	4	3	5	G	G							
NK18-A6XF	XF	1.8	3	2	M	2	2	EXC	1	1	MT	M	IND	PUR	LTW	BR	BL	S	35.3	20	B	G	B	G	G	Rps1c, Rps3a	3	PI88788	MR3	-	3	4	3	2	-	3	-	G	R							
NK19-T8E3S	E3/STS	1.9	3	3	P	2	1	INC	2	1	M	M	IND	PUR	GR	BR	IMB	M	34.5	20	G	F	B	B	B	Rps1k	3	Peking	MR1, MR3, MR5	1	4	3	5	4	5	3	4	B	B							
NK20-J9E3S	E3/STS	2	2	4	M	3	4	INC	-	-	M	M	IND	PUR	GR	BR	IMB	S	-	-	B	F	B	B	B	Rps1c	3	Peking	MR1, MR3, MR5	-	4	3	4	3	-	3	-	-	-							
NK20-K2XF	XF	2	3	3	M	4	3	INC	3	1	MT	M	IND	WH	LTW	BR	BL	M	34.1	21	B	G	G	B	B	Rps1c	3	PI88788	MR3	1	3	3	4	3	4	2	4	G	B							
NK21-C2E3	E3	2.1	3	2	M	3	2	INC	1	1	M	M	IND	PUR	GR	BR	IMB	M	34.5	20	G	G	B	B	B	Rps1c	2	PI88788	MR3	1	3	3	3	3	2	2	4	B	B							
NK21-H4XF	XF	2.1	3	4	M	3	2	INC	3	1	M	M	IND	WH	LTW	BR	BL	M	35.2	20	B	G	G	G	B	Rps1c	2	PI88788	MR3	1	3	5	3	3	6	3	4	B	G							
NK23-P1E3	E3	2.3	3	2	M	2	2	INC	1	1	M	M	IND	PUR	GR	TN	BF	S	33.2	20	B	F	B	B	G	Rps1c, Rps3a	2	Peking	R1, MR3, MR5	-	4	3	4	4	-	3	5	-	B							
NK23-T9XF	XF	2.3	3	3	M	2	2	INC	2	1	M	M	IND	WH	LTW	BR	BL	M	34.3	20	B	F	G	B	B	Rps1c	3	PI88788	MR3	1	4	3	3	3	4	4	5	-	G							
NK24-U5XF	XF	2.4	2	3	M	3	2	INC	1	2	MT	MT	IND	WH	LTW	BR	BL	M	35.5	19	B	G	B	G	B	Rps1c	4	PI88788	MR3	-	3	3	3	2	-	2	-	-	-							
NK25-V7E3	E3	2.5	2	4	M	4	2	INC	-	-	M	M	IND	PUR	GR	BR	IMB	S	-	-	B	G	G	G	G	Rps1c	4	PI88788	MR3	-	3	3	4	4	-	4	-	-	-							
NK26-M6E3	E3	2.6	3	2	M	2	2	INC	1	1	M	M	IND	WH	GR	TN	BF	S	33.4	20	B	F	G	B	B	Rps1c	3	PI88788	MR3	-	4	5	4	3	-	3	4	B	F							
NK26-Z1XF	XF	2.6	2	2	M	3	4	INC	1	1	M	M	IND	WH	LW	TN	BL	M	34.9	19	B	F	B	B	B	Rps1c	4	PI88788	MR3	-	4	2	4	3	-	4	-	-	R							
NK27-K4E3S	E3/STS	2.7	2	4	P	2	3	INC	-	-	M	M	IND	PUR	GR	BR	IMB	S	-	-	F	P	B	G	G	Rps1c	4	Peking	MR1, MR3	-	5	3	4	4	-	3	-	-	-							



B116EE

Enlist E3

- Strong yield performance with balanced agronomics.
- Outstanding IDC tolerance for high pH soils.
- Strong canopy width for wide rows.

B155EE

Enlist E3

- Strong agronomics plus Peking SCN resistance
- High yielder with improved standability

B186EE

Enlist E3

- Elite combinations of agronomics and disease tolerance.
- RM leading standability.
- Great combination of IDC, White mold, SDS, Phytophthora and frogeye tolerance.
- PI88788 SCN for use in rotation.

B194EE

Enlist E3

- Impressive yield performance with Peking SCN resistance
- Strong DC tolerance for high pH soils
- Outstanding standability

B243EE

Enlist E3

- Featuring Peking SCN resistance and great white mold tolerance
- Sound agronomics, good defensive characteristics, and yield potential

B256EE

Enlist E3

- Top-end yield performance with incredible standability.
- Peking SCN resistance provides an attractive alternative in cyst areas.
- Excellent SDS tolerance.
- Rps1K for phytophthora + strong yield tolerance.
- Excellent Frogeye leaf spot tolerance.

Life's complicated enough and we're proud to offer financial solutions to advance your business.

Simpli-Fi loan

Provides financing for your agronomy and related services purchased from United Cooperative in one simple application.

CFA Online System

Real-time access to your loan balances, history, and more!

Pay with Harvest

Input Advantage

Designed to capture all of your agricultural product needs over the course of the growing season and potentially cover your land rent.

Crop inputs include:

- fertilizer
- chemicals
- seed
- custom application
- agronomy services
- propane for dryer
- lubricants
- fuel



CFA The Cooperative
Finance Association, Inc.
Financial Services for Successful Agriculture

Applications are available through your agronomist or our website at www.unitedcooperative.com. Please have your agronomist look over your application to make sure everything is filled out properly prior to submission. *Financing available to qualified applicants

Xitavo™

Soybean Seed

XO1372E

Enlist E3

- High yielding genetics with excellent stress tolerance.
- Med/Avg height with nice moderate bushy canopy that easily adapts to various row widths and planting populations.
- Good early season emergence and vigor.
- Dependable performance.
- STS Tolerant.
- SEG for Chloride.

XO1632E

Enlist E3

- Good early season emergence and vigor.
- Solid agronomic package including IDC, SDS, BSR, and 3a PRR gene and tolerance.
- Excellent top end yield potential for highly productive acre.
- Good standability with moderate height and bushiness.
- SEG for Chloride.

XO1776E

Enlist E3

- Disease package that moves well East(Rps1k for PRR/BSR resistance), but with SWM protection rivaling XO 1761E.
- Medium stature and better performer than XO 1761E in higher yielding environments.
- Overall, a variety for farms looking for yield stability, or for avg/tough acres.

XO1837E

Enlist E3

- Strong emergence and quick canopy.
- Heavy branching loaded with pods.
- Very strong standability

XO2075E

Enlist E3

- Good IDC and SWM tolerance with Peking SCN source.
- Good standability in a Med-Tall plant type.
- SEG for Chloride.
- Stable across yield environments.
- Great choice for placement on any acre.

XO2087E

Enlist E3

- Excellent performance across wide geography.
- Dependable in both heavy and light soil environments.
- Strong defensive characteristics

XO2366E

Enlist E3

- Standout performer besting XO 2444E by 3 bushels in 2024 data, appears true to maturity and an ideal candidate for Wisconsin and far North IL.
- Attractive light tawny/brown appearance with solid SDS tolerance.

XO2832E

Enlist E3

- High-yielding variety stacked with excellent standability.
- Robust disease and stress tolerance package with a deep penetrating root.
- Great option for irrigated acres, poorly drained, or muck soils.
- Flexible across row widths, with strength in narrow rows.
- Recommended for average to higher planting populations.
- SEG for Chloride

XO2926E

Enlist E3

- Excellent companion with XO 3014E.
- Great combination of agronomics and performance with a nice plant type and appearance.
- Solid standability, SDS and PRR field tolerance.
- Great SWM tolerance for RM.
- Consistent across all yield environments with step change yield for RM.
- Moves South very well for its maturity.
- Caution on IDC acres.
- Includer for Chloride.

XO3107E

Enlist E3

- New variety for 2027.
- Excellent early season vigor.
- Short internode length early in season leading to great standability in the late season.
- Well suited for early planting windows in the north.

PRODUCT NAME	RM	Plant Height	Canopy Type	Flower Color	Pubescence	Pod Color	Hilum Color	Emergence	Standability	SCN Tolerance	IDC Tolerance	Sclerotinia White Mold	SDS Tolerance	Phytophthora Field Tolerance	Phytophthora Source	Brown Stem Rot	Sulfonylurea Tolerance	High Productivity	Low Productivity	Poorly Drained	Drought Prone	Irrigated	Variable Soils	No-Till, Cover Crop
XO 1776E	1.7	Med/ Avg	Med	P	G	TN	IB	2	2	PI88788	3	3	4	4	1k	1	No	E	VG	E	VG	E	VG	VG
XO 2087E	2.0	Med/ Tall	Med-Bush	P	G	TN	IB	3	4	PI88788	4	4	3	3	1c	5	No	VG	E	E	E	E	E	VG
XO 2366E	2.3	Med/ Avg	Med-Bush	W	LT	BR	BL	3	3	PI88788	5	3	4	3	1k	1	No	E	E	E	VG	E	E	VG
XO 2777E	2.7	Med/ Tall	Med-Bush	P	G	BR	IB	2	2	PI88788	4	4	3	3	1k	-	No	E	E	E	VG	E	E	E
XO 2832E	2.8	Med/ Avg	Med	P	G	BR	IB	2	3	PI88788	3	2	3	3	1k	3	No	E	E	VG	E	E	E	E
XO 2926E	2.9	Med/ Tall	Med-Bush	P	LT	BR	BL	3	3	PI88788	5	3	3	3	NG	5	No	E	E	VG	E	E	E	VG
XO 3107E	3.1	Med/ Tall	Med-Bush	P	G	TN	IB	3	3	PI88788	5	4	3	3	NG	-	No	VG	E	VG	VG	VG	E	VG
XO 1372E	1.3	Med	Med-Bush	P	G	BR	IB	4	3	PI88788	4	4	4	4	NG	5	Yes	E	E	VG	E	VG	VG	VG
XO 1632E	1.6	Med	Med-Bush	P	G	TN	BF	2	3	PI88788	3	5	3	2	3a	1	No	E	VG	E	VG	E	E	VG
XO 1776E	1.7	Med/ Avg	Med	P	G	TN	IB	2	2	PI88788	3	3	4	4	1k	1	No	E	VG	E	VG	E	E	VG
XO 1837E	1.8	Med/ Avg	Med-Bush	P	G	TN	BF	2	2	PI88788	3	3	3	2	3a	1	No	E	VG	VG	VG	A	VG	E
XO 2075E	2.0	Med/ Tall	Med-Bush	P	G	TN	IB	3	2	Peking	4	2	5	2	3a	1	No	VG	E	VG	E	E	E	VG
XO 2087E	2.0	Med/ Tall	Med-Bush	P	G	TN	IB	3	4	PI88788	4	4	3	3	1c	5	No	VG	E	E	E	E	E	VG
XO 2366E	2.3	Med/ Avg	Med-Bush	W	LT	BR	BL	3	3	PI88788	5	3	4	3	1k	1	No	E	E	E	VG	E	E	VG

Rating Scale: 1=Excellent, 9=Poor E = Excellent VG = Very Good A = Average NR = Not Recommended

Updated 8/26/2026

XITAVO®SOYBEAN SEED DISTRIBUTED BY BASF CORPORATION. Always read and follow label directions. Enlist and the Enlist logo are trademarks of Corteva Agriscience and their affiliated companies. The transgenic event in Enlist E3 soybeans



HVX MegaTron AA

HarvXtra

Fall Dormancy: 4.2

Winterhardiness: 1.7

- Superior wet-soil disease resistance for excellent seedling emergence and plant health
- High resistance to aphanomyces root races 1, 2/3; multirace anthracnose resistance

LegenDairy AA

Fall Dormancy: 3.2

Winterhardiness: 1.2

- Great winterhardiness and stand persistence for producers in Northern growing regions
- Excellent yield and high digestibility (XHD) with leaf retention and stem quality; ideally suited for 3- to 4-cut baled hay or haylage harvest system

Rebound AA

Fall Dormancy: 4.4

Winterhardiness: 1.7

- Packs a punch with the latest disease resistance package
- High yield potential with early spring growth and very rapid regrowth after each cutting
- Excellent stand persistence and winterhardiness

RR AphaTron AA

RR2

Fall Dormancy: 4.4

Winterhardiness: 1.4

- Management is similar to conventional Rebound line with the added benefit of the Roundup Ready® trait
- Excellent disease package; high resistance to aphanomyces root races 1, 2/3




ALFALFA

ALFALFA VARIETY PLACEMENT¹


The map can be used to determine which alfalfa varieties are recommended for your area's climate challenges. Also, use the chart below to place the recommended variety to help manage common diseases and pests in your area, and to match quality to your desired cutting frequency.

- HARVXTRA® ALFALFA VARIETIES
- ROUNDUP READY® VARIETIES
- CONVENTIONAL VARIETIES
- VARIETIES WITH ADDITIONAL INSECT AND DISEASE RESISTANCE




PRODUCT DORMANCY MAP²

Fall dormancy and winterhardiness are important considerations in alfalfa seed selection. This map shows CROPLAN® seed varieties that match fall dormancy and winterhardiness zones in various regions of the United States.



1. This chart is provided as an illustration only. Planting decisions are complex and any implementation of the placement described above is your decision. Because of factors outside of our control, such as weather and product application, results to be obtained, including but not limited to yields, cannot be predicted or guaranteed by WinField United.

2. Fall dormancy (FD) and winterhardiness (WH): Higher FD number = higher yield potential; lower WH number = more cold tolerant and stand persistent.


CROPLAN
ALFALFA
YIELD REPORT 2025


2024 Planted Trial- West Salem, WI

Product	FD	Total Cuts	2025		NDFD Mn	NDFD %Ck	RFQ Mn	RFQ %Ck	Milk lb/A %Ck^
			T/Acre ↓	T/Acre %Ck					
Rebound AA	4	4	6.4	115%	41.4	98%	136.3	96%	112%
GUNNER AA	5	4	6.2	111%	39.7	94%	132.2	93%	105%
AFX 579*	5	4	6.0	107%	40.5	96%	127.5	90%	101%
X-Force 5400	4	4	5.8	104%	42.4	100%	149.6	105%	107%
54VQ52	4	4	5.8	103%	41.2	98%	134.8	95%	98%
6305Q*	3	4	5.7	103%	43.5	103%	151.9	107%	109%
L-457HD+	4	4	5.7	102%	41.9	99%	146.6	103%	104%
54Q16	4	4	5.7	101%	43.2	102%	148.0	104%	105%
LegenDairy AA	3	4	5.6	100%	41.9	99%	141.3	99%	100%
Magnum 8-Wet	4	4	5.6	100%	41.1	97%	132.3	93%	96%
54Q29*	4	4	5.5	98%	40.9	97%	132.5	93%	92%
HybriForce-3430	4	4	5.4	97%	42.7	101%	149.6	105%	100%
Enduro 423AP	4	4	5.2	93%	44.1	104%	147.6	104%	98%
L-451APH2+	5	4	5.2	93%	41.3	98%	133.6	94%	89%
HybriForce-4400*	4	4	5.2	93%	43.9	104%	157.4	111%	98%
Magnum 8	4	4	5.1	90%	44.4	105%	157.9	111%	97%
HybriForce-4420/Wet	4	4	5.0	90%	43.5	103%	148.5	104%	94%
HybriForce-3420/Wet	4	4	5.0	90%	42.5	101%	146.4	103%	89%
Tug-of-War	3	4	4.8	86%	41.7	99%	139.4	98%	85%

ChkMn 5.6 42.2 142.3

LSD(.10) 0.53 2.3 17.9

CVErr 6.823 3.872 9.014

* indicates varieties included in check package for this trial

^Milk lb/A is based on multi-year T/A total


WINFIELD
UNITED

CROPLAN

Learn more about our brands at
winfieldunited.com

Results are generated from field observations and may change as additional data is gathered. Crop results are dependent on the impact of many factors beyond the control of WinField United including without limitation, reduced performance due to weather, soil variations and may even reflect differences in agronomic practices.

© 2025 WinField United. Answer Plot®, CROPLAN® and WinField® are trademarks of WinField United.



CORPORATE OFFICE

N7160 Raceway Road

Beaver Dam, WI 53916

1-800-924-2991

www.unitedcooperative.com

