CO-OP 16% PELLETED GOAT GROWER-MON

MEDICATED

For Growing Goats

For the prevention of coccidiosis caused by Eimeria crandallis, Eimeria christenseni and Eimeria ninakohlyakimovae.

346

ACTIVE DRUG INGREDIENT			
Monensin			20 g/ton
GUARANTEED ANALYSIS			
Crude Protein (min.)			16.00%
(This includes not more than 1.20% equivalent crude protein from non-protein nitrogen.)			
Crude Fat (min.)			2.50%
Crude Fiber (max.)			14.00%
Acid Detergent Fiber (max.) .			21.00%
Calcium (min.)	0.75%	(max.)	1.25%
Phosphorus (min.)			0.35%
Salt (min.)	1.00%	(max.)	1.50%
Copper (min.)	20 ppm	(max.)	30 ppm
Selenium (min.)			0.30 ppm
Vitamin A (min.)			15,000 İÜ/lb
Vitamin D (min.)			
Vitamin E (min.)			20 IU/lb

INGREDIENTS

Processed Grain By-Products, Forage Products, Roughage Products, Grain Products, Molasses Products, Plant Protein Products, Lignin Sulfonate, Calcium Carbonate, Salt, Ammonium Chloride, Zinc Methionine Complex, Manganese Methionine Complex, Copper Lysine Complex, Cobalt Glucoheptonate, Vitamin A Supplement, Vitamin D-3 Supplement, Selenium Yeast, Natural and Artificial Flavors, Dehydrated *Lactobacillus acidophilus* Fermentation Product, Dehydrated *Lactobacillus casei* Fermentation Product, Dehydrated *Bitidobacterium thermophilium* Fermentation Product, Dehydrated *Enterococcus faecium* Fermentation Product, Vitamin E Supplement, Zinc Oxide, Manganous Oxide, Ferrous Sulfate, Sodium Selenite, Sodium Molybdate, Ethylenediamine Dihydriodide, Cobalt Carbonate.

FEEDING DIRECTIONS: Feed continuously as sole ration to growing goats 6 weeks of age or older. Do not allow animals to run out of feed. Always provide plenty of clean, fresh water.

CAUTION: Do not allow horses or other equines access to feed containing Monensin. Ingestion of Monensin by horses has been fatal. Monensin-medicated goat feeds are safe for use in goats only. Consumption by unapproved species may result in toxic reactions. Do not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result. Do not feed to lactating goats. Do not feed to sheep or other copper-sensitive animals.

Manufactured By PROTRITION FEED, LLC LAVERGNE, TENNESSEE 37086

ITEM NO. 93461

TAG CODE NO. 122723-93461

Seller warrants only that this feed conforms to the description on the label and is suitable for the purposes set forth when used in accordance with the directions for use on said label.

NET WEIGHT 50 lb (22.68 kg)/INVOICE